


COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. Twenty Eight



Page 16 Vol 1

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Poplar 12 North 10 lks
1 Poplar 12 S 34 E 10 lks G-9

24

2 B Oak 18 N 36 E 22 1/2 lks
3 B Oak 18 S 60 W 65 lks

25

4 W Oak 24 S 53 W 44 1/2 lks
5 Ironwood 6 in N 66 E 60 lks
R Oak 26 N 53 W 7 lks
6 Sugar 12 N 86 W 8 lks

7 W Oak 16 S 25 1/4 E 47 lks
8 W Oak 20 S 87 1/4 W 24 lks

9

10 Cherry 14 S 88 W 25 lks
11 Poplar 6 N 66 E 14 lks - G-10

12

13

14 F W Oak 24 S 79 E 47 lks
15 W Oak 8 N 41 E 44 lks

16

17

18


19

20

MAY 9 1839
A. Jackson

TOWN One NORTH, RANGE Three West, MERIDIAN OF MICHIGAN.

SEC. 27



104 N d 2

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

W Oak 30 N 23 W 7
 c 24 Maple 6 S 69 E 22
 B Oak 28 S 30 W 27
 d 25 Sym 20 N 30 E 24

G-11 ✓

Dec 24 1851
A. Jackson

15 B A sh 22 S 60 E 82 No
a 16 No other tree
Blue 11 S 3³/₄ W 59
B 17 No other tree

18

19


20

21

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 28



Page No 2

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- Refer 12 North 10 69
- 3 1 P O 12 S 34 1/2 W 10
- 10 14 S 7 1/2 W 40
- 2 2 P O 28 S 32 1/2 E 36 3/4
- 3
- 4
- 5
- 6
- 7
- 8 10 26 N 73 W 67
- 9 22 S 32 1/2 W 36
- 10 56 N 3 1/2 W 80
- 10 P O 17 N 42 1/2 E 93
- 11
- 12
- 13
- 14
- 15


Feb 25 1852
A. Jackson

COUNTY SURVEYOR'S RECORD,

TOWN *One* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

SEC. *34* H-11

I-11



P 146 Vol 2

TOWN *One* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

- B Oak 20 S 51 E 21
- B 1 Hickory 20 N 22 E 15
- B Oak 24 N 79 E 15 W 235' lko
- a 2 Becoming N 36 1/2 E 60 SW corner of School House 25


- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- c 11 B Oak 5 N 18 1/2 E 11 1/2 lko
- DO 8 S 27 E 30
- 012 DO 6 N 25 1/4 W 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

APR 7, 1853
A. Jackson

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE Three West, MERIDIAN OF MICHIGAN.

SEC. 22



1218 1612

G-9 ✓

H-9 ✓

I-9 ✓

TOWN One NORTH, RANGE Three West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5 No Oak 16 S 27° 00' 12 14
- 6 D O 16 S 32° 12' E 55 14
- 7 D O 14 S 81° 12' E 9
- 8 D O 8 S 45° 12' W 61 12
- 9 D O 12 S 78° 12' W 75
- 10
- 11 No Oak 12 N 78° 00' 12
- 12 B Oak 16 N 68° 00' 12
- 13 D O 2 N 55° 12' W 11 54
- 14 D O 8 N 75° 12' E 59 12
- 15 B Oak 9 S 89° 00' 44 12
- 16 D O 9 N 50° 12' E 37
- 17 D O 10 S 4° 00' 32
- 18 B Oak 12 N 6° 00' 100
- 19
- 20
- 21 D O 6 N 49° 00' 15
- 22 B Oak 6 N 78° 00' 14 54
- 23 D O 16 N 77° 12' W 35 8
- 24 D O 14 S 32° 00' 31

24 D O 12 N 10° 00' 10
G 9 025 D O 12 S 34° 00' 10
D O 11 S 49° 12' W 96
D O 8 S 88° 12' W 49 14
D O 20 S 67° 00' 25
F D O 24 N 14° 12' E 20 12

1854

INGHAM COUNTY, MICHIGAN.

371

TOWN ~~One~~ NORTH, RANGE ~~Three~~ West, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $2\frac{1}{2}^{\circ}$ E
Surveyed and Recorded Oct 23rd 1854
by A Jackson Co Surveyor


At. 21-1, Set Iron Post in Road for corner of 22 + 23 + 24 + 27 corners & crossing
J. H. Mullett County Surveyor (No Date)

I-9

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Section 20



(A) K-9
1866

J-10

J-11

3347 Vol 2

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- | | |
|----|---|
| 1 | 24 |
| 2 | 25 |
| 3 | J-10. A Wood 12 S 24 3/4 E 52 3/4 Pipe ridge 13 S 65 1/2 E 77 |
| 4 | B Jamack 10 S 57 1/2 W 45 3/4 DO 11 N 67 1/4 E 60 |
| 5 | C B Oak 24 S 53 E 65 Wood 24 S 12 1/2 E 72 1/4 |
| 6 | J-11 - D Wood 23 S 33 E 24 DO 11 N 73 E 63 |
| 7 | E Wood 3 S 45 1/2 E 26 Elm 6 S 27 3/4 W 5- |
| 8 | F Wood 2 S 10 3/4 W 86 1/2 B Oak 5 S 89 W 60 |
| 9 | G Highway 12 S 68 1/2 E 34 3/4 B Oak 24 N 58 3/4 E 76 |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

1855
1866


INGHAM COUNTY, MICHIGAN.

TOWN *One* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.Run by the true Meridian 1862 2nd ESurveyed and Re-surveyed Oct 15th 1855 by J. J. Basson Co Survey -A South West corner of School House N 41¹/₂ E 179¹/₂ S to Black Cherry 6 37¹/₂ W 193This section corner of 23 + 24 + ²⁵ 26. I located from the best authority + with care
to any one Variation 2nd E April 25th 1866 W H Bayner Co Survey19

COUNTY SURVEYOR'S RECORD

TOWN One NORTH, RANGE Five West, MERIDIAN OF MICHIGAN.

SEC. 23



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

- 24
- 25

1872

INGHAM COUNTY, MICHIGAN.

TOWN Butte NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.


Survey of the north half and the south west quarter of section No Twenty Three in Township No One North of Range No Two West, as represented in the accompanying plat, the scale of which is 13 chains to one inch; in which the bearings and distances of the lines, the names of owners and the number of acres covered by each, the position of roads, and letters of reference to lines and corners are respectively given.

The corners (not all witnessed) are described as follows

- (5), (27), (28), (29), (30), (31), (32), (33), (8), (25) and (13) are posts without witnesses.
- (4) a post from which a B Walnut 4 inches diam. bears $N 23^{\circ} E$ 21 lks
- (3) " " " " " Apple 7 " " " $S 64^{\circ} W$ 56 "
- " " " " " B Oak 13 " " " $N 66^{\circ} E$ 17 $\frac{1}{2}$ "
- " " " " " " " " 11 " " " $S 19^{\circ}$ 23 $\frac{3}{4}$ "
- (26) " " " " " Locust 20 " " " $N 10^{\circ} 30' E$ 41 $\frac{1}{2}$ "
- (15) " " " " " Hickory 9 " " " $S 44^{\circ} E$ 33 "
- (14) " " " " " S. Oak 18 " " " $S 85^{\circ} E$ 32 $\frac{3}{4}$ "
- " " " " " " " " 24 " " " $N 85^{\circ} W$ 65 $\frac{3}{4}$ "
- (21) " " " " " S. W. cor Sch. House " " " $N 41^{\circ} E$ 174 $\frac{1}{2}$ "
- " " " " " B Cherry 6 " " " $S 7^{\circ} W$ 193 "
- (1) A stone corner.
- (11) Post from which a N Oak 6 " " " $S 44^{\circ} E$ 79 "
- " " " " " " " " 7 " " " $N 88^{\circ} W$ 87 $\frac{3}{4}$ "
- " " " " " " " " 6 " " " $N 83^{\circ} W$ 44 "
- (23) " " " " " " " " 12 " " " $N 13^{\circ} W$ 112 "
- " " " " " " " " 16 " " " $N 19^{\circ} W$ 61 $\frac{1}{4}$ "
- (24) " " " " " Tamarac 8 " " " $S 19^{\circ} W$ 63 $\frac{3}{4}$ "
- (17) " " " " " N Oak 18 " " " $S 52^{\circ} E$ 105 $\frac{1}{2}$ "

Run by the true Meridian Magnetic Variation $1^{\circ} 55'$ East
Survey Sept 7, 1872, by T. J. Brown, Dep. Co. Surv., for Ing. Co., Mich.

SEC. 34



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

1880

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE Twp West, MERIDIAN OF MICHIGAN.

Survey of the north half of section No Thirty four in Township No One North of Range No Two West, divided as represented by the plat, with the bearings and lengths of the lines surveyed, and letters of reference to the corners described below.

This section was surveyed some years ago by Anson Jackson at which time he made the corners (2) (12) (13) & (14) and all were readily found except (12) and that was replaced at the equidistant point between (13) & (11). The section corner (1) is the original corner without doubt having been perpetuated by T. J. Brown in 1858 when he marked the Hickory named below. At (3) & (11) the old corners were found.

The corners are described as follows

(3)	a stone for a sup. Oak 10 in. diam. bears	N 1/4 W	58 links.	#11
"	" " " " " R. Elm 10 " " "	S 43 E	85 "	
(2)	" " " " S. W. cor School House	N 57 E	134 "	
"	" " " " a Hickory 6 in. " " "	S 25 E	94 1/2 "	
(1)	" " " " " 15 " " " "	S 70 1/2 E	112 1/2 "	I-11
(11)	" " " " " 6 " " " "	S 1 1/2 W	10 "	
"	" " " " " B. Oak 18 " " " "	N 55 1/2 W	42 1/4 "	
(12)	" " " " " 8 " " " "	S 84 1/2 W	40 1/2 "	
"	" " " " " Double Hickory 7 " " " "	S 84 1/4 E	50 3/4 "	
(13)	" " " " " N. Oak 22 old between	S 81 1/4 E	32 3/4 "	
"	" " " " " 18 " " " "	S 70 W	4 1/2 "	
(14)	" " " " " 4 " " " "	S 28 E	2 "	
"	" " " " " B. Oak 8 " " " "	S 74 1/2 E	14 "	
(7)	" stone " an Elm 6 " " " "	S 5 E	39 "	
(8)	" " " " " No Trees near			

Run by the County Meridian Variation 1° 22' East

Surveyed Mar 22nd & 23rd 1880.


Recorded Apr 22nd 1880 by A. P. Drake Co Surveyors

COUNTY SURVEYOR'S RECORD,

TOWN Q. W. NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

I-11

SEC. 35



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

24 Stake & N. Oak 10 S 50 1/2 E 55 1/2
25 Stake Hickory 8 S 62 1/2 W 96.

1
2
3 Iron Hickory 4 N 12 W 51 1/2
4 Stake N. Oak 6 N 31 E 65 1/2
5 Stake Hickory 3 N 62 W 88 1/3
6 Stake & Hickory 15 S 70 1/2 E 112 1/2
7 Post No Truss Marked
8 Post No Truss Marked

8
9
10
11
12
13 Post Willow 8 S 11 1/2 E 60 1/2
14 Stake N. Oak 14 S 48 3/4 W 124 1/2
15 Stake Hickory 10 N 47 E 6
16 Stake Hickory 6 S 17 1/2 W 10
17 Stake B. Oak 18 N 55 1/2 W 42 1/4

16
17
18
19
20
21
22 Post D. Butternut 9 N 44 1/2 E 57 1/2
23 Stake R. Oak 10 N 41 W 70
24 Stake 6 N 7 W 24 1/2

1881

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Resurvey of the west half of Section No Thirty five in Township No. One North of Range No. Two West all of which had been previously surveyed by A. Jackson in the year 1853 (See ^{Old} Liber 2 Page 147) and by T. J. Benson in 1859 (See ^{Old} Liber 2 Page 346). Except the line (6) D and the original corners found except (4).

Applications for this survey were made by Hiram B. Elliott, James Tanner & N. H. Robinson and were duly sworn as chainmen.

The corners as established and perpetuated are described as follows (See ~~X~~ below Plat.)

Run by the County Meridian Var. $1^{\circ}20' E.$

Surveyed Nov. 28th & 29th 1881 and

Recorded Dec 21st 1881

by
A. P. Drake
C. Sawyer.

SOURCE: NOTH STINE NOTES p. 11
TRANSCRIBED from ORIGINAL on file at Remon. OFFICE
DUPLICATE

Township: Onondaga
Section: 21

3 - see Sec. 20 E-9 RECORDED

C - stone
w. oak 24" N81°E 84.0' F-9
w. oak 18" S58°E 61.0' UNRECORDED
w. oak 14" N21°E 70.6'

→ 4 - set 3/4" gas pipe
W side culvert on a line S88°30' E of south 1/4 post
Sec. 21, 2605.3 feet south of anchor post set as
center Sec. 21 as near as could be located on sec. line
w. oak 6" N11°W 108.0'
2 red oaks 6" S85°E 104.6' G-9 UNRECORDED

2 - see Sec. 16 E-7 RECORDED

SOURCE: NOTHSTINE NOTES p. 14
TRANSCRIBED from ORIGINAL on file at Remo N. OFFICE
DUPLICATE

Township: Unondaga
Section: 27

2 - see Sec. 21 G-9 UNRECORDED

A - see Sec. 22 H-9 UNRECORDED

E - see Sec. 22 $\frac{1}{8}$

J - stone in crockery and stakes
SW cor. of school house NE 88.5' $\frac{1}{8}$
cor. post NW 37.0'
cor. post SW 42.2'

4 - stone and crockery 1/27/32 I-II UNRECORDED
hickory 20" NE 22'
elm 24" ESE 117'

➔ 3- $\frac{3}{4}$ " x 30" iron pipe (6" below asphalt pave.)

PK spike & Plank & Tompkins Rd. S 0° 30' E. 82.50'

N 2.30' to & Olds Rd. 20' asphalt pavement

S 62° 30' W 58.22' to vertical spk. in notch of E. roof of 30" elm

S 52° E. 58.14' to horizontal spk. in 6" elm

N 26° E. 56.24' cent. transformer pole

G-11 UNRECORDED

Unondaga T. 1/4 - R. 2 W. G-11