


COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE Five West, MERIDIAN OF MICHIGAN.

SEC. Twenty Five



Page 18 of 18

TOWN One NORTH, RANGE Five West, MERIDIAN OF MICHIGAN.

1

2

3

4 SW cor of School House N 41 1/2 E 179 1/2 ft
 5 B. Lohmeyer S 7 1/2 W 193 ft
 Swamp W Oak 18 N 27 1/2 E 39 ft
 6 W Oak 16 N 86 E 40
 W Oak 24 S 79 W 15
 7 W Oak 18 S 89 E 17

8

9

10

11 W Oak 20 S 45 E 130 ft
 12 W Oak 24 S 37 W 15 ft
 13 W Oak 16 S 27 1/2 E 34
 14 W Oak 14 S 46 1/2 W 21 1/2 ft
 15 W Oak 12 S 21 1/2 W 29 1/2 ft
 16 W Oak 14 S 8 1/2 E 40
 17 W Oak 18 North 5 ft
 18 Maple 10 S 69 E 22

16

17

18

19

20

21 W Oak 8 N 78 1/2 E 36 ft
 22 W Oak 9 S 31 E 33 ft
 23 W Oak 10 S 60 W 30 ft
 24 W Oak 11 N 50 1/2 E 17

K-11 Elm 16 N 1 W 12
 25 Elm 9 S 12 W 26 ft

See Back

at 1839
 A. JACKSON
 Vol 1 pg 18

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE Three West, MERIDIAN OF MICHIGAN.

Surveyed and recorded Oct 14th 1839 by Jackson County Surveyor for
the County of Ingham Var $3^{\circ} 20' E$

This section corner 23+24+25+26 I located from the authority and at the best of my
ability Without Partiality To any one April 25th 1866 Magnetic Variation $2^{\circ} 34' E$
W H Bayner County Surveyor

At No 1 the NE corner of the section I find the original corner and set stone
from which an Elm 24 inch Bears N. $36^{\circ} 14' W$ 43 the June 3th 1878 A P Decker Co Surveyor

[illegible]

P124042

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.


- 24 Elm 14 N 1 W 12
Q 25 D 0 9 S 12 W 26
W Oak 24 S 6 E 47
R 26 D 0 13 N 54 1/2 E 70 1/4
W Oak 14 S 67 3/4 W 93
E 27 D 0 18 N 55 E 45 1/2
- Nov 16, 1861
A.
- Vol 2 pg

Nov 16, 1852
A. Jackson

Vol 2 pg 124

COUNTY SURVEYOR'S RECORD,

TOWN Don NORTH, RANGE 2nd West, MERIDIAN OF MICHIGAN.



P 346 Vol 2

TOWN Don NORTH, RANGE 2nd West, MERIDIAN OF MICHIGAN.


- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
- 24
- 25
- A Hick 12 S 65 1/4 E 34 3/4 to Oak 24 N 55 E 62 7/8
- J-11 W Oak 23 S 55 E 29. DO 11 N 75 E 65
- J-12 to Elm 22 N 85 W 119 No other tree
- D W Oak 10 S 57 E 34 DO 5 S 48 E 4 W 13 1/2
- 3 R Oak 24 S 55 E 65. W Oak 24 S 12 1/2 E 92 1/2
- 5 Elm 22 S 53 1/2 W 70 1/2 Maple 12 S 5 1/2 W 45
- to No Bearing tree
- K-12 W Oak 18 S 5 1/2 E 48 DO 18 N 82 1/2 E 65

OCT. 1858
TJ Brown
Vol 2 P 9 346

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Section 26



J-11

3347 Vol 2

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.


- | | |
|----|--|
| 1 | 24 |
| 2 | 25 |
| 3 | A Wood 12 52 4 3/4 E 52 3/4 Pipe ridge 13 56 3 1/2 E 79 |
| 4 | B Jamack 10 55 7 1/2 W 45 3/4 DO 11 N 6 3/4 E 60 |
| 5 | C B Oak 24 55 3 3/4 E 55 3/4 Wood 24 51 2 1/2 E 42 1/4 |
| 6 | D Wood 23 53 3 3/4 E 24 DO 11 N 7 3/4 E 63 |
| 7 | E Wood 5 54 5 1/2 E 26 Elm 6 52 7 1/4 W 5- |
| 8 | F Wood 2 510 3/4 W 8 1/2 B Oak 5 58 7 W 60 |
| 9 | G Hickory 12 56 3 1/2 E 54 3/4 B Oak 24 11 58 3 3/4 E 78 |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

Vol 2 pg 347
TJ Brown OCT 1855

INGHAM COUNTY, MICHIGAN.

TOWN *Dus* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.Run by the true Meridian (true 2³/₄ EDredged and Re-surveyed Oct 15th 1905 By J. J. Buscove Co Survey -A South West corner of School House N 41¹/₂ E 179¹/₂ S to Black Cherry 6 S 7¹/₂ W 193This section corner of 23 + 24 + 27 + 26. I located from the best authority + with Parsimony
to any one Variation 2³/₄ E April 25th 1866 W H. Rayner Co Surveyer

II I-11



I-12

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

VOL 3 PG 167
A.P. DRAKE APR 1880

INGHAM COUNTY, MICHIGAN.

TOWN. One NORTH, RANGE. Two West, MERIDIAN OF MICHIGAN.

Survey of the north half of section No Thirty four in Township No One North of Range No Two West, divided as represented by the plat with the bearings and lengths of the lines surveyed, and letters of reference to the corners described below.

This section was surveyed some years ago by Anson Jackson at which time he made the corners (2) (12) (13) & (14) and all were readily found except (12) and that was replaced at the equidistant point between (13) & (11). The section corner (1) is the original corner without doubt having been perpetuated by T. J. Brown in 1858 when he marked the Hickory marked below. At (3) & (11) the old corners were found.

H-11 The corners are described as follows.


(3)	a stone for a swg Oak 10 in. diam. bears	N 1/4 W	58 links.
"	" " " " R. Elm 10 " " "	S 43 E	85 "
(2)	" " " " S. W. cor School House	N 57 E	134 "
"	" " " " a Hickory 6 in	S 25 E	94 1/2 "
(11) I-11	" " " " " 15 "	S 70 1/2 E	112 1/2 "
(11) I-12	" " " " " 6 "	S 1 1/2 W	10 "
"	" " " " " B. Oak 18 "	N 55 1/2 W	42 1/4 "
(12)	" " " " " " 8 "	S 84 1/2 W	40 1/2 "
"	" " " " " " Double Hickory 7 "	S 84 1/4 E	50 3/4 "
(13) H-12	just " " N. Oak 22 Old Trees	S 81 1/2 E	32 3/4 "
"	" " " " " " 18 "	S 70 W	4 1/2 "
(14)	" " " " " " 4 "	S 28 E	2 "
"	" " " " " " B. Oak 8 "	S 74 1/2 E	14 "
(7)	" stone " an Elm 6 "	S 5 E	39 "
(8)	" " No Trees Near		

Run by the County Meridian Variation 1° 22' East

Surveyed Mar 22nd & 23rd 1880

Recorded Apr 22nd 1880 by A. P. Drake Co Surveyors

COUNTY SURVEYOR'S RECORD,

TOWN Q. W. NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.SEC. 35

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
2
3 Iron Hickory 4 7 1/2 W 51 1/2
4 Stone Hickory 3 7 1/2 W 88 1/3
5 Stone Hickory 15 S 70 1/2 E 112 1/2
6 Post No Truss Marked
7 Post No Truss Marked
8
9
10
11
12
13 Post Yellow 8 S 11 1/2 E 60 1/2
14 Stone Hickory 14 S 48 1/2 W 124 1/2
15 Stone Hickory 10 7 1/2 E 6
16 Stone Hickory 6 S 17 1/2 W 10
17 B. Oak 18 7 1/2 W 42 1/4
18
19
20
21
22 Post D. Butternut 9 7 1/2 E 54 1/2
23 R. Oak 10 7 1/2 W 70 1/2
24 B. Oak 6 7 1/2 W 24 1/2
- AP DRAKE
DEC 1881
Vol 3 pg 187

INGHAM COUNTY, MICHIGAN.

201

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Re survey of the west half of Section No. Thirty-five in Township No. One North of Range No. Two West all of which had been previously surveyed by A. J. Jackson in the year 1853 (See Liber 2 Page 147) and by T. J. Jackson in 1859 (See Liber ^{Old} 2 Page 346) Except the line (6) and the original corners found except (4). Applications for this survey were made by Hiram B. Elliott, James Tanner & N. H. Robinson were duly sworn as chainmen.

The corners as established and perpetuated are described as follows (See ~~X~~ below Plat)

Run by the County Meridian Var. $1^{\circ}20' E.$

Surveyed Nov. 28th & 29th 1881 and

Recorded Dec 21st 1881

by
A. P. Drake
C. Surveyor.

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. 36

K-11

19.98 čk.

39.77cd.

Rushmore

$10\frac{1}{2}$ 7 21. $10\frac{1}{4}$

No. 1773

3.54

LN

15 8491248 19.95cl 14 19.95cl

19.95¢

James Culluff } Sworn
and }
Geo. F. Reed } Chairman

TOWN ----- NORTH, RANGE -----, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

24

25

Vol 3 pg 190
R.P. DRAKE DEC 1982

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE Two West MERIDIAN OF MICHIGAN.

Survey of the north west quarter of section No Thirty six in Township No One North of Range No Two West as shown by the plat

The corners (4), (4) & (13) were once located by A. Jackson in the year 1939 and recorded in Liber 1 Page 17 and all were found except (14) which was located equidistant between (15) & (13).

The corner (3) was also extinct and was reestablished at the intersection of the section line East and west and north & South.

The corners are perpetuated and described viz:

(See below plat)

11 (5) Stake & Vile Maple 9 in diameter S 74° W 47½ links

" " " " 9 " " " S 55° W 22½ "

(4) Stone &c set for the corner

(14) " " " Hickory 10 in diameter S 77¾° E 35½ "

12 (15) Post " " V. O 18 " " " N 82½° E 60 "

(13) Obsolete but a good stake was driven to perpetuate it.

Run by the County Meridian

Var allowed 1° 20' E

Surveyed Aug. 29 1882

Recorded Dec. 7th 1882

by

A. P. Drake, Co. Surveyor.

C E-1 Corner gone. Found tap root of 1st and good remains
of 2nd witness Elm 8 N 79 1/4 W 24 9/2 ^{104.67}
Willow 15 S 5 1/4 W 39 2 1/2 ^{59.05} May 11/86

c c-1 In Grand River

D W-1 Corner and witnesses gone. Found Onondaga Corner
and root of old line tree 25.11 West. Set post 188 lks west of
Onondaga corner - fence agreeing (Willow 15 S 73 1/2 E 98 1/2 ^{124.1}
Do 16 S 9 E 142 ^{65.0} Dist. 2/85

a H-1 Set post at average distance 40.03

Ash 9 N 52 1/2 E 51 1/2 June 7/86
Elm 10 N 82 3/4 W 23 7/2

E V-1 Found bottom of original stake and remains of 2nd witness
also excellent root of stump of line tree 8.39 west of Onondaga
corner Hickory 6 S 38 1/4 W 48 1/4

Do 6 S 30 E 45 1/4 Dist. 1/85

e e-1 Set post pro rata (121 1/2 West of Onondaga 1/4 post

Ash 12 S 1 1/2 W 36

Do 10 N 27 1/2 E 16 3/2 Nov 20/85

F V-1 Found point of old stake and remains of both witnesses

W. Oak 12 S 11 1/2 W 32

Elm 30 S 8 1/4 E 21 1/2 Nov 20/85

f V-1 Measured distance ^{from} F to Onondaga 1/4 post East and found it
40.75 instead 40.84 being 9 lks short. Set f at 40.33 which
agrees with old fence running South ^{27.72}

Hick 5 S 1/2 E 50 1/4

Maple 24 S 60 1/2 W 102 Nov 20/85

G W-1 Found corner set by H. F. Bean River which is the same for
Tompkins; witness for Tompkins Elm 15 S 5 1/2 E 51 1/2

W Oak 12 S 86 1/4 W 501 Nov 20/85

g W-1 Found corner by H. F. Bean and remains of 2nd original witness

Sup Oak 7 N 11 E 111 1/4 ^{73.14}

W. Do 24 S 19 E 113 Nov 20/85

H W-3 Found post at corner and both witness stumps standing
Bk Walnut 14 S 75 W 390


Do 12 N 66 W 284 1/2 Nov 20/85

h W-4 Found 2 stakes together above ground and old one below ground
and 2nd witness stump standing J. Holcroft

TRANSCRIBED from ORIGINAL on file at Remon. OFFICE
DUPLICATE

COPY OF MINUTES OF SURVEY.

S. E. 1/4 SECTION 35, T. 44 N., R. 44 E., Town 44 North, Range 44 East, Meridian of Michigan.



ONONDAGA
township

T / N, R 2 EW


K-13 1 p. 1 of 3
corner code attachment no.

WA ROWE Nov 1899

Vol 5 pg 4


SOURCE: RECORD OF THE INEHAM Co. Surveyor: V. 5 p. 4 yr. 1899

TRANSCRIBED from ORIGINAL on file at Remon. OFFICE
DUPLICATE



SOURCE: RECORD OF THE INGHAM Co. Surveyor: V. 5 p. 4 yr. 1899

TRANSCRIBED from ORIGINAL on file at Remon. OFFICE
DUPLICATE



STATE OF MICHIGAN, }
COUNTY OF INGHAM, } ss.
Do Heroby Certify that I did, on the application of James Torrey, County Surveyor of said County,

make the within

survey upon
Section 25 and 36, in the Township of Onondaga, Town 1 North, Range 2 W
1899
Month Wilam Torrey and Frank Torrey
and the following persons acted as chainmen, first being duly sworn, to-wit:

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

W. A. Power County Surveyor