

52

M-13 T2N R2E

M-1 T1N R2E

100-1

DL
JUN

TTP

2 Oct 97

52

3. Searched at Apparent location of Corner
4 Found 4" Concrete Monument with
1/2" BARS Illegible CAP 3' East of
Centerline Lane Road on Fence line
To West And 4.5' North of Fence
line To East. Based on Information
obtained from LCC recorded in
Libel 5 page 237 Accepted Monument
as per fraction of corner and
capped with PP345 cap imprinted
PS 25837

C. 4" Conc. Mon. w/ PP345 PS 25837 CAP
Found Nail 19" Tag # 18998 N Side 19" Ht 95° 26.29
Found Nail 19" Tag # 28414 W Side 10" Ht 140° 28.35
Set Nail 19" Tag # 25837 W Side 5" Ht 158° 33.18
Found Nail 19" Tag # 28414 S Side Ht 275° 26.76
Found Nail 19" Tag # 18998 N.E. Side 6" Ht 2970 29.13
Found 600 S.P. 1/2" NE Side Gate Post 320° 39.21
Found Nail 19" Tag N Side Pk Tie Ht Post 110° 20.85

70

STI

K-1

Searched of Apparent location of
Corner and found CONCRETE Monument
W/amp #18998 in Monument Box
3' E. of & Brogan Rd. W. 1/4 of 11 of
R. Lesters W/ messes Standing.
Reisd Mon. Box To Surface

C. CONCRETE Monument with 1/2" Box

3' Camp #18998 in Monument Box

Found Nail 1/4 Tag E Side 18" Maple 50 79.66

Found Nail 1/4 Tag W. Side 41.16 80 25.79

4 40" Tulip Poplar 230 93.60

Found Nail 1/4 Tag S. Side 29" Maple 2950 55.66

Scr Nail 1/4 Tag E. S. 41 27" Oak 340 89.95
K-13 T2NR2E

7700

2 Oct 97

20

DL

WGH

JWH

①

SB-2

M-2

B. Searched at apparent location of corner and found 4" concrete monument with 1/2" Bar 3 Cap #18998 on centerline KANE ROAD 7' North of fence to West. EXCAVATED 10' x 10' hole to a depth of 4.5' opposite Fence to West. Found No other Evidence of CORNER. Accepted Concrete mon. as Corner and capped it with Standard Cap.

2. 7" Concrete Monument with 1/2" Bar & 3/4" Aluminum Cap Stamped

Ingham County LS 25837 RA 344

North Tag #18998 Side 17' West 115° W 23.05'

" " E. Side 31" DIAL N 181° W 61.21'

" " 25832 W Side 12' AS 4120° E 90.05'

" " 25832 SE Side 19' 140° S 45° W 27.20'

" " 25837 NE Side 12' 140° N 58° W 27.32'

DLC

JUL

T50°

26 Oct 98

①

72

ST 1

K-3

B Sounded at apparent location of

Corner and found Conc. Mon w/

1/2" Box 4" Cap = 18993 in Mon Box.

2' E. of d. Brown Rd. on Fence Line

To East 1/2 West. Accepted Mon.

as perpetuation of corner based

on F. Lesters Excavation. Copied

Mon w/ 4" Alum. Renner Cap Stamped

C. 4" Conc. Mon w/ P4345 Alum. Cap.

STAMPED 25837

N42

N/T 28409 E Side S" OAK 335° 54.27'

N/T 28414 W Side 31" OAK 550° 37.15'

N/T 28414 W Side 36" OAK 155° 51.23'

N/T 28414 E Side OAK 210° 58.76'

N/T 28411 N. Side 18" DBL Oak 257° 30.48'

DLC
COE

T700

22 MAY 98

72

73

M-3

ST-1

A.P. Dinkle Vol 2 pg 165 Apr 1879
Stone Hole 8' N21°4'W 118.5 (78.2)

3. On May 22 1998 EXCAVATED 3'x3'x2'
Deep Hole centered on iron & found
No evidence of corner. Returned
on Oct 26 1998 EXCAVATED 10'x10'x4'
Deep Hole. Found No other evidence
of corner. Accented 1/2" Bar as
perpetuation of corner and replaced
1/4" with standard Ingham Co. Nail

PLC
COE

T70

22 May 98 73

PLC	COE	T70	22 May 98	73
3'x3'x2' Bar	W 112 1/2"	Alum.	Cap Stamped 15 25 83	98345
NST 2' S, de	13" Oak		N37E	57.73
NST 4' W S, de	8" No Nut		545°E	35.33
NST 5' S, de	16" Locust		544°W	40.15
NST 5' S, de	19" Locust		N86°W	29.88
NST 5' S, de	19" Oak		N15°W	66.50
NST 5' S, de	7" Locust		537°W	34.54

74

ST1

12-7

F. Searched at	apparent	location of
Corner and found	"T"	Iron in Man
Box	Ring 1' East of Center line	
Broken Road on	Elmset Rd. To	
East. Dig 1.5' Dia. Hole, removing		
Ring 3' 1" Iron & EXCAVATE Hole		
3' Deep finding no further Evidence		
of corner		

5	3/4"	#24	For	25"	Alum	Cap	Stomper
---	------	-----	-----	-----	------	-----	---------

PH 345	25837
--------	-------

157	28414 S. W. Side of Hick (Dead)	137°	41.30
-----	---------------------------------	------	-------

147	24832	E. Side	23" Hick	341°	103.00
-----	-------	---------	----------	------	--------

AST 25837 S. Side	19" Hick	620	115.20
		100	119.17

11/17	25037 S. Side 41"	ORAK	69°	169.67
-------	-------------------	------	-----	--------

NET 25837 S.S. 31	DAE	740	216.60
-------------------	-----	-----	--------

Dt 2844 E. S. de Desapto da Ur. 10.12.43 S.B. 37

DL

CFE

7500

1 Sept 98

74

ST1

6-2

Bass	Eng	N4T	N. S. de	30"	Wohnt	564' W	79.44'
2005	Eng	N4T	W. S. de	33"	Hoppe	N 25° W	23.44'
N4T	284' W	S. S. de	36"		OAK	N 70° E	80.44'
N4T	2583T	W. S. de	19"		OAK	N 32° E	55.91'
N/E	Con	Sheet	Meta	100	Perm	539° E	61.25'

DLC
COE

783

1 Sep 98

75

COE

7-11

24 Sep 78

5. Searched at address + location of

	Cover	dnd	furd	L-2	37cl	-che
0	0	0	0	0	0	0
1	1	1	1	1	1	1
2	2	2	2	2	2	2
3	3	3	3	3	3	3
4	4	4	4	4	4	4
5	5	5	5	5	5	5
6	6	6	6	6	6	6
7	7	7	7	7	7	7
8	8	8	8	8	8	8
9	9	9	9	9	9	9

105	7	1/4	APPT	at	GRATE	11/10
106	7	1/4	APPT	at	GRATE	11/10
107	7	1/4	APPT	at	GRATE	11/10
108	7	1/4	APPT	at	GRATE	11/10
109	7	1/4	APPT	at	GRATE	11/10
110	7	1/4	APPT	at	GRATE	11/10
111	7	1/4	APPT	at	GRATE	11/10
112	7	1/4	APPT	at	GRATE	11/10
113	7	1/4	APPT	at	GRATE	11/10
114	7	1/4	APPT	at	GRATE	11/10
115	7	1/4	APPT	at	GRATE	11/10
116	7	1/4	APPT	at	GRATE	11/10
117	7	1/4	APPT	at	GRATE	11/10
118	7	1/4	APPT	at	GRATE	11/10
119	7	1/4	APPT	at	GRATE	11/10
120	7	1/4	APPT	at	GRATE	11/10
121	7	1/4	APPT	at	GRATE	11/10
122	7	1/4	APPT	at	GRATE	11/10
123	7	1/4	APPT	at	GRATE	11/10
124	7	1/4	APPT	at	GRATE	11/10
125	7	1/4	APPT	at	GRATE	11/10
126	7	1/4	APPT	at	GRATE	11/10
127	7	1/4	APPT	at	GRATE	11/10
128	7	1/4	APPT	at	GRATE	11/10
129	7	1/4	APPT	at	GRATE	11/10
130	7	1/4	APPT	at	GRATE	11/10
131	7	1/4	APPT	at	GRATE	11/10
132	7	1/4	APPT	at	GRATE	11/10
133	7	1/4	APPT	at	GRATE	11/10
134	7	1/4	APPT	at	GRATE	11/10
135	7	1/4	APPT	at	GRATE	11/10
136	7	1/4	APPT	at	GRATE	11/10
137	7	1/4	APPT	at	GRATE	11/10
138	7	1/4	APPT	at	GRATE	11/10
139	7	1/4	APPT	at	GRATE	11/10
140	7	1/4	APPT	at	GRATE	11/10
141	7	1/4	APPT	at	GRATE	11/10
142	7	1/4	APPT	at	GRATE	11/10
143	7	1/4	APPT	at	GRATE	11/10
144	7	1/4	APPT	at	GRATE	11/10
145	7	1/4	APPT	at	GRATE	11/10
146	7	1/4	APPT	at	GRATE	11/10
147	7	1/4	APPT	at	GRATE	11/10
148	7	1/4	APPT	at	GRATE	11/10
149	7	1/4	APPT	at	GRATE	11/10
150	7	1/4	APPT	at	GRATE	11/10
151	7	1/4	APPT	at	GRATE	11/10
152	7	1/4	APPT	at	GRATE	11/10
153	7	1/4	APPT	at	GRATE	11/10
154	7	1/4	APPT	at	GRATE	11/10
155	7	1/4	APPT	at	GRATE	11/10
156	7	1/4	APPT	at	GRATE	11/10
157	7	1/4	APPT	at	GRATE	11/10
158	7	1/4	APPT	at	GRATE	11/10
159	7	1/4	APPT	at	GRATE	11/10
160	7	1/4	APPT	at	GRATE	11/10
161	7	1/4	APPT	at	GRATE	11/10
162	7	1/4	APPT	at	GRATE	11/10
163	7	1/4	APPT	at	GRATE	11/10
164	7	1/4	APPT	at	GRATE	11/10
165	7	1/4	APPT	at	GRATE	11/10
166	7	1/4	APPT	at	GRATE	11/10

[illegible]

Westchester at J. 1000

[illegible][illegible]

21	1031	181	cc	11	10
22	1031	181	cc	11	10
23	1031	181	cc	11	10
24	1031	181	cc	11	10
25	1031	181	cc	11	10
26	1031	181	cc	11	10
27	1031	181	cc	11	10
28	1031	181	cc	11	10
29	1031	181	cc	11	10
30	1031	181	cc	11	10
31	1031	181	cc	11	10
32	1031	181	cc	11	10
33	1031	181	cc	11	10
34	1031	181	cc	11	10
35	1031	181	cc	11	10
36	1031	181	cc	11	10
37	1031	181	cc	11	10
38	1031	181	cc	11	10
39	1031	181	cc	11	10
40	1031	181	cc	11	10
41	1031	181	cc	11	10
42	1031	181	cc	11	10
43	1031	181	cc	11	10
44	1031	181	cc	11	10
45	1031	181	cc	11	10
46	1031	181	cc	11	10
47	1031	181	cc	11	10
48	1031	181	cc	11	10
49	1031	181	cc	11	10
50	1031	181	cc	11	10
51	1031	181	cc	11	10
52	1031	181	cc	11	10
53	1031	181	cc	11	10
54	1031	181	cc	11	10
55	1031	181	cc	11	10
56	1031	181	cc	11	10
57	1031	181	cc	11	10
58	1031	181	cc	11	10
59	1031	181	cc	11	10
60	1031	181	cc	11	10
61	1031	181	cc	11	10
62	1031	181	cc	11	10
63	1031	181	cc	11	10
64	1031	181	cc	11	10
65	1031	181	cc	11	10
66	1031	181	cc	11	10
67	1031	181	cc	11	10
68	1031	181	cc	11	10
69	1031	181	cc	11	10
70	1031	181	cc	11	10
71	1031	181	cc	11	10
72	1031	181	cc	11	10
73	1031	181	cc	11	10
74	1031	181	cc	11	10
75	1031	181	cc	11	10
76	1031	181	cc	11	10
77	1031	181	cc	11	10
78	1031	181	cc	11	10
79	1031	181	cc	11	10
80	1031	181	cc	11	10
81	1031	181	cc	11	10
82	1031	181	cc	11	10
83	1031	181	cc	11	10
84	1031	181	cc	11	10
85	1031	181	cc	11	10
86	1031	181	cc	11	10
87	1031	181	cc	11	10
88	1031	181	cc	11	10
89	1031	181	cc	11	10
90	1031	181	cc	11	10
91	1031	181	cc	11	10
92	1031	181	cc	11	

6	10	10	10
7	10	10	10
8	10	10	10
9	10	10	10
10	10	10	10
11	10	10	10
12	10	10	10
13	10	10	10
14	10	10	10
15	10	10	10
16	10	10	10
17	10	10	10
18	10	10	10
19	10	10	10
20	10	10	10
21	10	10	10
22	10	10	10
23	10	10	10
24	10	10	10
25	10	10	10
26	10	10	10
27	10	10	10
28	10	10	10
29	10	10	10
30	10	10	10
31	10	10	10
32	10	10	10
33	10	10	10
34	10	10	10
35	10	10	10
36	10	10	10
37	10	10	10
38	10	10	10
39	10	10	10
40	10	10	10
41	10	10	10
42	10	10	10
43	10	10	10
44	10	10	10
45	10	10	10
46	10	10	10
47	10	10	10
48	10	10	10
49	10	10	10
50	10	10	10
51	10	10	10
52	10	10	10
53	10	10	10
54	10	10	10
55	10	10	10
56	10	10	10
57	10	10	10
58	10	10	10
59	10	10	10
60	10	10	10
61	10	10	10
62	10	10	10
63	10	10	10
64	10	10	10
65	10	10	10
66	10	10	10
67	10	10	10
68	10	10	10
69	10	10	10
70	10	10	10
71	10	10	10
72	10	10	10
73	10	10	10
74	10	10	10
75	10	10	10
76	10	10	10
77	10	10	10
78	10	10	10
79	10	10	10
80	10	10	10
81	10	10	10
82	10	10	10
83	10	10	10
84	10	10	10
85	10	10	10
86	10	10	10
87	10	10	10
88	10	10	10
89	10	10	10
90	10	10	10
91	10	10	10
92	10	10	10
93	10	10	10
94	10	10	10
95	10	10	10
96	10	10	10
97	10	10	10
98	10	10	10
99	10	10	10
100	10	10	10

[illegible]

41	100118	021124	12	150610	1
42	100118	021124	12	150610	1
43	100118	021124	12	150610	1
44	100118	021124	12	150610	1
45	100118	021124	12	150610	1
46	100118	021124	12	150610	1
47	100118	021124	12	150610	1
48	100118	021124	12	150610	1
49	100118	021124	12	150610	1
50	100118	021124	12	150610	1
51	100118	021124	12	150610	1
52	100118	021124	12	150610	1
53	100118	021124	12	150610	1
54	100118	021124	12	150610	1
55	100118	021124	12	150610	1
56	100118	021124	12	150610	1
57	100118	021124	12	150610	1
58	100118	021124	12	150610	1
59	100118	021124	12	150610	1
60	100118	021124	12	150610	1
61	100118	021124	12	150610	1
62	100118	021124	12	150610	1
63	100118	021124	12	150610	1
64	100118	021124	12	150610	1
65	100118	021124	12	150610	1
66	100118	021124	12	150610	1
67	100118	021124	12	150610	1
68	100118	021124	12	150610	1
69	100118	021124	12	150610	1
70	100118	021124	12	150610	1
71	100118	021124	12	150610	1
72	100118	021124	12	150610	1
73	100118	021124	12	150610	1
74	100118	021124	12	150610	1
75	100118	021124	12	150610	1
76	100118	021124	12	150610	1
77	100118	021124	12	150610	1
78	100118	021124	12	150610	1
79	100118	021124	12	150610	1
80	100118	021124	12	150610	1
81	100118	021124	12	150610	1
82	100118	021124	12	150610	1
83	100118	021124	12	150610	1
84	100118	021124	12	150610	1
85	100118	021124	12	150610	1
86	100118	021124	12	150610	1
87	100118	021124	12	150610	1
88	100118	021124	12	150610	1
89	100118	021124	12	150610	1
90	100118	021124	12	150610	1
91	100118	021124	12	150610	1
92	100118	021124	12	150610	1
93	100118	021124	12	150610	1
94	100118	021124	12	150610	1
95	100118	021124	12	150610	1
96	100118	021124	12	150610	1
97	100118	021124	12	150610	1
98	100118	021124	12	150610	1
99	100118	021124	12	150610	1
100	100118	021124	12	150610	1

[illegible][illegible]

	Accepted	Korthrick	FIVE 005-105
	Well	W.C.	

received 1000
pieces of standard Br 34

base,

3/1" x 3/4" Std. 1 bar	2 1/2" Alum.	Cap
------------------------	--------------	-----

C. 19	25337	W.S. de	2" OAK	N 15° E	27.90
-------	-------	---------	--------	---------	-------

NEW SIDE 15" THICK N430 = 20.40

N Side	17" DWT	N 90° E	36.17
--------	---------	---------	-------

510	5.01	23" 04	5.69	23.72
-----	------	--------	------	-------

[illegible]

⑤

W.O.

L-1 S.B.
 3. Searched at apparent location of corner and found 1/2" Bar 3 Cap # 18989 in N-S Fence on Fence line from East Township 5 - Section 26 with the old and Section 1 Stockbridge revealed that Bar 3 Cap is 24' S. of Township line. Searched at point on N-S Fence 24' N. of Found Bar 3 Cap and found Ancient remains of Arch. Post Fence from East is 10 - old 5' is extension of South Fence 5 - line that ends 650' East corner. 1st line of line is on Top line. Survey to 11.12.18. Deflection in Top line 130' side of line which is where occupation was occupied is on Top line. EXCAVATED 16' Dia. Hole around Arch. Post and found large Disturbance
 Stone in hole (Cont on page 6.)
 C. 3/4" 1 1/2" Steel Bar 3/2 1/2" Arch. Cap.
 N 47 25837 W Side 26" Hick. Sapling 20.46
 N Side 7" Hick 516 E 5.65
 W. Side 9" Cherry N 60 W 802
 S.E. Side 6" Hick 130° W 31.97
 1/2" 3/4" 18989 55° W 24.07
 (L-13) 20 R 26 3/4" 3/4" 44.05

DLC WITH

T 70°

12 Oct 98

5

L-13 W.O.
 Searched at apparent location of corner and found 1/2" Bar 3 Cap # 18989 on N-S 1/4 line Section 26 Stockbridge 24' South of Top line. Found Arch. Post hole 55' S. of North 1/4 corner of Sec. 1 Stockbridge. Fence from South extends through Top line to point 1/4 mile North of Top line where there is a drain to South 45' West of Fence Set corner 44' West of L-1 S.B. at Midway on line position as that is what GLO Surveyors found Call for and there is no evidence of corner location around corner This position is very close to on line with N. 1/4 Cor. Corn. of Sec. 1 Drain 1/4 mile North. Corner falls in field
 C. 3/4" 1 1/2" Steel Bar 3/2 1/2" Arch. Cap.
 N 47 25837 W Side 26" Hick. Sapling 20.46
 N Side 7" Hick 516 E 5.65
 W. Side 9" Cherry N 60 W 802
 S.E. Side 6" Hick 130° W 31.97
 1/2" 3/4" 18989 55° W 24.07
 (L-13) 20 R 26 3/4" 3/4" 44.05

(6)

110-

L-1 S.B. (cont. from page 5)
Accepted Anch. Post & Stone as
best evidence of corner. Set
standard bar & cap on extension
of N-S 1/4 line (using found
bar & cap for line) on Twp. line.
Corner falls in Anchor Post
Hole. Remnants of old fence
found East of West of corner.

Dec
20th

770°

12 Oct 98

(6)

U3

W01

W01 - 62-29

W01 - 61-24

W01 - 63-30

W01 - 63-31

W01 - 60-46

W01 - 21-55

W01 - 20-14

W01 - 21-47

W01 - 20-30

W01 - 41-49

W01 - 240-28-10

W01 - 41-47

W01 - 177-21-37

W01 - 177-21-28

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

W01 - 177-21-235

DL
CSE

T NIKON

T-750

63

17 SEPT 92

N

W01 - 63-30

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

DL
CSE

T NIKON

T-750

63

17 SEPT 92

N

W01 - 63-30

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

W01 - 63-31

64

W01

T

W01-63-30

BS

W01-62-29

FS

W01-64-32

M-12? F.D. 1/2 P.C. 45'
(W.O.F. & L.A. Rd 3'
N.O.F. & Swan Rd 70 W)

BS

W01-60-40

B

179-38-36

BS

180-00-31

R

359-38-18

179-37-47 179-37-51.5

BS

W01-20-30

B

239-58-30

179-38-00

BS

240-20-20

B

59-58-11

179-37-51 179-37-55.5
179-37-53.5

P15T

BS 29

FS 32

CT

926.98 2114.11

W1

282.543 644.383

DL

CC

T NIKON

T-75°

17 SEPT 98

64

Swan Rd.

W01-64-32

W01-63-30

W01-64-29

US

W01

W01 - 04-32

BS W01 - 03-30

ES W01 - 05-33

ES W01 - 05-34

ES W01 - 05-35

BS 000 - 00-40

W 91 - 10-25

W 180 - 33-05

BS 180 - 00-28

W 271 - 15-55

W 000 - 32-44

BS 100 - 20-30

W 151 - 36-17

W 240 - 52-54

BS 240 - 20-22

W 331 - 35-43

W 00 - 52-42

DISC B2.30

ET 2114.11

M 444.342

(POL. SET ON LMS 30-32

R.P. SET 1/2" 3/4" 1/2" 28409

(2" W. E. COM. KANE RD. 5 D.R. 2120

91-15-45

180-32-25

91-15-27

91-15-38

180-32-16

180-32-20

91-15-47

180-32-26

91-15-29

91-15-38

180-32-28

180-32-27

91-15-38

91-15-38

1312.27

374.42

1351.92

114.124

412.065

D-C


CE

NIKONI

T-750

17 SEPT 92

AS



66

W01

T W01-65-35

BS W01-64-32

FS W01-66-36

BS W01-68-40

S W01-69-12

BS W01-70-14

S W01-71-07

BS W01-72-30

S W01-73-01

BS W01-74-06

S W01-75-53

BS W01-76-47

S W01-77-40

BS W01-78-40

S W01-79-40

BS W01-80-40

S W01-81-40

BS W01-82-40

S W01-83-40

BS W01-84-40

S W01-85-40

BS W01-86-40

S W01-87-40

BS W01-88-40

S W01-89-40

DLC
LFE
F. NIKON

T-75°

17 SEPT 98

66

A

X

W01-64-32

X

W01-65-35

DLC

0

W01-64-32

WOL

SS	W01-64-32
----	-----------

FS	W01-66-38
----	-----------

B5D 000-00-40

184-19-18 184-18-38

BSR 180-00-41

R 04-19-12 184-18-31 184-18-535

BS 2 690 - 20 - 30

244-39-11-184-10-41

1558 240-20-25

04 - 37 - 00	12.11.16-35	10.11.16 30	12.11.16 - 2
--------------	-------------	-------------	--------------

DIST 10 5532 ES32


ET	374.40	715.06
----	--------	--------

M	114, 119	217, 450
---	----------	----------

DLT
CEE
T NIKON

26 435 27.

68



69

W01

X

W01-68-38

BS

W01-65-34

FS

W01-54-17

BS0

000-00-40

D

177-20-11 177-19-31

BS R

180-00-24

R

357-20-11 177-19-45 177-19-38

BS D

180-20-30

D

237-39-55 177-19-25

BS R

240-20-20

R

57-39-59 177-19-29 177-19-32 177-19-35

DISTD

BS34

FS

FT

715.05 1562.44

M

217.948 476.294

FS

W01-69-39

(POL. ON APPROXIMATE 8 IN. 5 ON LINE W01-68-38 & W01-

DIST

FS39

CT

237.38

M

72.353

DLC


CCE

X NIKON

T-65°

69

23 SEPT. 98



70

W01

T W01 - 54 - 17

BS W01 - 68 - 38

ES W01 - 53 - 14

ES W01 - 70 - 40

BS W01 - 00 - 40

D 180 - 07 - 07

D 264 - 30 - 05

BS 180 - 00 - 37

D 000 - 04 - 58

D 84 - 29 - 03

BS 00 - 20 - 30

D 240 - 27 - 05

BS 240 - 20 - 36

D 00 - 24 - 53

DIST 10 BS 36

ET 1502.04

M 476.295

199.114

3.483

11.43

180-06-21

180-06-24

180-06-26

180-06-27

180-06-28

180-06-29

180-06-30

180-06-31

180-06-32

180-06-33

180-06-34

DL


CEE

T.N.K

T-650 SUMMIT

23 SEPT 41

70



2

WD-1

DLC
COE
N NIK
TMO
23 Sep 98
72

WD-1-67-37

WD-1-66-36

WD-1-72-43 (E.P. 51 1/2 BSC N. 5. 2-1700)

WD-1-00-40

D 93-14-54 93-14-14

SR 180-0-54

R 273-14-29 93-13-35 93-13-54/5

SR 60-20-30

D 153-34-28 93-13-58

SR 240-20-17

R 333-34-07 93-13-50 93-13-51 93-13-54

SR 85 (36)

FS (43)

T 773.62 ✓

422.09 ✓

SR 235.800

128.653

