

See 32. J. 2. N. R. 2. E.

The object of this survey was to locate the S¹/₄ post of Dec 32. W. Oak & the N¹/₄ post of Dec 50 stockbridge.

Beginning at the S.E. cor Dec 32 O.P.F. thence N. 89° W. 20.04 ch. remove to O.P.F. set post; iron rod & stone pin. W. Oak 12 in. N. 31° E. 20 3/4 l & W. Oak 24 in N. 88 3/4 E. 5 1/4 l.

Thence on same course 20.04 ch set 1/4 post - 300 pipe 9 in. W. Oak 30 in N. 31 3/4 W. 32 l & W. Oak 24 in N. 88 3/4 E. 4 5 3/4 l.

Proved up by lining and measurement from creek bed and also from S.W. cor Dec 32 W. Oak. The witnesses of which are still good and the N.W. cor Dec 5 stockbridge O.P.F. Also old unrecorded survey on N.W. 1/4 Dec 5 old 1/4 post - found and posts set in road survey all of which confirm E & W line. But would not allow. N¹/₄ post of Dec. 5 to be set for the survey had been accepted as long as be disturbed & as set N¹/₄ post of Dec. 5 at its appropriate distance between the W. Oak 1/4 post & the recognized 1/4 post on the north line of Dec. 5 which was 2.96 ch. west from the S¹/₄ post of Dec. 32 W. Oak. Post set - iron stake 1/2 in. W. Oak 30 in N. 25° E. 30 l & thick 8 in 8 16 3/4 E. 2 8 4 l.

Edward Binding & Son chainmen W. H. Post

Var O
Surveyed for W. H. Post - Oct. 15 & 16 1895

W. H. Rowe
Co. Surveyor

See 10. J. 1. N. R. 2. E. S. E. 1/4

The object of this survey was to divide the small east 1/4 of Dec. 10. stockbridge according to beards and two parts

Beginning at the S.E. cor. sec 10 O.P.F. W. Oak 15 in N. 8 1/2 W. 80 1/2 l 300 pipe set " " 30 " N. 21 3/4 W. 26 l " " 14 " S. 77 1/2 W. 22

Thence west on south line of Dec 10 40.19 ch & S 1/4 post O.W. 9. Rev. 8 hick, 10 in S. 77 1/4 E. 43 1/4 l & hick, 12 S 45 W 59 1/2 l. then set for cor.

Thence N. 2 1/4 W. 40.39 1/2 ch & center of sec. O.W. 9. Well point - 2 ft - set for apple 4 S. 26 1/4 E. 75 1/4 l, W. Oak 14 S. 89 E 102 1/2 l & B. Oak 10 N. 47 1/2 E. 53 1/2 l.

Thence east - 40.57 ch & the east 1/4 post of Dec. 10. This post was lost & reestablished by lining & measurement from a known point in the E & W 1/4 line of sec 10. and also tested by lining from the S.E. cor. sec 10 At East 1/4 post - 300 pipe 6 ft set for another 300 pipe 2 ft - S. 1. W. 50 l & W. Oak 14 in S. 1 W. 35 1/2 l.

Thence S. 1 1/4 E. 40.34 ch. to place of beginning 300 pipe set.

Then beginning at a point in the E & W 1/4 line 15.10 ch west from E 1/4 post & running thence S. 1 1/4 E. parallel with E. sec. line 24.35 ch. set post, iron rod & 300 pipe 4 ft - W. hick 12 N. 65 W. 246 & hick 12. S. 85 W. 68 l. Chained across from east line of sec 10 test this point


Thence west 12.74 ch set iron rod for R. Oak 12 S. 65 1/2 E. 62.9 W. O. 24. S. 4 1/4 W. 94 1/2

Thence south & chained with east line of section & a point in the south sec line 29.81 ch. west from the south east corner Dec 10 set

COUNTY SURVEYOR'S RECORD,

TOWN *Iron* NORTH, RANGE *Iron* East, MERIDIAN OF MICHIGAN.

SEC. 32



P 206 No 12

TOWN *Iron* NORTH, RANGE *Iron* East, MERIDIAN OF MICHIGAN.

- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
- 10 Ash 7 S 77 W 12
 11 No 11 S 47 W 6
 12 No 12 S 19 1/4 E 35 W 36
 13 No 13 S 19 1/4 E 35 W 36
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23

I 4-B
2 copiesA. Jackson
JUNE 25 1854

M. Set stake f.w. bears. Dbl. B Oak 8, S. 26° W - 40 lbs.
 W. Oak 18, N. 74° E. 40 1/2 lbs.
 Set Iron nail chisel 3/4" square f.w. bears B Oak 32, S 71 1/4° E, - 212 lbs
 16' long. and Crabapple 10, S 82° W, - 9 1/2 lbs.
 " B Oak 24, S 7 1/2° E, - 403 lbs.
 X Set steel shaft 18' long, 1 1/4" dia f.w. bears Dbl. B Oak 8, N 8 1/2° W - 20 lbs.
 B Oak 24 N. 11° N, - 98 lbs.
 n. Set Oak post f.w. bears Elm 16, N. 4° W, 227 lbs.
 y. Set Iron rod 1" dia 32' long for corner, No trees
 l.

Magnetic Variation 10° East

STATE OF MICHIGAN, }
 COUNTY OF INGHAM, } ss.
 Do Hereby Certify that I did, on the application of D. B. Grimes, Matthew Lehman and
C. C. Doris

C

Section 31 in the Township of White Oak, Town 2 North, Range 2 E
 on May 31st, 1st, 2nd, & 4th days of June A.D. 1900, and the following persons acted as chainmen, first being duly sworn, to-wit: D. B. Grimes, Nathan Brimington, Matthew Lehman and C. C. Doris
 And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.
E. A. Callkins Deputy, County Surveyor.

NORTH

WEST

127 1/2 17

Francis Ayer

No 766

599 1/2

117 1/2 20 1/2

160 1/2

110 1/2

120 1/2

SOUTH

EAST

P 209 V 2 g

TOWN One NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

work 22 584 2 30
B 18 20 17 546 W 30

24

28
W Oak 15-5 43 W 79

A 20 14 S 68 1/4 W 94
 Sec. 10 Oak 12 S 51 1/4 W 10 1/2
 D 20 8 N 58 1/4 E 29

D 208 N 5-8 1/2 E 29

10 June 11 S 5-4 1/2 E 8
c11 Do 8 N 55 W 11

12 Rod 10 S 58 1/2 W 14
E 13 Wood 8 N 2 1/2 E 18

14

15

16

17

18

19

20


21

I-4B - Express
A Jackson
Jun 29 1954

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

SEC. 5



P 207 and 2

TOWN One NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

1 24
2 25

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18 Oak 54 N 71 3/4 E 112 1/2

19 No other trees

20 Oak 26 S 39 W 165 1/2

21

22 Oak 9 N 69 3/4 E 117 3/4

23 No other trees

24 Oak 16 N 88 1/2 W 22


25 Oak 12 N 72 E 17

I-4B 2 copies

A Jackson

Jun 27 1854

5 1/4 Co 5

SEC. *5*

P 209 Ord 1

TOWN *One* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.

- | | |
|----|-------------------------------|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | Elm 14 - S 56 1/2 W 15 1/2 40 |
| 9 | Maple 12 S 27 E 24 |
| 10 | 3 Oak 24 S 3 W 36 |
| 11 | Br Oak 12 S 44 E 24 1/2 |
| 12 | B Oak 9 S 56 E 8 |
| 13 | D O 5 N 4 W 26 |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |

Cen S, E 1/4 Cor S, W 1/4 Cor 4

1-4A 2 copies

A. Jackson Aug 13 1846