


Waterloo
J. I. S. R. 2. E.



- a Hick 75 82 1/2 E - 89 3/4 W
- " 65 37 1/2 E - 63 1/4 W
- b Elm - 18 - N 50 W - 40.9
- Willow 20 - N 41 E - 68.8

A	N. 0. 40" S 65 1/2 (cut) (1898)	65 1/2
B	N. 0. 50 N. 40° E. -	38
C	Hick 11 S 5 1/2 E Brick	64
D	Maple 14 S 85 W	32 1/4
E		
F	N. 0. 20 N 75 E } Iron	3
G	N. 0. 15 S 89 W	20
H	S. 0. 26 N 16 1/4 W (stone)	54
I	S. 0. 12 S 84 W (under fence)	22
J	Elm 9 West stake 3 ft. east of fence on N 45 1/4 W line.	132

J. R. Yokum Note
(WOSHTEENAW CO.)
Surveyor


Jackson Co. Book

POSTS	TIMBER	Diameter	COURSE	Distance Links	Magnetic Variation Used	FOR WHOM	SURVEYOR	DATE	REMARKS
A	Aspen	7	S 82 1/2 E	89 3/4	1/2 E	Potter & Co.	Wm. H. Hargrove	6-14-1899	
B-2	"	6	S 37 1/2 E	63 1/2					136 State Coll.
C	Elm	9	West	132					on 1/2 1/4 Sec 14 only 40 ft. on 1/2 1/4 line -
6-7-8	Aspen	16	S 79 W	45					Found clear state agency with stump of U.S. witnesses - set stone -
5-3	Maple	22	N 65 W	61					
11-12-13	Maple	20	N 87 E	3					Found rem. of U.S. witnesses -
14-15	Maple	15	S 89 1/2 W	20	1/2 N				Set iron =
16-17-18	Maple	26	N 76 1/2 W	54	1/2 N				By H. H. Bean 1888 -
19-20	Maple	12	S 84 W	22	1/2 N				Stone corner under fence -
21-22	Maple	40	South	65					By H. H. Bean - 1888 -
23-24	Maple	11	S 5 1/2 E	64					and corner is 469 w. of 1/2 h. Sec 32 in 1/2 1/4 E 38 ft. from
25-26	Maple	14	S 85 W	32 1/2					Found state hole or brick agreeing with 12 U.S. witnesses - Plough station -

I hereby certify that I have carefully compared the foregoing record of survey with the original field notes of same and that it is a true statement of the facts of such survey as shown by said original notes.

Wm. Hargrove, Surveyor

SEC. 31



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1 Stake to T.S.D. R.O. 7 N 50 1/2 W 7
 2 Plow share O.P. 7, " " 5 N 74 1/2 E 9 Pole 6 S 65 W 8 1/2 22
 3 Plow share N.O. 16 N 84 1/2 W 91
 4 Plow share Tunn. 9 S 17 3/4 E 30
 5 Stake Swp. 12 S 53 1/2 W 89
 6 " " 22 N 15 1/2 W 18 1/2
 7 Stone N.O. 14 N 40 W 91 3/4
 8 " " 16 N 16 E 18 1/2
 9
 10
 11 Stake to T.S.D. Hickory 3 N 37 W 16
 12 Stake R.O. 12 S 1 E 17
 13 Pole to Swp. 26 N 34 E 20
 14 Stone Maple 9 S 16 W 7
 15 Stake to Hickory 6 S 61 E 17 1/2
 16
 17
 18
 19
 20
 21 Cast iron in R.O. 24 N 2 1/2 E 37 1/2
 22 " " 22 ~~S 80 1/2 W 67 1/2~~
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100

INGHAM COUNTY, MICHIGAN.

231

TOWN One North, RANGE Two East, MERIDIAN OF MICHIGAN.

The township corner at S. N. cor of section 31 was located by the bearing trees named in the survey of W. H. Rayner of section No 36 of Bunkerhill surveyed Mar. 7th 1865 and recorded on page 25 of this book of County Surveys. The west 1/4 post - I locate by measurement and set a steel journal which is 1 link north of a stone supposed to be Rayner's corner but the witnesses are extinct. The N. W. corner I locate by Rayner's Bearings recorded on page 22 of this book of County Surveys as is also the case with the north 1/4 post. The 1/4 post on the east side of the section is located by one of the original U. S. bearings and the N. E. corner is located by the original bearings the stump of which remain and the line tree noted in U. S. Survey at 59.94 chains and given as 9 inches in diameter is still good and the measurements agree. The S. E. corner was extinct and established by a transit line from the N. E. corner run over the 1/4 post and on to the township line. All other corners are set at average distance. Except in the case of the E 1/2 of the N. E. 1/4 which is deeded as 80 acres and the N. E. 1/4 of the W 1/2 of the N. E. 1/4 which is deeded as 40 acres, in those two cases the full amount of land is given. The lines whose bearings are not given were not chained. The 1/4 post lines were both chained and corrected thus placing the corner (13) in transit line between the respective 1/4 posts. The abbreviation B.T.I. are bearing trees identified & B.P. is old post found. Surveyed upon petition of John Carman, Frank Carman, D. M. Price and Chas. Shad. Feb. 16th, 7th & 8th 1890

Frank Carman & Charles Price Sworn Chairmen.

Recorded Feb 17th 1890

John M. Leary,
County Surveyor,
Ingham County,
Michigan.