


pg. 2c

Section No. 394




5

W. N. Rye
County Surveyor of Ingham County, Michigan.

... WITNESSES

TRANSCRIBED from ~~ORIGINAL~~ on file at Remonumentation Project
DUPLICATE

Section No. 394



Bett'n	Timber.	Mans	Hearing.	Links.	Bett'n	Timber.	Mans	Hearing.	Links.
A	W. Lant	5	8.58 $\frac{1}{2}$	59 $\frac{1}{2}$	T	W Oak	22	8.35 $\frac{1}{2}$	183
"	"	6	8.40 $\frac{1}{2}$	61	"	B Oak	1	8.50 $\frac{1}{2}$	W 148
B.	Shed Spring								
C.	14 in. pile								


Surveyed the 22 day of Apr 1984 by

W. N. Payne
County Surdeyor of Ingham County, Michigan.

NO WITNESSES

SOURCE: Folder Set # 2

TRANSCRIBED from ORIGINAL on file at Remonumentation Project



VEVAY
township

T 2 N. R 1 W


G-1 18
corner code attachment no.

p. 1 of 1


H-1

SOURCE: Record of the Ingham County Surveyor Vol. 3 Pg. 174. 1866
TRANSCRIBED from ~~ORIGINAL~~ on file at Remonumentation Project
DUPLICATE

SURVEYOR'S NAME W. R. Raymer SURVEYOR NO. _____
DATE OF SURVEY February 2, 1866 SECTION NO. 3
MAGNETIC VARIATION 2 3/4 E



SOURCE: Folder Set # 2 p. 2A
 TRANSCRIBED from ORIGINAL on file at Remonumentation Project
 DUPLICATE




VEVAV

SOURCE: Folder Set # 2 p. 2

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at Remonumentation Project

G-1 T. 20, R. 1 W. Sec. 3.



SOURCE: Folder Set # 2 p. 2

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at Remonumentation PROJECT

Station	Corner	Timber	Bearing	Links	Station	Corner	Timber	Bearing	Links
A		Maple 8	N 105° W	54.1	L		Buck 8	S 20° W	4.9
"		Maple 16	N 82° E	14.0	"		" 10	N 24° W	3.0
B		Sugar 3	S 72° E	14	M		Tree 10	N 24° W	12.4
"		" 4	S 44° W	15.1/2	A		BQ 10	N 62° E	2.3
D		Maple 16	N 48° W	6.6	"		" 4	N 42° E	18
"		Tree 11	S 10° E	11.9	"		" 10	S 10° E	6.2
E		Sugar 6	N 34° W	6.2	O		" 7	N 42° E	43.2
"		Do 5	S 26° W	49.2	"		Maple 36	N 42° W	9.9
G		Buck 26	N 72° W	67.4	"		BQ 2	East	40.2
H		Sugar 28	S 15° W	13.1/2	P		Buck 8	S 50° W	31.34
O		Maple 8	N 22° W	4.9	"		" 8	South	16.4
"		Chin 4	N 42° E	14.2	Q		BQ 7	N 42° W	1.0
K		" 33	South	6.0	"		" 4	N 42° W	2.6
					"		" 4	N 42° E	18.4

M. H. Rayner

County Surveyor


Var. 8 7 deg. min. East

Liber 8 Page 17

Jan 2nd 1866.

SOURCE: Record of the Ingham County Surveyor Vol. 3 p. 17 yr. 1866
 Vol. 1 Page 47 Yr. 1841
 TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at Remonumentation Project

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at Remonumentation Project



SOURCE: Record of the Ingham County Surveyor Vol. 3 P. 174. 1866
TRANSCRIBED from ORIGINAL on file at Remonumentation PROJECT
DUPLICATE

G-1

Survey of the South half of Section No Three T. 2 N. R. 1 W. N. 1/2
Commencing at the South East corner of said section represented by F in the Plat from which a Sugar
beet N 34° W 62.60 S 5° 25' W 492. Hence N 89° 15' W 81.1 to foot G from a Birch 20° N 3° W 872.1.
Hence N 89° 15' W 81.1 to foot H Sugar 25° S 15° W 132.1. So 5° N 7° W 222.1. Hence N 89° 15' W 81.1 to
foot I Elm 4 N 4° 15' W 342.1. Hence N 89° 15' W 81.1 to South West corner of Section 3 represented
by R Elm 33° South 82.1. Hence from I N 7° W 160.14 to B Sugar 5° 30' E 14°. Hence
A to Oak 16° N 27° E 180. S 89° 15' W 81.1 B to 80° 17' E 160.14 C Black cherry 12° N 88° 16' W 162.1. Hence
S 89° 15' W 81.1 to foot J in deep. Hence 14 S 10° 15' E 111.1. Hence S 89° 15' W 81.1 to foot E
This is calculated. Hence D. G. S. 1/2 E. not chained. C. H. N 7° W not chained. L. 115.1
John Bugel & J. M. Frieder over Chaimmen. Run by the true Meridian Vari. 2 3/4° E by
W. H. Rayner Co. Surveyor December 15th 1864. Recorded April 7th 1865 by order of the Parties interested.
Additional Commenced at the N. E. corner of Section 3 T. 2 N. R. 1 W. Represented by
M from which a dam 10 bars N 24° W 122.1. Run South between sections 2 & 3 80.1 to N. B. Oak 10 S 15° E 62.1.
Hence West to O Sugar 26° N 52° W 99.1. Oak 3 on line but 41.1 col. W 1/2 4° 15' W 132.1.
P Birch 8° S 50° W 31 3/4. Oak 5° S 10° W 64.1. Survey by Edwards & James B. Shaver Chaimmen Surveyed
on the same Meridian 2 3/4° E. June 1st 1861 by W. H. Rayner Co. Surveyor


VARIATION: 2 3/4 E
SURVEYED: 1866
SURVEYOR: W. H. Rayner

G-1

COUNTY SURVEYOR'S RECORD.

2-24

TOWN Sec 2 NORTH, RANGE One West, MERIDIAN OF MICHIGAN.



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19

24
25

INGHAM COUNTY, MICHIGAN.

2-24

TOWNSHIP NORTH, RANGE One West, MERIDIAN OF MICHIGAN.


Survey of the south half of section 3 T2N R1W Vary,
Commencing at the south east corner of said section represented
by "21" in the plat from which a Sugar 6 bears N 34° 0' W
66 l. and do S 82° 5' W, 49 l. Thence N 89° 5' W 91 l. to post "22"
from which a Beech 20 in N 8° W, 87 1/2 lks; Thence N 89° 5' W, 81 l. to
to quarter post "23", Sugar 28 inches S 15° 1/2' W, 132 1/2 lks; Do S
N 7 1/2° W, 73 1/2 lks; Thence N 89° 5' W 80 1/2 l. to set post "24"
Elm 4 N 4° E, 38 lks; Soft Oak 8 N 27° 3/4' W, 49 lks; Thence N 89° 5' W
80 1/2 l. to south west corner of section (3) represented by "25"
Elm 33 in South 83 lks; Thence from "24" N 1/2° W, 160 l. to
"14" Sugar 3 S 30° E, 14 l. Do Sugar 4 S 44 1/2° W, 15 1/2 l.; Thence
"15" B. Oak 8 inches N 10 1/2° W, 85 lks; B. Oak 16 inches N 27° E, 110 l.;
S 89° 34' E 80 1/2 l. "14" Do 80 1/2 l. "13" Beech 10 inches S 57 1/2° W,
42 l. & B. Cherry 12 inches N 88° E 16 1/2 l. bears south bearing;
Thence S 99° 34' E 81 l. to set post "12" in top. Soft Oak 16
N 48° 4' W, 66 lks & Tamarac 14 S 10° E 119 lks; Thence S 89° 34' E
(can not claim this) to quarter post "11" This is calculated;
Thence, "12" "22" S 4° E not chained 40 "13" "23" N 1/2° W not chained
"26" Beech 8 inches S 20° W, 23 l.; Beech 10 N 25° W 30 l.
John Buegel & J. M. Dresser were chainmen; Run by the
true Meridian Var 2 3/4° E by J. M. H. Rayner C. Sec'd
Dec 12th 1864 and recorded Apr 7th 1865 by order of the
Justice interested.
Additional Commenced at the N.E. cor of sec. 3 T2N
R1W represented by "1" from which a Tamarac 10 inches
bears N 12 1/2° W 12 1/4 lks; Run south between sec's 2 & 3
80 r 15 "10" B. A. 10, N 52 1/2° E, 23 l.; B. A. 4, N 91° 30' E 18 l.; Black
10, S 15 1/2° E, 62 l.; Thence west to "27" S. Oak 36, N 50° W
99 l.; B. Oak 3 inches; Line E #4 41 rds 20 links
"3" B. Oak 7, N 48 1/2° W 19 lks; B. A. 4, N 8° W, 25 l.; B. A. 4 in,
N 17 1/4° E, 13 3/4 lks. "5" Beech 8 inches S 50 1/2° W 31 3/4 lks &
Beech 5 S 60 1/2° W 64 1/2 lks Emory E Edwards & James
H. Shaffer chainmen. Surveyed by the true Meridian
2 3/4° E Jan 27th 1866 by J. M. H. Rayner Surveyor
"14" "13" "26" & "12" are all north too far Line "15" "12"
ought to be S 84° E.

COUNTY SURVEYOR'S RECORD,

2-73

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 10



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24
25

Survey of the north west quarter and the north East of the north west quarter of section No Ten in Township No Ten North of Range No One West, as represented by the accompanying plat, the scale of which is thirteen and one half chains to an inch and in which the names of the owners, amount of land owned by each, the bearings and distance of lines, letter reference to lines and corners and the position of the roads etc are respectively given. Red lines drawn with red ink.

The corners of the survey are described as follows.

- 5" Stone 20 in long 4 in in ground the corner
- 26" Post from which an Elm 10 in diam. bears S 62° E 9 1/2 links
- 3" " " " Sugar 28 " " " N 21° E 27 "
- 37" a corner of a former deed 62.75 acres now obsolete.
- 36" Post from a Birch 16 in diam. bears S 45° E 10 links
- 35" " in highway No bearing trees marked
- 34" " from which a Birch 9 in diam. " S 61° E 10 "
- 32" " section line No bearing trees " also at S 25° W 10 "
- 31" 30" 29" 28" are post and 35" with 37" is out of use (obsolete)
- 27" a stone apparently marked for corner
- 33" Post from which a Sugar 5 in diam bears S 37° E 60 1/2 links
- " " " " " " " N 73° E 78 1/2 "

Applications for this survey made by Wilson D. Hicks
Run by the true Meridian Magnetic Var 24° 0' E
Surveyed Apr 3rd and May 4th 1869 and Recorded Feb 24th 1870
by J. H. Brown, Deft. C. Lewis, Deft. Co., Mich.

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

East 40.29 ch.
20.190 ch.

Franklin 40.28 ch.

20.14 ch.
40.28 ch.

S. 7th
A front

20.14 ch.
40.28 ch.

TOWN Town NORTH, RANGE One West, MERIDIAN OF MICHIGAN.
The corners are described as follows

- 1
2
3
4
5
6
7
8
9
10 Post Bitterroot 6 787 1/2 41 1/2
11 " " 9 787 1/2 75 1/2
12 " " 3 842 1/2 41
13 " " 2 82 1/2 37 1/2
14 " " 10 842 1/2 132
15
16
17
18
19
20

21 Stone Apple 6 N70E 84
22 Post No Wires Marked
23 " Elm 9 N81E 26

INGHAM COUNTY, MICHIGAN.

206

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Survey of the south east quarter of Section No Ten in Township No. Two North of Range No. One West as shown by the plat by which the bearing and distances of the lines surveyed and letters of reference to lines and corners are respectively given.

The center corner (C) was established at the intersection of the east and west quarter past line with the north and south quarter past line ~~there~~ heretofore established by T. J. Brown in 1869 (see page 73) (see below plat)

Run by the County Meridian Variation 1020' East
Surveyed Mar 17th 1892


Recorded Apr 3rd 1892

L. P. Drake, C. Surveyor.

2-246

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 2



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
 2
 3 Post Oaks Elm 29 770W 136 1/2
 4 Post Oaks Cherry 6 555 1/2 W 85 1/2
 5 Post Oaks Cherry 6 527 1/2 W 49
 6 Post Oaks Chestnut 10 531 E 52 1/2
 7 Post Oaks Birch 12 712 1/2 W 104 1/2
 8 Crochery Sugar 15 786 1/2 E 23 1/2
 9 Post No Post Oak
 10 Post Oak 36 825W 57 1/2
 11 Post " 18 487 1/2 W 43
 12 Post Walnut 6 550 E 13
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504

INGHAM COUNTY, MICHIGAN.

2-246

TOWNSHIP 2 NORTH, RANGE 10 WEST, MERIDIAN OF MICHIGAN.

Survey of a portion of section No 2 of Twp 2 N. Made July 19, 1895, for F. E. Saltsburg and others.

The lines, bearings, and measurements are shown by the accompanying plat and witnesses were made as given below (See below Plat)

The corners (5), (4), & (3) were located from looking on the south line of the S.W. 1/4 of Section 35 Alcedon (Survey No 1586) all of which old posts were found and identified by the witnesses (3) being placed 91 links west from the Alcedon post, (4) 95 links and (5) 100 links west.

(5) was located from survey No 1176 and old post found. (1) (2) (old post found) were set by Co. Surveyor Brown in survey for highway, and (2) was tested in the present survey by lot and to posts of the south line of Sec. 1 and found to be correct. (3) was set by Drake and (3) was located by present survey from (2) & (2) by measurement to line. Markers of and old stake were found in subsoil about 6 inches west of present stake. (5) was established in transect line from (2) to (3) and by measurement markers of an old stake was found in subsoil 18 in north and 4 in east of present stake.

Wm. Baker & L. L. Peck Surveyors Chainmen.

Mag. Var 0° Surveyed July 19th, 20th & 23rd 1895

Recorded July 24th 1895 by


W. A. Rowe

C. Surveyor.

COUNTY SURVEYOR'S RECORD.
 TOWN 1st NORTH, RANGE 1st West, MERIDIAN OF MICHIGAN.

2-251

SEC. 3



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

24
25

INGHAM COUNTY, MICHIGAN.

2-25

TOWN ~~Two~~ NORTH, RANGE ~~One~~ West, MERIDIAN OF MICHIGAN.

Survey of the East 40 rods of the N. 1/4 of Sec 3 Verway
Made for R. F. Griffin Apr. 18th 1896.

Beginning at the N. 1/4 post of sec. 3 O.P. & Oak post and
crickens and running thence west on the north line of the sec.
(3) 1100 chains to post (26) where an iron pin was set for corner
for. Bush 14 S 35 1/2 W 35 1/2 lks & Bush 14 S 10 3/4 E 4.0 lks.

Thence south parallel with the N. 1/4 line 38.22 chs
to E & W 1/2 line at a point 11.00 chs west from the center of the
section & set a post (27) gas pipe for Elm 18 N 3 W 4 lks.

Thence East 11.00 chs. to center of section and set post (28) a
gas pipe for Oak 8 N 82 E 30 lks, Sugar 12 N 42 W 19 3/4 lks, &
O. Oak 8 N 9 W 44 1/2 lks.


The E & W 1/2 line was determined by an old post and
indicators at center of section and a lot post 20.7 ch. west
therefrom both of which were found. At (3) the south west
corner, an old post was found and replaced by a stone

for Walnut 6 S 35 E 54 3/4 lks & Walnut 8 S 64 E 113 lks

H. A. Rowe
Co. Surveyor.

COUNTY SURVEYOR'S RECORD,

4-32

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.SEC. *North*

Page 51 of 1

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

- | | |
|---|----|
| 1 Sugar 14 East 20 1/2 H ₂ | 24 |
| 2 Oak 5 - S 33 1/2 W 24 1/2 H ₂ | 25 |
| 3 Birch 24 N 40 1/2 W 15 1/2 H ₂ | |
| 3 do 6 S 62 1/2 W 12 H ₂ | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 Birch 18 S 74 1/2 W 20 H ₂ | |
| 12 Sugar 14 N 69 1/2 E 13 H ₂ | |
| 13 Spruce 12 N 59 1/2 E 22 1/2 H ₂ | |
| 13 Elm 12 S 71 1/2 W 16 H ₂ | |
| 14 Oak 36 N 16 1/2 W 48 H ₂ | |
| 15 Sugar 28 N 58 1/2 E 52 H ₂ | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

INGHAM COUNTY, MICHIGAN.

4-32

TOWN *3rd* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.


*Run by the Jane Handson Run S 70° E Recorded April 10. 1840 by
A Jackson County Surveyor for Oaighean County*

COUNTY SURVEYOR'S RECORD,

TOWN Bar NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

4-48

SEC. Five



Page 47 of 1

TOWN Bar NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Beck 25 ~ S 77 W 34 1/2
1 Beck 12 ~ S 64 E 29 1/2
2 O Ash 17 ~ S 36 E 15 1/2
3 Beck 10 ~ N 73 W 17 1/2

24
25 Beck 15 ~ N 73 W 23 1/2
26 Beck 17 ~ N 14 W 30 1/2
27 Beck 25 ~ S 86 E 14 1/2

- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

INGHAM COUNTY, MICHIGAN.

4-48

TOWN ~~3000~~ NORTH, RANGE ~~One~~ ~~West~~, MERIDIAN OF MICHIGAN.

Run by the True Meridian No 3 1/4 E


Surveyed and recorded Dec 15th 1841

by A Jackson Co Surveyor

Note at No 3 is A new note This corner was found and perpetuated
by an Elm 6 in 5 1/2 W 20 lks + Do 5-5 1/2 N 49 1/4. and A 3 tone set for the corner
June 25th 1878 A J Drake Co Surveyor

TOWN 2nd NORTH, RANGE One West, MERIDIAN OF MICHIGAN

SEC. 10



250 only

TOWN 2nd NORTH, RANGE 2nd West, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

54 ar D 5 S 57 1/2 W 123-94
4 2 km C 65 5 1/2 E 88 f
8 km 33 S 57 1/2 E 88 f
a 8 Note the direction of the above tree is omitted for change
5 upon 4 S 80 1/2 E 78 1/2 f
d 6 " " 2 S 22 1/4 E 74 f
c 8 upon 20 S 42 1/4 E 116 f

INGHAM COUNTY, MICHIGAN.

4-218

TOWN *Sec.* NORTH, RANGE *Sec. West*, MERIDIAN OF MICHIGAN.


*This Deed was made January 24th 1866 for Fred Seale & his Father Eliza H. Seale
Sanctioned & presents it to Fred his son W. H. Wayne County Surveyor*

COUNTY SURVEYOR'S RECORD,

TOWN 2nd NORTH, RANGE 1st West, MERIDIAN OF MICHIGAN.

4-219

SEC. 10



P. 51 Ord 2

TOWN 2nd NORTH, RANGE 1st West, MERIDIAN OF MICHIGAN.

- 1
2 Super 27 N 21 E 27 Super 27 S 15 W 13 24
B 300m 5 S 33 W 7 N Super 5 N 7 W 10 73 1/2
4 mile 10 N 24 E 17
a 8 NW Oak 10 S 50 W 5
6
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23 NW Oak 10 S 57 W 23 1/2
F 28 Birch 5 S 64 E 6
- 24 Join 7 S 24 E 27
2 26 DO 6 N 4 E 19 1/2
26 16 S 40 E 10
C 26 DO 14 S 54 W 25 N Super 3 N 65 W 8 29
DO 9 S 61 E 16
d 27 Super 16 N 36 W 41 N 8 25 W 10

INGHAM COUNTY, MICHIGAN.

4-219


TOWNSHIP NORTH, RANGE One North, MERIDIAN OF MICHIGAN.

Run by the true Meridian Per 3° E
Designed and Recorded March 9. 1849 by A. Jackson & Co Surveyors
(Note the Bearings marked here are entered in the hand registers of R. H. Rogers but not dated)

COUNTY SURVEYOR'S RECORD,

TOWN Iron NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 4



Walden Grove Estate

TOWN 3 NORTH, RANGE 0 East, MERIDIAN OF MICHIGAN.

宋玉

३४

20 R Oak 22 N 80 W 12
 21 S 26 S 26 N 12 S 62 3/4 W 26
 Beach 15 N 45 W 11 20
 22 D 2 N 46 E 22
 R Oak 15 S 75 1/2 W 16 2/3
 23 R Oak 10 S 34 1/4 W 6

20 Beach 10 N 50 W 6
C 20 Sugar M 550 E 33

21

INGHAM COUNTY, MICHIGAN.

4- 234

TOWN *3rd* NORTH, RANGE *2nd* West, MERIDIAN OF MICHIGAN.


Run by the true Meridian $3^{\circ} 6'$
Surveyed & Recorded June 2nd 1848
by A Jackson Co Surveyor Ingham Co

COUNTY SURVEYOR'S RECORD.

4-243

TOWNSHIP NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 4



77 0 2

TOWNSHIP NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1	Beaumont 25 8 67 Ar 4
2	C 24 Do 14 8 77 5 46
3	Beaumont 5 8 57 6 12 1/2
4	D 25 Beaumont 15 11 10 Ar 21
5	
6	
7	
8	
9	
10	
11	
12	
13	Ar Ad 12 8 57 1/2 Ar 43
14	Beaumont 5 8 22 1/2 Ar 28
15	Beaumont 11 8 57 6 28 1/2
16	Do 10 Ar 33 Ar 58 1/2
17	
18	
19	
20	
21	

INGHAM COUNTY, MICHIGAN.

4-243


TOWN *East* NORTH, RANGE *One* West, MERIDIAN OF MICHIGAN.

Born by the true Meridian Var 3° 2'
Surveyed & Recorded Nov 5-1848
By A Jackson Co Surveyor

Site at 15. The original corner was found and perpetuated by A stone for the corner from
which a bearing of 6° was S 83° W 63 1/2' to & DO 4-5 35 1/2' W 35 1/2' to
June 25th 1898 A P. Dicks Co Surveyor J J Brown D.S.

COUNTY SURVEYOR'S RECORD,

4-245

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.SEC. 4

P 79 and 2

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1	24
2	25
3	
4	
5	
6	
7	
8	
9	
10	
11	Elm 6 N 21 0' 38"
12	Do 5 N 2 1/2 W 25"
13	Poplar 11 S 33 1/2 W 15"
14	Do 12 N 33 1/2 W 38 1/2"
15	
16	
17	
18	
19	
20	Hick 10 N 24 0' 19"
21	Do Oak 10 S 50 0' 3"
22	Spruce 19 East 20 1/2"
23	Do Elm 5 S 33 1/2 W 24 1/2"
24	

INGHAM COUNTY, MICHIGAN.

4-245

TOWN *Two* NORTH, RANGE *One* *West*, MERIDIAN OF MICHIGAN.


Run by the true Meridian Run 3° E
Surveyed and Recorded Nov. 29, 1843
by A Jackson Co. Surveyor.

COUNTY SURVEYOR'S RECORD,

4-376

TOWN Barre NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 11



Passage

TOWN Barre NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
- Bush 18 S 56 W 25-
 9 28 S 56 W 15 1/4
 Bush 10 N 79 W 5 1/2
 2 25 D 10 S 79 1/2 E 23
 3 25 25 S 70 1/4 W 31 1/4
 4 20 18 S 79 E 37
 5 20 10 S 72 W 24 These bearings from balance from
 6 20 7 N 50 W 29 All section filed notes of the same corner W H Rogers for survey
 7 25 25 S 25 1/2 E 40-
 8 15 15 S 25 1/2 E 40-
 9 20 20 S 25 1/2 E 40-
 10 15 15 S 25 1/2 E 40-
 11 20 20 S 25 1/2 E 40-
 12 15 15 S 25 1/2 E 40-
 13 20 20 S 25 1/2 E 40-
 14 15 15 S 25 1/2 E 40-
 15 20 20 S 25 1/2 E 40-
 16 15 15 S 25 1/2 E 40-
 17 20 20 S 25 1/2 E 40-
 18 15 15 S 25 1/2 E 40-
 19 20 20 S 25 1/2 E 40-
 20 15 15 S 25 1/2 E 40-
 21 20 20 S 25 1/2 E 40-
 22 15 15 S 25 1/2 E 40-
 23 20 20 S 25 1/2 E 40-

INGHAM COUNTY, MICHIGAN.

4 - 376

TOWN 3rd NORTH, RANGE One West, MERIDIAN OF MICHIGAN.


Run by the true Meridian Var $2\frac{1}{2}$ E
Surveyed and Recorded Nov 20th 1854
by H. Jackson Sec. Surveyor for Ingham County

COUNTY SURVEYOR'S RECORD,

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

4-399

SEC. 9



Page 402

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23

24
25
A. No Survey Line
B. No Survey Line
C. No Survey Line
D. D O 18 N 56 W 37 1/2
April 7th 1855

Jan 5 5 22 55
0 21 0 6 N 66 7 1/2

INGHAM COUNTY, MICHIGAN.

4-399

TOWN 3rd NORTH, RANGE 1st WEST, MERIDIAN OF MICHIGAN.

December 18th 1867. In surveying on Section No 16 this section line between sections 9 & 16 we find to be 31 rods 8 1/2 links between Re's & D on section No 9. Survey No 866 and from D to 1/4 post '923' 128 rods 11 1/2 links and from 1/4 post '923' to section corner 8 57 5 1/2 17 - 160 7 5 1/2 rods this was done for J. White & Wilcox & Eggleston on section 16 N 1/2 of it Re's corner Re's E 1/2 N 2 1/2 W 24 1/2 - Simeon 12 N 20 3 1/2 18 1/2

" " D Red Oak 1 N 29 1/2 E 20 1/2 1/2 E 1/2 N 89 3/4 E 76 1/4

" " 1/4 Post Lym 13 N 10 6 56 & E 1/2 N 42 E 47 W H. Rogers the surveyor

Note - in the original record this survey is not numbered in the plat is in No 566 in the index of the survey John McHenry