


COUNTY SURVEYOR'S RECORD,

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

SEC. *Thirteen*



Page 32 Vol 1

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.


- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |

INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $3^{\circ} 14' E$ Surveyed and recorded by A Jackson
County Surveyor for the County of Ingham December 4th 1840

COUNTY SURVEYOR'S RECORD,

TOWN Iron NORTH, RANGE One West, MERIDIAN OF MICHIGAN.SEC. Twenty Eight

Page 33 Vol 1

TOWN Iron NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

Beck 6 N 50 E 16 1/2 Acs
24 Beck 10 S 15 W 12 Acs
Beck 12 N 47 W 2 Acs
28 Ironwood 10 N 78 E 22 1/2 Acs


Sugar 24 N 26 W 16 Acs
16 Beck 6 S 10 W 14 Acs
Beck 5 S 16 W 21 Acs
17 Beck 17 N 26 W 16 Acs

INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var $3\frac{1}{4}^{\circ}$ E Surveyed by A Jackson County Surveyor
for the County of Ingham December 6th 1840

NORTHEAST



C-11

P 89 ndt

TOWN 3rd NORTH, RANGE 1st West, MERIDIAN OF MICHIGAN.

- 1
- 2 Blue Birch 6 N 57 W 3
- 3 Elm 6 S 19 W 2 3/4
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12 Sugar 22 N 54 E 2 5-
- 13 Birch 18 N 47 3/4 W 5 1/4
Sugar 26 N 62 W 5 3-
- 14 Birch 16 S 37 1/4 E 3 2 1/2
Birch 10 - S 85 1/2 W 2 1
- 15 Do 7 S 73 E 10
Sugar 20 S 45 E 5 4 1/4
- 16 Birch 18 N 48 1/2 E 3 6
Sugar 18 N 24 1/2 E 18 3/4
- 17 Whitewood 32 S 56 W 3 4 1/4
- 18
- 19
- 20
- 21
- 22 Sugar 20 N 26 W 18
- 23 Elm 18 S 48 E 18 1/2

C-11-

- 24 Wood 14 538 E 314
25 B Ash 12 N 85 1/2 W 5-
Buck 16 N 58 E 15 1/2 W
26 D 16 539 W 33
Sugar 22 S 30 E 47
27 D 24 N 83 W 43-
Elin 10- 572 1/2 W 33 1/2
28 Buck 14 N 94 1/2 E 17
Elin 15 S 55 1/4 W 53
29 Sugar 24 N 22 1/2 W 15 1/2
Elin 20 S 19 W 35-
30 B Ash 12 N 17 W 53
B Ash 14 W 33 W 18
31 Elin 20 N 53 E 56

VEVA4 TWP.

Vol 1, P. 89

VOLI, P. 90

A. JACKSON

DEC. 13, 1843

INGHAM COUNTY, MICHIGAN

TOWN Law NORTH, RANGE One West, MERIDIAN of

Born by the True Meridian $N 5^{\circ} E$


Recorded Sept 13th 1848 by A Jackson Co Surveyor

Note. No 13. Surpetended by A stone and chocky. Black Walnut 9 in $S 17^{\circ} E 110^{\circ} 1/4$ M^s Found August 20th 1881
By A J Drake Co Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN 2 NORTH, RANGE 1 West, MERIDIAN OF MICHIGAN.

SEC. 21-----



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22

✓ 24 Hook post
1207
✓ 25 Bar $1\frac{1}{4} \times 2\frac{1}{2}$ ' with brick around.

Flow
18 Point Apple 14" S38°W 102 lks.

14 ^{Flow} Point Apple 10" S 27 1/2° W 38 1/4 "

15/207

16

17

18

19

20

21

22

23 Anker Post

INGHAM COUNTY, MICHIGAN.

TOWN 2 NORTH, RANGE 1 west, MERIDIAN OF MICHIGAN.


Survey of the S.W. $\frac{1}{4}$ of Section 21 T.2 N.R.1 W. for
S. B. Madden and H. H. Laxton.

Corners 13, 15, 23 and 25 were found and perpetuated.
Corner 24 was established.

Recorded May 5, 1908

R. J. Pobb
Co Surveyor.

SEC. 28



APPARENTLY VOL 3, PG 62 REC IN VOL 2, PG. 37

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

VOL 3. PG 62

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Survey of the west half of section No Twenty eight in Town-
ship No Two North of Range No One West as represented in the
accompanying plat (the scale of which is 1/3 chains to one inch);
in which the names of owners, number of acres owned by each,
the bearings and distances of lines, letters of reference to lines
and corners and the positions of Roads are respectively
given

The corners are described as follows.

- (6) a stone and crockery around it from which the 9 in diam bears S 99 1/2 E 93 1/2
 - (4) Post from which a Buck 12 inches diam. bears S 71 1/2 W 38 1/2 links
 - (3) " " " " " " " " N 39 3/4 E 24 "
 - " " " " " " " " S 44 1/2 W 45 "
 - (13) " " " " " " " " N 24 W 55 3/4 "
 - " " " " " " " " S 40 E 8 "
 - " " " " " " " " N 15 W 31 "
 - (14) No Trees
 - (15) Post from " " " " Apple 3 " " " " N 41 1/4 W 127 "
 - (26) No Trees
 - (27) Post from " " " " Sugar 10 " " " " N 24 1/2 W 27 "
 - " " " " " " " " Buck 12 " " " " N 83 1/4 E 2 1/2 "
 - (28) (29) & (30) No Trees but post set at (28) & (29); (30) is not a corner.
- Run by the true Meridian Magnetic Var 155° East
Surveyed Apr 19th, 1872 by T. J. Brown. Dep. Co. Sur., Ingls., Mich.

TOWN Law NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

28
 A Beech 11 S 60 E 73 1/2 lko
 R Oak 30 N 47 1/2 W 58
 Elm 20 S 62 1/2 W 225-13
 B R Oak 18 N 10 E 22 1/4
 Sugar 10 S S W 16
 C Beech 11 N 75 1/2 E 8 1/2
 W Oak 29 N 3 W 90
 D Elm 18 N 54 E 86
 Beech 15 S 3 1/2 W 21 1/2
 E DO 14 S 63 1/2 W 30 1/4
 Willow 8 S 2 W 78
 F B Ash 5- N 10 E 107
 Elm 20 S 65 1/2 E 23 1/2
 G DO 18 S 24 1/2 W 41
 Elm 8 N 67 W 46
 H DO 9 S 83 1/2 E 58 1/2

1

VOL 3, Pg 70

INGHAM COUNTY, MICHIGAN.


63

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Per 3° E
Surveyed by A. Jackson

SECTION 20, Town 2 North, Range 1 W. Meridian of Michigan.

SECTION 20, Town 2 North, Range 1 W. Meridian of Michigan.



C Iron pipe f.w. Elm 12 S. 38° E. $29\frac{1}{2}$ l. & Elm. 6. N. 85° E. $3\frac{3}{4}$ l.

Section Corners.

1
2
3
4

5 Q.P.F. Set cistern pump with stone north of road bed f.w. Elm 18. N. 52½° E. 51½ l. + Elm. 10 N. 2¾° E. 57 l.

6 Q.P.F. Set iron shaft with crockery + stone f.w. Cherry 20 S. 86½° W. 47 l. and N.E. cor. house wall S. 47° W. 128 l.

7 Q.W. found a corner fence post of wire fence stands where post should be

8 Set pump handle + crockery from old witnesses about 2 feet south of bridge and near west track of road bed. f.w. Maple 8. S. 15° E. 113 l.

10	11	12	13	14	15
----	----	----	----	----	----

MINUTES OF SURVEY (Concluded).

- a* O.P.F. no new post set
- b* Set post f.w. Elm. 12 S. 52° E. 15 l.
- c* Iron pin set. f.w. Elm. 8 N. 75° W. 19 3/4 Elm. 10 N 2° E. 34 1/4 l.
- d* Iron stake f.w. Elm 8. N 33° W. 60 l. Elm 20 N 27° W 31 1/4 l.
- e* Iron rod and tile. f.w. Maple 15 N 8 1/4° E 326 1/2 l.

X Posts on X Lines.

Centers of X Sections.

STATE OF MICHIGAN, ss.
COUNTY OF INGHAM,

I, W. A. Rowe, County Surveyor of said County,
Do Hereby Certify that I did, on the application of Le. Rolfe and others


Rev. Stamp
10 66

make the following survey upon
Section 20, in the Township of Veray, Town 2, North, Range 1 W.
on December 9, 13 and 17, 1899, and the following persons acted as chainmen, first being duly sworn, to-wit:
Elmer Godfrey, Alton Jewett, H. W. Young & Horace Stewart, R. C. Roll sworn marker
And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it
is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

C

W. A. Rowe, County Surveyor.

SECTION 21, Town 2 North, Range



13C Plow point Apple 14" 538°W 11 r lks

Section Corners

1
2
3

25 4 Iron Bar 1 5/8" x 1 1/2" with Buck around

5
6

7 7 Anchor Post

15 8 Iron.

9
10
11
12
13

24 14 Anchor Post.

15

MINUTES OF SURVEY [Concluded].

a
b
c
d
e
f
g
h

1/4
Centers of 1/4 Sections.
1/4 Posts on 1/4 Lines.

Plat point off 10" S 27 1/2 W 38 1/4 lbs.


Corners C-d-8-7 and 4 were found and
perpetuated and corner 14 was established.

STATE OF MICHIGAN,

COUNTY OF INGHAM,

ss.

I,




County Surveyor of said County,

Do Hereby Certify that I did, on the application of

SB Madden & R. H. Fox Co

Section 21 survey SW 1/4, in the Township of Veray, Town 2 North, Range 14,
and the following persons acted as chainmen, first being duly sworn, to-wit: *

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.



County Surveyor.