

152
(30)

B-11

copied from Au-3 Field Book

Dated 5-20-02

Rec L.C-F 142 1-29-87

"FB conc. Mou. Accepted & set

Disc & Mou. Box 6' South

& Barnes Es. From Ceta Datum.

W. Tressad: 5/22/02

set NET N/S 12" Maple Az 140° 88.79

FD NET "Kobs" N/S 24" Maple Az 244° 97.85

set NET E/S F. Pole Az. 104° 56.23

FD NET "Kobs" E/S (Abus) F. Pole Az 25° 95.80

FD NET Kobs N/S Deadhead Az. 269° 103.32

152
(30)

V6'2

C-12

5-30-02

Copied from Pg 26. Aurelius - 3
FIELD BOOK.

Rec: Liber 3, P. 185. G. Young 7-16-74
"set 1/2" bar by proportioned Meas.
Rec: Liber 6 P. 92 E. Enger 1-30-89
Corner rd located off Fill Area
Net inside 10" Walnut, 55° Az 477'
" SE side 20" Walnut, 38° Az, 577.7' 25832
Net 4/8998 E/S 24" Walnut, 357° Az, 155.5'
Northern most wall line House #2300
South, 292.9' 2.5' West & Turn the Rd.
00 F/L to East.

Excavated at rd 1100 E in E.S.
Turned rd down to old clay road
Bot. (C.D. Nothing indicating a
previous corner. Accepted post hole
As set by Young & proportioned by
Enger.
Set Net N/S 10" Maple 278° Az, 76.45'
FD # 1898 E/S 24" Walnut 300° Az, 155.50'
FD Net 25832 N/S 24" Walnut, 40° Az, 57.97'
Set Net W/S 20" Walnut 280° Az, 93.24'
FD Net 4/8998 E/S P. 92 342° Az, 105.14'
FD Enger 3 E/S East 33.0'

A-11

5-22-02 V5-2

(29)

Copied from Field Book W-3, P. 25

Found a 12" pipe over top of 3/4" pipe @
12" below drive entrance (Asphalt to
Petroleum Plant, excavated found
to clay road bed, but found nothing
in digging a previous corner.
Meas North 33.70' to W-11 of
Aurelius Twp. 546 (33.66')
Corner old line with fence to South
& 4' South of E. Banes Road extends
to East.
Set standard Imp. Co. P. 1/2' DIT
At post hole of road as found
proportioned of corner.

Set 1/2" road located between lines of
Arrow sign South, 13.53'
FD Net 25832 N/S P. 92 249° 51.42'
Set Net S/S P. 92 Az 317° 95.10'
FD Net 25832 SE/S P. 92 Az 43.34'
71.23)

Veg²

B-11

5-20-02
Notes copied from
Pg. 24 Au-3

Found loc. Movement AS SET
by SURVEYOR E. Lester under 1978-81
CETA Program LG, Pg. 140 1-29-1981
Accepted position of 2000. Nov.
REMOVED loc. Colliery Set Steel
Now, Box for 6' South &
EMULES find close record of
Being on Line. Between 141 1/2' A-13
Attached ing to Dist. of 5-22-02
FD 22 Spike west, 211.35'

Set NÉT N/Side 12" Maple Ht 140'
83.79

FD NÉT 26" Maple Ht 244' 97.85'

Set NÉT E/Side Rake North 26.23'

FD 26" NÉT E/S (New) Rake Ht 250' 95.80'

FD 26" " N/S Deadhead Ht 260' 103.32'

B-12

15-2
28

Notes copied from Au-3 pg. 24
DATED 5-22-02

Rec. Lib-6, Pg. 39.5 E. Lester

Set 1/2 Box & cap at entry, N/S 6' 10" 1/2

NÉT N/S 20" Maple 127' Ht, 48.5'

NÉT 26" 6' Ht 163' Ht, 21.1'

" N/S 10' Deadwood, 155' Ht, 32.8'

Found 1/2 Box & cap at 189923

Found Maple Deadwood

reprise found the pos. hav

of a insignificant difference

Accepted pos. had & replaced

1/2 Box & cap with ingrowth

standard monument.

FD NÉT 26" 5/5 (Green) 26" Maple
Ht 133' 49.09'

FD NÉT 25832 N/S 7" Maple Ht 186' 47.76'

Set NÉT 5/5 6" Hickory, Ht. 125' 19.13'

FD 26" NÉT N/S R. Rake Ht 285' 26.75'

FD NÉT 189923 1/2" Deadwood Ht 158' 32.58'

16/20

A-12

255

5-16-02 PH-15

Cher & large

2.411000

SET

41 101 1/2 1/2

all line between

200 31 4 30 30

North 20.83

N-12

North

Stops & well point address

Cyclope time out

N 45°W 1.01

4" pipe 5' tall East 1.5

North 21.14 N-12 Aurdus TAN, ECU

NH2 71° TENSIVE stem 182.4

4 3" steel post NH2 4° 21.33'

SE corner 2000. SLAG Pump House Etko

NH2 38° 220.11'

4 3" steel post 22.15'

500 COP. done SLAG tree ELA: 711.60m 20

NH2 02° 228.53'

C-11

7-10-02

25

ECR. 4 1.18 1.91

4.1.13.394

Found 411.4 136 20' OAK AS

only expanding all houses

40 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

EXCHANGED BELOW 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

the gravel to sand & clay all

pieces of red brick dirt stove

or perhaps evidence of corner

marker accepted position of 1/2'

for as far as the corporation of

for 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2' 1/2'

164
(25)

C-13 T2U, R/W

Copied from 15-1, Pg. 39

5-4-01, 1600 7, Pg. 93 (S. hoodman)

M.O.S.H.: 50' over stone

ED 3/4" pipe & cap #11370 in flow by
EXCAVATED & ED 56' x 12' Boat Spoke
with head broken off crude pipe
w/it stone & rockery ± 2.5' deep,
& accepted position of pipe.

PLACED SHUTTERED IRG Co. Dist

Stamped R.R. 345 PS #18994

ON 3/4" pipe CO. IN & PLAINS ED

ED 4' & 0' to fathle road 45

extended to North Meas Dist

149.16 ft. to C-1 of LESLIE Twp

G.L.D. FACING 2.26 chains.

OE "Amazing" 149.16 ft.

ED F.L. ante shiner E/side cut-off P. Pipe

SET 1/2" E/side new pipe N/A 28°, 67.35'

SET 1/2" S/side 3' Cherry, N/A, SE, 149.17'

SET 1/2" over top of Boul 1/2" #18995

N/A. 316°, 95.63'

WEST 196.14 to C-1, LESLIE Twp, R/W

PH/ES 162
(25)

ELT = Roll Nelson P.S. #18994

ES = LEAVE SITE

TF = TOM FREEMAN

24

A-13

72N, E1W

Notes Copied from LS-1 Pt 35

5-08-01 E1H/E5

Found Conc. Mould Belt 1/2" 18900

Set opened in C.A.R.C. 2nd top 5'

of conc & steel & set standard 18900

Disk stamped 18900 P.S. #18994

on 6 PLAINS RD.

FD. N4E 39100 (curvature) S side 10' 11"

N4E. 82° 103.58'

SET N4E, E side 12' 11" N4E. 339° 244'

SET N4E side 24" Maple N4E. 310° 48.82'

2nd 1" on top of conc 12" N4E. 173° 17.0'

FD N4E #18998 side Maple N4E 71° 130.15'

B-13

E1H/E5

24

Notes Copied from LS-1, Pt 40

5-08-01 E1H/E5

Found Conc. Mould 1/2" 18900. 44. Pa. 103

on 6 PLAINS RD. SET steel Mould

Box to ROAD SURFACE & marked

Standard 18900. Disk stamped

P.D. 845 P.S. #18994

Conc. Mould for Culvert under

Road / SET 1/2" 18900 64° 645'

END N4E. 212° 144.8'

SET N4E side 20" Maple N4E. 14° 844'

SET N4E side 20" Maple N4E. 110° 1324'

SET 1549 to 8-1, Leslie road T1N1E1W

15-1
30

L-2

5-201

2.0 SEC 1. TIN, REW

FOUND 1" PIPE X 24" IN HOLE

@ POSITION DECEASED BY SURVEYOR

LESTER 11174 LIBERTY, Pa. 91

PER 10-13-88 FOUND WITNESS

REGS & ACCEPTED POSITION OF

PIPE LEFT PIPE & CAP IN

SAME POSITION WITNESSES

SAME AS P.P. 74 FORM

EXCEPT SET TAG & E/SIDE

OF DECEASED TAG 273'

1/2 REDUCED TAG ON S/SIDE

36" PIPE @ 21.40

SURVEYS OF RECORD

5, 904-905

5, 908-909

5, 910-911

6, 1155-1156

6, 1231-1232

COULD 1.5 4.24 ± 3.255 from

11174 HORIZONTAL INTO 1/4 LINES

1.8' EAST & 3.8' SOUTH

M-13 A-13 A-1, M-1

5-08-01

15-1
(38)

TOWNSHIP CORNER

RD CORNER MON, BENT & TURNED

1/2" DEEP CUT OUT TOP 5' OF CURB.

& CURED & AFFIXED STANDARD

PISTON TOP IN RECONSTRUCTION

OUT OF PLANS RD ALL

SET LINE FENCES HAVE BEEN

REMOVED

RD. NET 3900 S/SIDE 10" ELM

W. HZ 82° 103.584

SET 1/2" E/S 12" ELM N. HZ 339° 28.444

SET 1/2" S/S 24" MARK BELOW PL. HZ

N. HZ 310° 48.82

CUT 1" ON TOP WEST/END 12" ELM

N. HZ 173° 17.024

RD. NET 3900 S/SIDE 10" ELM

W. HZ 71° 130.154

15-1
38

L-2

5-401

2.0 SEC 1. TINY, ECU
 FOUND "PINE" X 24" IN HOLE
 @ POSITION DECEASED BY SURVIVOR
 LESTER N.H. 74 L.B. 74, P.G. 74
 Dec 10-13-88 FOUND WITNESS
 RESS & ACCEPTED POSITION of
 PAPER LEFT PAPER CAP IN
 SAME POSITION WITNESSES
 SAME AS P.H. 74 FORN
 EXCEPT SET TAG 4/6/5105
 of CEASE POST 218'
 1/2 REDUCED TAG ON 5/5105
 36" Maple @ 21.40

SURVEYS OF RECORD
 5, 904-905
 5, 908-909
 5, 910-911
 6, 1155-1156
 6, 1231-1232

COVERED 15 4.24 ± 3.255 from
 17.8' GAST & 3.8' 50 GHA

M-13, A-13, A-1, M-1

5-08-01

15-1
(B)

TOWNSHIP CORNER

RD CORNER MON, BENT & TURNED
 1/2" DEEP CUT OF TOP 5' OF CORN.
 & CEROD & AFFIXED STANDARD
 DIST ON TOP IN ABUTMENT FOR
 OUT & of PLAINS RD ALL
 SET LIVE FENCES HAVE BEEN
 REMOVED

RD. N.E.T. 39.00 5/5105 10" 6.1M

WITNESSED

N.H. 82° 103.584

SET 1/2" E/S 12" ELM N.H. 337° 23.444

SET N.E.T. 513 24" N.H. 310° 48.82

CUT "V" ON TOP WEST/END 12" 17.02

N.H. 173° 17.02

RD N.E.T. 515 1000 10/15 18998

418998

N.H. 71°

130.1544

151

C-13 1E1V4Y S4101
COE COMING TO SEC. 31 & 32

REC. L 3, P. 85 & L 7, P. 93

MDSH 5/0" Bar wire stone

FOUND (3/4") Pipe & Cap # 11370 in Moss Box

EXCAVATED 2' 3/4" by 12" BENT SPIKE

with Head Broken off under Pipe

All Stone & Cracked to 25'

DEEP & ACCIDENTED POURED 1/4"

FD White Stone not a Bar

SET 1/4" Aside New Pole

N. Az 28° 67.35'

SET 1/4" Stone "Cheery

OVER LARGE SPIKE N. Az 82° 149.17'

SET 1/4" over top BENT 1/4" at 139.88

N. Az 316° 95.5863'

WEST C-1 LESS 1E 149.12

PLACED STAMPED INKMAN 20.

DIST of 3/4" Pipe, COVERED IN

& of PLAINS RD & 1/4" & 1/4"

TABLE RD to NORTH INTER

WEST 149.16' to C1 of DESIRE

TRAP GLO FALLING 2.56 CHAINS

DE (149.16) "AMAZING" "

C-1 LESS 1E 5/8/01 25-1 34

FD 1" PO in Moss Box 0.05'

NORTH of STAMPED LINE SET

3/4" IRON PIPE STAMPED INKMAN 13

DIST ON SOUTH SIDE of PIPE ON

STAMPED LINE

SET 1/4" ALONG PP Az 288° 16.1E

FD 1/4" 180° 91.5' Az 42° 96.79'

EAST, 149.16' C-13 1E1V4Y TRAP

CUT "1" END 180° AND UNDER TITLED

1/4 Az 160° 111.59'

SET BACK CAP ALONG ROUT 101/144

CMP UNDER TITLED AT WESTERN

END N. Az 72° 54.34

15-1	South 4th Corner T2N, R1W	EA 100
(10)	B-13	5-5-60

VERY TWP	46.89.108
----------	-----------

FORD & SON, INC.

ME 5 Bobo, CUREACE of 1941

CONC. ~~20~~ 5000 10/1/30

TO SURFACE & AFFIXED STANDINGS

Disk on top of box: $\frac{1}{2}$ lb. P.C.H.

SKT 1/2 BARF 2/18/94 E 157/END

CONC. HEAD WALL FOR CULVERT UNDER

2040	N. 42	212°	14.48
------	-------	------	-------

SET SET EXSIDE POWER POLE

Alt 14. 54. 43

SET NET 5/5/00 BELOW P.D. 1414

20" W. Cherry #110 132.14

WEST	154.9	44 to 45-1	LESS 116 149
------	-------	------------	--------------

5/120 24/1 5/6/05 2.16/1

18 ⁴⁰ 12	326°	31.21	30.30
---------------------	------	------------------	-------

Q-13-01 Moved North 0.95

STANDARD LINE C.C.O. FALLING

of 11.0 c per KETENU min.