

VEVAY TWP., T2N, R1W,

INGHAM COUNTY

SEC. NO.	VOLUME	PAGE	JACKET NO.
27	1 (1) 1 (1)	36 (37) 163 (155)	4 (9) 12 (28)
28	1 (1) 1 (1) 1 (1) 2 (2) 3 (3)	5 (6) 68 (34) 101 (102) 62 (87) 70 (94)	2 (4) ← NE 1/4 4 (8) E-11 9 (20) SW NOT I.E. TO E-11 9 (16) E-9, E-10 10 (17) NO HELP!
29	1 (1)	89 (89)	8 (17) C-10, C-11, D-10, D-11
30	No Surveys		
31	1 (1)	173 (94)	11 (18) C-12, C-13
32	1 (1) 2 (2)	37 (38) 92 (92) 94 (63)	4 (9) 1 (1) 18 (12) E-12
33	1 (1) 1 (1)	92 (92) 123 (120)	5 (3) E-11 & E-12 10 (23) NE 1/4
34	1 (1) 5	49 (50) 28	5 (11) 8
35	1 (1)	50 (51)	5 (11)
36	1 (1) 2 (2) 5	93 (92) 303 (124) 6	8 (18) 6 (22) 4


Solid = Actual VOL

() = Recorded VOL.

19	2 (3)	45 (60)	NO HELP NW 1/4
	2 (4)	47 (215)	NO HELP NW 1/4
20	3 (2)	11 (20)	NO HELP NW 1/2 of Sec.
	5 (7)	5 (5)	
21	1 (2)	126 (3)	E 9, E-8
	5	54	E-9

COUNTY SURVEYOR'S RECORD,

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.



Page 32 Vol 1

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | 26 |
| 4 | 27 |
| 5 | 28 |
| 6 | 29 |
| 7 | 30 |
| 8 | 31 |
| 9 | 32 |
| 10 | 33 |
| 11 | 34 |
| 12 | 35 |
| 13 | 36 |
| 14 | 37 |
| 15 | 38 |
| 16 | 39 |
| 17 | 40 |
| 18 | 41 |
| 19 | 42 |
| 20 | 43 |
| 21 | 44 |
- Wm Austin No 110*
- Eggston No 109*
- 80 7 2 1/2*
- 80 7 2 1/2*
- 15 1 8 9 1/2 W 79 2 24 1/2*
- 15 1 8 9 1/2 W 79 2 24 1/2*
- E-11 OBT*
- E-12*

INGHAM COUNTY, MICHIGAN.


TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $3^{\circ}14'E$ Surveyed and recorded by A Jackson
County Surveyor for the County of Ingham December 4th 1840

COUNTY SURVEYOR'S RECORD,

TOWN *Iron* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

SEC. *Twenty Eight*



E-11

Page 33 Vol 1

TOWN *Iron* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

Beck 6 N 50 E 16 1/2 Acs
Beck 10 S 15 W 12 Acs
Beck 12 N 47 W 2 Acs
28 Ironwood 10 N 78 E 22 1/2 Acs E-11 OBT


Sugar 24 N 25 W 16 Acs
Beck 6 S 10 W 14 Acs
Beck 5 S 15 W 21 Acs
Beck 17 N 25 W 16 Acs

INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Tor 3/4 E Surveyed by A Jackson County Surveyor
for the County of Ingham December 5th 1840

COUNTY SURVEYOR'S RECORD,

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.SEC. Thirty Two (32)

Page 37 Vol. 1

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6 Birch 14 in N 89° E 15 1/2 lks
- 7 Birch 15 in S 18° E 27 1/2 lks
- 8 Sugar 10 in N 43° W 31 1/2 lks
- 9
- 10 Willow 8 in S 2° W 78 lks
- 11 Birch 5 in N 10° E 107 lks E-12 OBT
- 12 Birch 13 in N 84 1/2° W 18 1/2 lks
- 13 Sugar 24 in N 11° W 51 lks } D-12
- 14 Sugar 16 in N 3 1/2° W 11 1/2 lks
- 15 Elm 18 in S 84 1/4° E 36 1/2 lks
- 16
- 17 Sugar 14 in S 49 1/2° E 44 lks
- 18 Sugar 13 in S 49 1/2° W 41 lks
- 19 Birch 12 in N 45° E 31 lks
- 20 Birch 22 in S 3° E 22 lks
- 21 Birch 10 in N 65° E 19 lks E-13 OBT
- 22 Birch 18 in N 79° E 60 lks
- 23 Birch 7 in N 79° W 26 lks D-13 OBT

INGHAM COUNTY, MICHIGAN.

TOWN *Three* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var $3\frac{1}{4}^{\circ}$
 Surveyed and Recorded Dec 17th 1841
 By A Jackson Co Surveyor

INGHAM COUNTY, MICHIGAN.

89

TOWN Jay NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Run by the True Meridian $N 8^{\circ} 10' E$


Recorded Sept 13th 1848 by A Jackson Esq Surveyor

Note. No 13. Perpetuated by a stone and obelisk. Black Walnut 9th $S 14^{\circ} E 110' 14''$ Found August 20th 1881
By A J Drake Esq Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN Law NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Section 52



Pg 1 and 2

TOWN Law NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

24

25

- Bush 11 S 60 E 75 1/2 Aka
 A R Oak 30 N 47 1/2 W 38
 Elm 20 S 62 1/2 W 225 1/3
 B R Oak 18 N 10 W 22 1/4
 Sugar 10 S 3 E 16
 C Bush 11 N 75 1/2 E 8 1/2
 W Oak 25 N 3 W 90
 D Elm 18 N 54 E 86
 Bush 16 S 3 1/2 W 2 1/2
 E D O 14 S 63 1/2 W 30 1/4
 Willow 8 S 2 W 79
 F B Ash 5 N 10 E 107
 Elm 20 S 63 1/3 E 23 1/2 } E-12
 G D O 18 S 24 1/2 W 41
 Elm 8 N 67 W 46
 H D O 9 S 83 1/2 E 58 1/2


INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *One West* -----, MERIDIAN OF MICHIGAN.

Run by the true Meridian Nov 5th 80
Surveyed by A Jackson

COUNTY SURVEYOR'S RECORD,

TOWN Two NORTH, RANGE One East, MERIDIAN OF MICHIGAN.



E-11
APPARENTLY VOL 3, PG 70 ACCORDING TO R. STEADMAN
FD IN VOL 2, Pg. 94

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 25

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Survey of the south east quarter of section No Twenty eight in Township No Two North of Range No One West as represented by the accompanying plat (the scale of which is ¹³⁵ six chains to one inch); The principal corners are described as follows

(23)	a post	no bearings taken	E-11		
(23)	"	"	from which	Bash 8 in diam. bears	S 68 1/2° E. 145 3/4 lks
(21)	"	stone & "	"	Thorn 3 " "	S 4 1/2° W 74 3/4 "
(1)	a post	"	"	Buck 18 " "	S 68° E 45 1/3 "
"	"	"	"	Apple 9 " "	N 37° W 51 1/2 "
(3)	"	"	"	Sugar 10 " "	N 61 1/2° W 17 2/3 "


Village lots and owners.

Lot No 1 owned	by Jacob Willett	Lot No 2 owned by	Geo. H. Curry.
" " 3 "	" John H. H. H.	" " 4 "	" J. Langley
" " 5 "	" S. S. Delway	" " 6 "	" Merriam Benjamin
" " 7 "	" Geo. W. Parker	" " 8 "	" Jacob Willett.
" " 9 "	" D. H. Truland	" " 10 "	" " "
" " 11 "	" Mills Chapin	" " 12 "	" J. F. Harris.
" " 13 "	" J. Archer		

Run to the true Meridian Variation 155' East.
Surveyed Apr 17, 1873, by T. J. Brown, Co. Surv. for Ing. Co., Mich.

SEC. 31

1 NORTH



C-12

C-13

B-13

APPARENTLY VOL. 3 Pg 73 Filed under VOL 2, Pg 97

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24

25

T. J. BROWN
VOL 2, PG 91

INGHAM COUNTY, MICHIGAN.

TOWN Two North, RANGE One West, MERIDIAN OF MICHIGAN.

The survey of the south east quarter of section No Thirty One in Township No Two North of Range No One West as represented by the accompanying plat (the scale of which is 1/32 chains to one inch); in which plat the names of corners, the number of acres owned by each, the bearings and distances of the lines & letters of reference to the lines & corners, the position of roads, &c are respectively given. The corners are described as follows:—

- (1) Post from which Elm 6 in diam. bears S 26° W $54\frac{1}{2}$ lks
 (2) Post & Stone " " Buckle " " S $35\frac{1}{2}$ W 127 $\frac{3}{4}$ "
 (11) Stone & crockery " " Corner
 (20) Stone & picket post from " " Elm 14 " " N $87\frac{3}{4}$ E 107 lks
 (21) " " " " Walnut 5 " " S $54\frac{1}{4}$ W 100 "
 (22) " " " " No trees " "
 (19) " " " " " "
 (23) Stone & crockery
 (18) Post from which Buck 10 in " " " N $42\frac{1}{2}$ W 45 $\frac{3}{4}$ lks

Run by the true Meridian Magnetic Variation $1^{\circ} 55'$ E
 Surveyed April 16th 1873 by P. J. Brown, Co. Surv. for Ind. Co., Mich.

Note:—The corners ^{(24) & (25)} are designated by a stone and crockery
 Surveyed for A. Walker Apr. 16th 1878.
 by A. J. Drake Co. Surv. Ind. Co., Mich.

Survey of the E $\frac{1}{2}$ of N.W. $\frac{1}{4}$ & the N.E. $\frac{1}{4}$ of S.W. $\frac{1}{4}$ of Sec. 31 of Twp.
 Two North of Range One West

Corners are as follows:—

- (4) X' = Post in center of Road
 (17) X' = Iron with file around
 (20) M = " " " " Elm 1 ft west Elm 6 ft S.E.
 (27) X = Post Maple 10" D S $75\frac{3}{4}$ E 135 $\frac{1}{2}$ lks
 " " 15" " N 68° W 115 $\frac{1}{2}$ "
 (3) D = Stone surrounded by brick Elm 16" D S 41° E 47 lks
 Maple 10" " S 33° W 43 "

Surveyed Dec 3 1898


Recorded " " "

by R. J. Robb

John M. Cunniff

STATE OF MICHIGAN, }
COUNTY OF INGHAM, }Received for Record this 16th day of January, A. D. 1901, at 9 o'clock A. M.
G. A. Lester, Register of Deeds.

COPY OF MINUTES OF SURVEY.

SECTION 20, Town 2 North, Range 1 W. Meridian of Michigan.

C Iron pipe f.w. Elm 12 S. 38° E. $29\frac{1}{2}$ l. & Elm. 6. N. 85° E. $31\frac{3}{4}$ l.
D-9

- Section Corners.
- 1
2
8
4
- 5 Q.P.F. Set cistern pump with stone north of road bed f.w. Elm 18, N. $52\frac{1}{2}^{\circ}$ E. $51\frac{1}{2}$ l. & Elm. 10 N. $2\frac{3}{4}^{\circ}$ E. 57 l.
- 6 Q.P.F. Set iron shaft with crockery & stone f.w. Cherry 20 S. $85\frac{1}{2}^{\circ}$ W. 47 l. and N.E. cor. house wall S. 47° W. 128 l.
- 7 Q.W. found a corner fence post of wire fence stands where post should be
- 8 Set pump handle & crockery from old witnesses about 2 feet south of bridge and near west track of road bed. f.w. Maple 8. S. 15° E. 113 l.
- 9
10
11
12
13
14
15
- 1/4 Posts on Section Lines.

MINUTES OF SURVEY [Concluded].

- a O.P.F. no new post set
- b Set post f.w. Elm. 12 S. 52° E. 15 l.
- c A Iron pin set. f.w. Elm. 8 N. 75° W. 19 3/4 Elm. 10 N. 2° E. 34 1/4 l.
- d B Iron stake f.w. Elm. 8. N 33° W. 60 l. Elm. 20 N 27° W 31 1/4 l.
- e Iron rod and tile. f.w. Maple 15 N 8 1/4° E 326 1/2 l.

STATE OF MICHIGAN, ss.
COUNTY OF INGHAM,

I, W. A. Rowe, County Surveyor of said County,
Do Hereby Certify that I did, on the application of C. C. Rolfe and others

Rev. Stamp
10 CG


make the following survey upon
Section 20, in the Township of Veroy, Town 2, North, Range 1 W.
on December 9, 13 and 17, 1899, and the following persons acted as chainmen, first being duly sworn, to-wit:
Elmer Godfrey, Alton Jewett, H. W. Young & Horace Stewart, R. C. Roll sworn marker
And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

C W. A. Rowe County Surveyor.

COUNTY SURVEYOR'S RECORD,

TOWN 2 NORTH, RANGE 1 West, MERIDIAN OF MICHIGAN.

SEC. 21



E9

TOWN NORTH, RANGE, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22

24 Anchor post
1207
25 Bay 12x2 1/2' with brick around.
E-9

- ✓ 13 Plow Point Apple 14" S 38° W 102 lks.
- ✓ 14 Plow Point Apple 10" S 27 1/2° W 38 1/4 "
- ✓ 15 1207
- 23 Anchor Post

INGHAM COUNTY, MICHIGAN.

TOWN...2... NORTH, RANGE...1 west..., MERIDIAN OF MICHIGAN.

Survey of the S.W. $\frac{1}{4}$ of Section 21 T.2 N. R.1 W. for
S. B. Madden and H. H. Laxton.

Corners 13, 15, 23 and 25 were found and perpetuated.
Corner 24 was established.

Recorded May 5, 1908


R. J. Pabb
Co Surveyor.

STATE OF MICHIGAN, }
COUNTY OF INGHAM, }

Received for Record this _____ day of _____, A. D. 1_____, at _____ o'clock _____ M.
_____, Register of Deeds.

COPY OF MINUTES OF SURVEY.

SECTION 21, Town 2 North, Range 12 West Meridian of Michigan.



BC Plow point Apple 14" S 38° W 11 r l h s
E-11

Section Corners.
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Iron Bar 1 1/2" x 1 1/2" route back around
E-9

Anchor Post

Iron.

Anchor Post.

MINUTES OF SURVEY [Concluded].

a
 b
 c
 d
 e
 f
 g
 h

1/4 Posts on 1/4 Lines.
 Centers of 1/4 Sections.

Plat Joint Apple 10" S 2 1/2 W 38 1/4 lps.

Corners C-d-8-7-and 4 were found and perpetuated and corner 14 was established.

STATE OF MICHIGAN,

COUNTY OF INGHAM,

ss.

Do Hereby Certify that I did, on the application of

I,

R. J. Rolt

County Surveyor of said County,

SB Madden & R. H. Fox Co

Section 21, in the Township of Veray, Town 2 North, Range 14
 and the following persons acted as chainmen, first being duly sworn, to-wit:

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

R. J. Rolt
County Surveyor.

		20		21
Cod Mon. Box 1/4" Top Hdw. east S. 1/4 "E 22.15' 1/4" Top E. About Bridge "E 12.95' 5450 W 66.77'			R R. Spike 20" Elm NNE. 114.42' 19" Cherry E.S.E. 47.3' 22" Cherry E.N.E. 58.98' N.E. cor. hdw. SW. 91.1'	
	1" Iron 26" Maple E. 18.57' 8" Elm S.W. 33.9' 21" Maple N.N.W. 65.73'	14" fence post in conc.	1-1/4" Iron, brick 12" Elm S.S.W. 77.35' 16" Elm N.W. 53.61' 33' from transmission line	
		29		28
		Stone, boat spike 28" Elm SW. 54.82' 7" Elm S.E. 69.9' 26" Cherry N.E. 35.48' 5" Elm N. 27.98'	Boat spike 38" Maple W.N.W. 66.8' 11" Cherry S.W. 43.06' P.P. W.N.W. 42.94' P.P. N.N.E. 44.8'	
		3/4" Iron (1969) Guy Pole E.S.E. 37.43' 22" Walnut S.S.W. 81.00' P.P. W.N.W. 75.50'	Mon. Box (1969) SW. bridge cor. W.S.W. 41.8' End bridge W. 38.80' N.W. bridge cor. W.N.W. 41.19'	3/4" Iron, brick (MSHD. 1855) 29" Elm NW. 98.02' 27" Oak S.S.E. 41.72' 26" Ash E.S.E. 87.30'
				Stone, brick 12" Maple S.E. 12" Apple S.W. 6" Elm N.W.
		32		33
				R.R. Iron

Boot spike
 19" Elm S.S.W. 42.83'
 P.P. N.N.E. 75.87'

2" Iron
 42" Maple SW. 35.59'
 44" Maple S.E. 41.4'
 P.P. NW. 46.92'
 N.W. cor. house fond SW. 76.7'

1" Pipe
 14" Elm N.N.W. 95.27'
 13" Elm S. 101.96'
 End post SW. 42.98'

(T.I.N. R.I.W. Leslie Twp., Ingham Co)

Rd. Comm. - Vevay

REVISED - JANUARY
 1972