

VEVAY 2N, 1W.

18	17	16	15	14	13	12
76.68	76.20	75.72	75.24	74.76	74.28	73.80
6	5	4	3	2	1	
76.68	76.20	75.72	75.24	74.76	74.28	73.80
83	82	67	56	45	34	
7	8	6	9	5	10	4
76.68	76.20	75.72	75.24	74.76	74.28	73.80
80	79	65	54	43	32	
18	17	16	15	14	13	12
76.68	76.20	75.72	75.24	74.76	74.28	73.80
77	76	63	52	41	30	
19	20	21	22	23	24	25
76.68	76.20	75.72	75.24	74.76	74.28	73.80
74	73	61	50	39	28	
30	29	28	27	26	25	24
76.68	76.20	75.72	75.24	74.76	74.28	73.80
71	70	59	48	37	26	
31	32	33	34	35	36	37
76.68	76.20	75.72	75.24	74.76	74.28	73.80
6	5	4	3	2	1	

North Between sections 384

23.47 at Beech 16 in. diam.

34.50 Enter Swamp.

40.00 Set $\frac{1}{4}$ Sec. post for corner

N. Post 22. N. 35 $\frac{1}{2}$ E 183 mms

Edin 6 in. S 21 W 33 Ms

B with 5" S. 80 $\frac{1}{2}$ E 14 $\frac{1}{2}$ " near

D. 5" N 2 $\frac{1}{2}$ W 25"

41.50 Left Swamp

61.85 at Beech 18 in. diam.

78.16 Int. North Boundary 137 Ms N. of p.

Beech 28 in. S 77 W 34 Ms

D. 12. S 64 E 28"

Found nothing and 2nd note.

North Between sections 32833

1.75 at Post 8 Ms wide Route N. E.

11.26 at D. 5" " " N. W.

23.16 at B. 4th 30 in. diam.

25.00 Enter Willow Marsh.

40.00 Set $\frac{1}{4}$ Sec. post for corner

Willow 8 in. S 2 W 78 Ms

B. 4th 5" N 10 E 107"

56.50 Left Swamp.

58.25 at Beech 12 in. diam.

80.00 Set post for Sec. 28. 28. 32833 for

W. 1/2 Sec. 28. 32833. N. 37 E 147 Ms near

Beech 12 in. N 44 W 2 Ms.

Swamp 10. N 78 E 22 $\frac{1}{2}$

Found nothing & 2nd note where it is from

from Swamp. Timber Oak, Ash, Elm,

Sugar, Beech etc.

West On the South Boundary of Sec. 34

7.50 Enter Swamp

10.50 Leave Do.

16.20 A. W. Oak 16 in diam.

22.87 Ent Swamp - A. B. Oak 9 in diam

32.45 A. B. Oak 8 in. diam.

40.00 Set $\frac{1}{4}$ Sec. post from which a

3rd 4 5 in A 76 E. 9th. Co. 6 in. N 24 W 17th.

48.00 Leave Swamp

52.00 Enter Do.

64.72 A W Oak 10 in. diam.

71.50 Leave Swamp

80.00 Set post Cor. of Sec. 33 & 34 for

Beech 8 in N 64 E. S. 30th. Co. 14 in. A 29 W 34th.

Land locally swampy. (under) oak &c.

West On the South Boundary of Sec. 33.

16.27 A. W. Oak 18 in diam.

26.28 A Beech 16 in. "

40.00 Set $\frac{1}{4}$ Sec post for a

3rd 6 in. N 74 E 31th. Beech 18 in N 39 W 34

54.72 A Beech 8 in. diam.

66.95 A Do. 10 in. "

80.00 Set post Cor. of Sec. 32 & 33 for a

3rd Oak 16 in. A 63 E 19th

Elm 10 N 79 W 36 in

Land rolling & 2nd rate Timber

Oak, Hickory, Ash, Elm, Sugar,

Beech, Undergrowth the same.

West On the South Boundary of Sec. 30

1.20 A Buck 13 lbs wide Corner N

16.76 A Buck 7 in diam.

33.43 A W. Ash 6 in. diam.

40.00 Set $\frac{1}{4}$ Sec. post for a

Beech 18 A 79 B

60 lbs

Do. 7 A 78 W

26..

52.71 A Sycam 4 in. diam.

62.13 A Sugar 14 in. "

80.00 Set post Cor. of Sec. 31 432 for

Beech 15 in. A 51 B

15 lbs

Walnut 5 in S. 54 $\frac{1}{4}$ W 100 lbs or a stem & end of

Do 10..

Found level & 2nd ind. Timber etc.

same as last-mile.

West On the South Boundary of Sec. 31.

24.73 A Sycam 14 in. diam.

36.67 A Sugar 15 " "

40.00 Set $\frac{1}{4}$ Sec. post for a

Sycam 8 A 65 B

same

12 lbs.

A. Strong with crossing corner

Beech 9. A 76 W

same

35..

58.42 A Beech 9 in. diam.

72.30 A Sycam 9 " "

83.37 Set the West Range line 184 lbs N of the Temp 2 p.

Set a post Cor. to Towns 182 North, Ranges

243 West from which a

Beech 8 in. bears A 79 B 13 lbs. dist. 4 a

Do 9 " " S 54 W. 31.. "

Found & Timber same as last-mile

May 6th 1895
John Mallet D.S.

East On a Random line between Sect. 28 & 33

40.00 Set Temp 1/4 Sec post.

79.68 Int. N & S line 30th W. N. of post.

Sound level & 2^d rate. Timber
same as last mile

West On True line between Sect. 28 & 33

20.90 A Sugar 8 in. diam.

39.84 Set post 1/4 Sec) at over dist. for a

Width 10 in. N 12 1/2 W 6th

Beech 12" S 12 E 34"

60.30 An Elm 36 in. diam.

79.68 To Sec. Corner

March 5th 1826.

North Between Sections 28 & 29

17.24 A Beech 14 in. diam.

24.89 A Beech 4th wide Corner W.

40.00 Made 1/4 Sec Corner a Beech 28 in. diam.

62.10 A Sugar 12 in. diam.

80.00 Set a Sec. post. Cor of 20.21. 28 & 29

Beech 14 in. S 13 W. 25th

B. Ash 9" N 27 E 26"

Sound same as last mile.

East North Between sections 318432

5. 19.10 of Lyman 16 in. diam.

15. 31.30 of Brook 8 1/2 lbs wide Course E.

25. 40.00 Set 1/4 Sec. post for a

26. Beech 12 at 69 W 19 lbs

27. A. Stone with crockery corner
Sugar 8. S 47 E 18 "

37. 41.50 of Brook 4 lbs wide Course E.

40. 70.75 of Sugar 16 in. diam.

46. 80.00 Set post Cor. chel 29. 30. 318432 for a

79. 12. Oak 14 in. S 38 E 31 1/2 lbs.

Bush 12. A 85 1/2 W 5 "

19. Sand rich and gently rolling Tim.

39. Red Oak, with Spruce, Beech, Elm &c.

79. 1. Sandy &c. same with the addition of Rich grass 79.90 Cane Corner

Just on Handson between steel 298432

4000 Set timber 1/4 Sec. post.

45.96 of Brook 5 1/2 lbs wide Course N.E.

54.20. Do. 18 " " North

56.15. Do. 18 " " S.W.

58.16. Do 16 " " N.E.

79.10. Set at S line 35 lbs N of post

Land same as last mile.

West Correlated Between steel 298432

91.11 of Beech 9 in. diam.

39.85 Set 1/4 Sec. post at same dist in true line

Sugar 20 in. A 26 W 18 lbs.

Elm 18. S. 48 E 18 1/2 "

West Between Stations 30 & 31

20.75 at Beech 8 in. diam.

40.00 Set $\frac{1}{4}$ Sec. post for a

Mark 14 S $41\frac{3}{4}$ E 49.5 y new. 1895
 August 2 S $32\frac{1}{2}$ W 43
 August 28 in. at 6 $7\frac{1}{2}$ E 61 M. 9 in
 August 22 S $63\frac{1}{2}$ W 13" 9 in

59.46 at Elm 24 in. diam.

83.39 Int. the W Bound $\frac{1}{2}$ 51 M. South of post

Beech 8 in. at $7\frac{1}{2}$ E 43 M.

Elm 7. S. 14 E 49"

Land same as last mile

March 7th 1826

North Between Stations 29 & 30

25.00 at Spruce 16 in. diam.

40.00 Set $\frac{1}{4}$ Sec post for a

Beech 10 in. at $85\frac{1}{2}$ W 21 M.

Do. 7. S 73 E 10."

60.10 at Beech 20 in. diam.

80.00 Set post for Sec 19. 20. 29 & 30 for

Beech 14 in. at 1 W 21 M.

Do. 9 at $25\frac{1}{2}$ W 10."

Land & Timber same as before

73

East On a Handout line between Sec 20 & 29

13.50 Enter Jam. Swamp

20.00 Left " "

37.00 at Brook 15 Mo wide Course N.W.

40.00 Set trap $\frac{1}{4}$ Sec. post

79.74 Just the N. & S. line 23 Mo N. of post

found 8 Timber same as last mile

West On the true line between sec. 20 & 29

21.02 at Brook 15 in. diam.

38.97 Set $\frac{1}{4}$ Sec. post at end in true line

Blue Brook 6 in. N 57 W 3 Mo

Clim 60 of 19 W 23 1/2 "

61.47 at 13th 7 in. diam.

74.74 To Sec. Corner.

74

West Between Sections 19 & 30

22.45 at Sugar 14 in. diam.

26.50 at Brook 12 Mo wide Course N

40.00 Set $\frac{1}{4}$ Sec. post for a

Lynx 12 in. S 74 W 30 1/2 Mo.

Brook 16 in. at 67 1/2 E 24 "

60.46 at Brook 6 in. diam.

63.50 Enter 13th Swamp.

70.50 Left " "

83.48 Just the N. Boundary 68 Mo. S of the post

Brook 10 in. S. 37 1/2 E. 27 1/2 Mo.

Crossed 6 at 113 30 1/2 "

found 80 same as last mile.

In pursuance of a contract
with, and instructions from Edward
Diffin Surveyor General of the
United States and conformably
to the laws of the United States,
I have surveyed and subdivided
into sections Township No 2 North
of Range No 1 West in the Detroit
District Michigan Ter.; and I cer-
tify that the foregoing are correct
field notes of the survey of the said
Township

Certified this 20th day of March 1826.

Thos J. Parker 254

T. J. H. B. 1 m

Defect

Balance:

1829

1.56

80 M. N.

283

1.17

100. " N.

344

1.84

137. " N.

445

1.28

100. " N.

586

0.18

71. " N.

Areas

Station 6. 1

30431

3.39

51. " S.

19830

3.48

68. " S.

18419

4.05

35. " S.

7818

4.43

53. " S.

687

4.40

100. " S.

Circle Map

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

Memorials of the Lord's Table 1704 p 55-6

J. N. R. 1 M. New Michigan
 South Boundary 74.12.25.16
 Set post corner of Township No 18 & 19
 Range No 1 West Mer. from which
 a R.D. 24 in 6 54 9 1/2 W 122
 on Elm 23 " or 54 W 122
 West on S boundary of Sec 36
 No 79 Elm 16 in diam.
 40.00 Set 1/4 S re foot for
 W O. N. W 68 E 40
 Loguid S N 73 W 32
 46.43 Ash 11
 74.73 Do 11
 80.00 Set p. cor to Sec 35 & 36
 W. D. 17 in East 48
 Ash 16 or 59 W 14
 Kelly good Oak sand thickly

68

North Bottom seed 485

19.90 Lignum 16 in diam

40.00 Set 1/4 See post for

Beck 12 W 12 W 5
W. Oak 2 1/2 14 S 6 W 4 1/2 37

57.88 Sugar gum diam

79.02 at Booth 8 l.w. Quail SW.

80.98 Just N Boundary 1912 WGP

13.4 1/2 14 S 1 1/2 W 34

Lignum 5 S 5 1/2 W 23

Found 2 1/2 roots Timber Oak

at N. Lignum, Beck & Co.

69

North Bottom seed 31832.

40.00 Set 1/4 See post for

W. Oak 24 S 8 1/2 W 31

Do 18 S 60 1/2 E 111

42.50 Cut Willow marsh

55.00 Light "

71.00 W. Oak 14 in diam

80.00 S 1 post on seed 29.30.31.832

W. Oak 28 W 56 E 13 1/2

Do. 12 W 88 E 179

Found 2 1/2 roots and 3 1/2 roots

Timber then with 13 S W Oak

Thick undergrowth of huls and Oak

Feb 24th 1826

86

Manders of Lake Erie

S. 26 W. 3.38

S. 53 W. 5.50 490 in. out of 15
15 looks wide. Corner S.

N. 25 W. 10.63

N. 15 W. 7.99

N. 13 E. 7.50

N. 31 E. 6.11

N. 4 E. 9.55

N. 35 E. 8.08

N. 72 E. 4.94 to place of beginning

dispossession of a covered with and

instructions from Edward Tiffin du. (in)

of the United States and conformably to the

laws of the United States, I have surveyed

and subdivided into sections township No 1

87

South of Range No 1 West in the

Defied District, Michigan. Dec. 8th

city. That the foregoing are correct

field notes of the survey of said Town

ship. Certified this 21st day of March

1896 Henry D. McKee. D. S.

North Becken see 586

18.56 Beach 16 in. di.

4600 Set 4 Sea post from

Beach 14 4.75 E 112

80. 14 4.83 W 26

58.50 Beach 18 in. di.

81.21 Set the 4 Boundary 226 W 47

Sugar 24 S 57 W 22

Stake and stone - below surface corner

Beach 11 S 68 1/2 E 59

Found same as last mile

Oct 29 27th 1896

Mounds of a Lake in Secs 138/14

Began at a post standing on the North bank of the Lake

24.06 ch. South of the post see.

Sec 11. 12. 138/14. thence at

the outlet 8 from the North

S. 65 E 3.66

S. 45 E 6.74

S. 06 E 5.06

S. 15 W 4.53

S. 46 W 8.42

S. 36 W 3.63 to the post on the

South side of the Lake between

sections 138/14. thence

S. 37 W 2.02

S. 5 W 14.10

82

East on Road. Bet. Secs 5 & 8

40.00 Set trap 2 pm Sec post

49.00 Enter 8th Swamp

64.50 Left it

80.31 Int W & S line 101. S of P.

Land done as last mile

except Swamp

West on True line Bet. Secs 5 & 8

20.63 Maple 20 in. di.

40.15 1/4 Set 1/4 Sec. p. at oil on True line

Beech 14 S 5 3/4 E 25 1/2

Log 20 x 40 H W 13

61.18 Beech 18 in. di.

80.31 To Sec. Corner

83

West between Secs 6 & 7

26.59 Beech 7 in. di.

40.00 Set 1/4 Sec. post for

Beech 48 x 57 W 16

White oak 30 x 52 E 33.

56.83 W 4th 18 in. di.

80.35 Int W boundary 271 w of post

Beech 12 S 7 1/2 E 70

W. Oak 12 x 24 1/2 E 42

Land done

80

West Bot Seed 7 & 18

22.68 Beech 22 in. di.

40.00 Set 1/4 Sec port fur

W. Oak 28 S 33 W 9

Beech 6 in. 27 E 3 1/2

57.50 Cedar 13 in. 16 in. diam

58.50 1/11 " " "

60.64 Beech 12 in. di.

78.99 Aut. W. Boundary 1st. 1st E.

Beech 9 S 31 E 27

W. Oak 11 in. 73 W 11

Sound down

81

North Bottom Seed 78 & 8

19.13 Elm 8 in. di.

40.00 Set 1/4 Sec port fur

Beech 9 S 50 W 33

W. Oak 20 S 46 E 33

Do. 8 in. 47 E 36

22.27 22 in. 20 W 103

22.27 22 in. 16 in. diam

80.00 Set port fur Seed 5.6. 78 & 8

Beech 14 S 11 W 32

Aut 5 S. 29 E 71

Do. 16 in. 94 E 17

Sound down

October 26. 1896

66

North Station Dec 849

24.56 at Beech 10 in. diam.

40.00 Set $\frac{1}{4}$ sec post fromW Oak 30 S 55 $\frac{1}{4}$ W 20

W Oak 18 N 67 E 25

63.38 from 16 in. diam.

80.00 Set post on S sec 4.5. 849

W Oak 18 S 3 $\frac{1}{4}$ W 37W Oak 16 in S 28 $\frac{1}{2}$ E 6 $\frac{1}{4}$ $\frac{1}{16}$ W 20

Found some on last mile.

67

East on Road between sec 4 & 9

15.00 Enter Willow Swamp

32.00 Left

40.00 Set limb $\frac{1}{4}$ sec. post

46.50 East Town. Swamp

63.00 Left

79.96 Int. N & S line 261. W & E.

Found 2nd rate Timber some

on last mile with addition of Town.

West Corner of bottom Sec 4 & 9

18.02 Beech 10 in. diam.

39.98 set $\frac{1}{4}$ sec post at oak. furW Oak 30 S 3 E 15 $\frac{1}{2}$

O 40 W 14 W 15

79.96 To Sec. Corner