


Town 2 N. Range 1

Section No. 34



Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
C	Old corner of old survey of land No. 218 dt								
	Old hand	18	S 28° W 34 1/2						
and	Rec'd	22	N 32 1/2° E 11						
3	Found old hand and side								
	W Oak	9	N 57 1/2° E 59 1/2						
	Dist. out	6	N 20° E 91						
13	dt + quartered stone	12	S 72° E 58 1/2						
	New corner was set by								
	measuring from corner to								
	corner when	56 1/4							
	Line 34								
9	Trace of 9P and line of 34								
	found by 4 corner stone								
	Dist. out	10	S 52 1/2° W 10						


Run by the true meridian. Magnetic variation degrees 10 minutes W
 Surveyed the 21st day of April 1902 by

E. A. Calhoun
 County Surveyor of Ingham County, Mich.

76

U.S. Map
 Town 2 N. Range 1 W

Section No. 35




Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
A	Redwood	6	S 55 1/2° W 64 1/2						
	Auger	2	N 74 1/2° E 49 1/2						
B	" "	3	N 57° W 19 1/2						
	" "	32	S 54 1/2° E 10 1/2						
C	" "	16	N 22 1/2° E 92						
D	" "	4	S 13 1/2° E 46						
	" "	2	N 15 1/2° E 126						

Run by the true meridian. Magnetic variation 2 degrees 45 minutes E
 Surveyed the 19 day of June 1866 by

M. H. Reynolds
 County Surveyor of Ingham County, Mich.

Sec. 35



Station	Corner.	Timber.	Bearing.	Links.	Station	Corner.	Timber.	Bearing.	Links.
A		B Ash 26	S 81 W	33					
		Sugar 10	S 71 E	3 1/2					
B		B Ash 16	S 48 W	11 1/2					
		Elm 20	N 66 E	28					
C		Wo 18	S 83 1/2 W	24 1/2					
		" 22	N 15 3/4 E	54					
D		Beech 20	S 70 1/2 W	30					
		Sugar 7	N 55 E	3					
E		B Ash 20	N 71 W	31 1/2					
		" 9	S 77 1/2 E	7					
F		Wo 9	S 70 W	24 1/2					
		B Ash 9	N 54 E	16					


A Jackson County Surveyor.

Var. 3 deg. 20 min. E

Liber 1 Page 27

Jan 12th 1899

T. N. R. W. Dec 26.

[illegible]

A Jackson

County Surveyor.

Var. 2 deg. 50 min. East

Liber-----2-----*Page*-----143-----

Feb. 12th 1853.

71 Beech 8" N 79° E 13
 " 9" S 0° W 37
 U Elm 8" N 1° E 43
 V Beech 18" S 37 1/2° E 27 1/2
 W Beech 6" N 110° E 30 1/2
 Ironwood 5" S 27° E 20
 X Oak 24" S 85° E 83
 Y Beech 9" N 34° E 46
 Z Birch 12" N 45° E 128
 Beech 12" N 34° E 86
 Ironwood 13" N 50° W 18
 Walnut 30" S 67 1/2° W 21
 W Beech 11" N 42° W 40 1/2
 Ironwood 15" S 83° W 11
 W Oak 7" S 79 1/2° W 22 1/2
 W Oak 2" N 39° W 2
 Oak 6" N 10 1/2° W 111
 Oak 16" S 71° W 153
 Beech 9" N 35° W 23 1/2
 W Oak 14" S 45° W 32 1/2
 W Oak 14" N 14° W 11
 Oak 13" S 31° W 27
 W Oak 24" N 83 1/2° E 274
 Sugar 8" N 89° W 700
 Beech 16" S 137° W 40
 " 6" N 76° E 9
 " 6" N 24° W 17
 Beech 8" N 74° E 31
 Beech 8" N 39° W 34
 Beech 8" N 79° E 60
 Beech 7" N 78° W 26
 Lyrus 8" N 65° E 12
 Beech 9" N 76° W 35

J-13

K-11

I-11


25-26 W Oak 12° S 6° W 28
 30-36 Maple 7" N 70° W 28
 23-24 W Oak 20" N 81 1/2° W 63
 26-25 " " 24" S 66° E 19 1/2
 14-13 W Oak 10° S 30° W 2, 13
 23-24 Aspen 20" N 74° E 69
 11-12 B Oak 17" S 78° W 5
 14-13 Beech 10" N 65 1/2° E 22
 2-11 Sugar 9" N 18 1/2° W 29
 11-12 Lyrus 20" S 3 1/2° E 29 1/2
 27-26 B Oak 20" N 71° W 31 1/2
 34-35 " " 9" S 77 1/2° E 7
 22-23 Beech 26" S 81° W 33
 27-26 Sugar 10" S 71° E 3 1/2
 15-14 Tamar 9" N 19° E 150
 22-23 " 5" S 23° W 45
 10-11 Beech 10" N 79° W 8 1/2
 15-14 " " N 78 1/2° E 23
 3-2 Sugar 6" N 34° W 62
 10-11 " 5" S 25° W 49 1/2
 28-27 Beech 14" S 53 1/2° W 27
 33-34 " 6" N 82° E 19
 21-22 W Oak 9" N 46 1/2° E 25 1/2
 28-27 Elm 8" S 35° W 6
 16-15 Beech 13" S 32° W 6 1/2
 21-22 " 6" N 32° E 18
 9-10 Tamar 8" S 22° E 59
 16-15 " 6" N 6° E 7 1/2
 4-3 Hick 10" N 24° E 17
 9-10 W Oak 10" S 50° W 3
 32-33 Elm 33 South 83
 29-28 Ironwood 10" N 78° E 22 1/2

29-28 Beech 14" S 13° W 25 1/2
 20-21 B Oak " N 27° E 26
 17-16 Beech 7" N 73° W 29
 20-21 " 7" S 65 1/2° E 11
 8-9 " 9" S 45° W 7 1/2
 17-16 Elm 24" N 54° E 12 1/2
 5-4 Ironwood 5" S 37° E 12 1/2
 8-9 Beech 15" N 10° W 21
 30-29 W Oak 14" S 38° E 31 1/2
 31-32 B Oak 12" N 85 1/2° W 5
 19-20 Beech 14" N 1° W 21
 30-29 " 9" S 25 1/2° W 10
 18-17 Lyrus 8" S 71 1/2° E 19
 19-20 Elm 8" S 84° W 3 1/2
 7-8 " 10" N 37 1/2° E 74
 18-17 " 12" N 88° W 80
 6-5 Beech 17" N 58° W 14
 7-8 Lyrus 17" S 46° E 26 1/2

I-11
 J-13
 K-11

Town 2 N., Range 11 W.

Section No. _____



Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
A	Stick	9"	S 82° E	5	K	ash	11"	S 70 1/2° W	14
B	Elm	8"	N 32° W	10	L	"	11"	N 18 1/2° W	17
C	W. Ash	18"	S 82° E	35	M	Tamr	11"	N 45 1/2° W	29
D	Beech	26"	S 42° W	10	N	"	5"	S 48° W	32 1/2
E	Beech	14"	concord	31 1/2	O	ash	16"	S 70° W	60
F	B. Oak	36"	N 7° W	34	P	"	6"	N 13° W	68
G	Beech	28"	S 77° W	28	Q	W Oak	18"	S 79° W	20
H	Tamr	12"	S 64° E	28	R	"	11"	N 44° W	22 1/2
I	"	8"	S 71° E	19 1/2	S	B Oak	16"	N 86 1/2° E	50
J	"	8"	S 54 1/2° W	16	T	W Oak	18"	N 19° W	22
K	Tamr.	12"	S 70° W	69	U	B Oak	7"	N 39° W	13
L	Beech	6"	S 76° E	45 1/2	V	"	10"	N 70° E	13
M	Tamr.	11"	S 14° W	36	W	Sugar	18"	N 11 1/2° E	77
N	"	16"	N 9° W	41	X	Beech	8"	N 64 1/2° E	30
O	ash	8"	N 8 1/2° W	5 1/2	Y	B Oak	14"	N 22° W	34
P	"	10"	S 29° W	33	Z	"	16"	N 63° E	19
Q	"	12"	S 75° W	25	AA	Elm	10"	N 79° W	36
R	"	12"	N 28° W	13 1/2	AB	Beech	15"	N 57° E	15
S	"	12"	N 28° W	13 1/2	AC	"	10"	"	67

continued on back side

Run by the true meridian. Magnetic variation _____ degrees _____ minutes.

Copied
Surveyed the 20th day of July 1904 by _____

Noted from
W. H. Rayner
per official survey

County Surveyor of Ingham County, Mich.


A

I-13
K-13

COUNTY SURVEYOR'S RECORD,

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. Thirty Six 36



Page 92 Vol 1

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24 R Oak 26 N 33 2 30
 Maple 9 N 63 3 4 59 1/2 (Drake)
 Birch 19 N 66 1 4 59
 25 R Oak 16 N 66 1/2 6 60
 Maple 19 N 45 1 2 64
 W Oak 19 N 19 2 22 (Drake)

K-12

21 B Oak 20m 55-5 & 14
22 DO 18m 51 & 5 1/2
B Oak 20. N 88 1/2 & 274
23 Sugar 8m N 89 W 700

K-12
K-13

INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian $10^{\circ} 34' E$
Surveyed and Recorded Sept 5th 1845 by A Jackson Geo Surveyor

STATE OF MICHIGAN,

COUNTY OF


Ingham ss.

Copy of Minutes of Survey.

Filed with the Register of Deeds of said County. *April 26th*, 1902

Town *2 N.*, Range *1 W.*, Meridian of Michigan.

SECTION *34*



c Old corner and stumps of Old bearings of Survey No 218. Sit Oak post, p.w. Sugar 15, S 28° W. 84 1/2 l. & Brick 22, N 32 1/2 E, 11 l.

Section Corners.
1
2
3 Found old post and Brick Sit post and 2 1/2" tile p.w.
N. Oak 8, N 58 3/4 E 59 1/4 l and Buttment 6, N 20 E. 71 l.
4

1/2 Posts.
5
6
7
8
9
10

4	14	7	13	20.062 dis N 89° 41' W	3
---	----	---	----	---------------------------	---

c Old corner and stumps of Old bearings of Survey No 218.
Set Oak post, p.w. Sugar 18, S 28° W. 84 1/2 l. & Birch 22, N 32 1/2 E, 11 l.

Section Corners.
1
2
3 Found old post and Brick Set post and 2 1/2" tile p.w.
N. Oak 8, N 58 3/4 E 59 1/4 l. and Butternut 6, N 20 E. 91 l.
4

1/4 Posts.
5
6
7
8

9
10
11
12

1/4 Posts on Section Lines.
13 Set + marked stone p.w. Apple 17, S 22 E 58 1/2 l.
This corner was set by measurements from known
14 corner upon S.E. of Sec 34
15
16

1/4 Posts on 1/2 Lines.
a
b
c
d

Centers of 1/2 Sections.
e
f
g Lacey O. P. and Stump of Old Bearing. Set + marked stone, p.w.
Butternut 10, S 52 1/4 W 10 l.
h

Magnetic variation of 10' West was allowed.

State of Michigan.
COUNTY OF Ontonagon } ss. E. A. Calkins
County Surveyor of said County, Do Hereby Certify that I did, on the application of D. W. Mudge

survey lines as platted above upon
survey Section 34, in the Township of Verey, Town 2N, Range 1W
on April 21st 1902, and the following persons
Month Days Year
acted as chainmen, first being duly sworn, to-wit: D. W. Mudge, Geo. E. Collisi.

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

E. A. Calkins, County Surveyor.

[No. 3006]

Copy of Minutes of Survey,

Filed April 26th 1902

E. A. Calkins

Surveyor of
Ontonagon County.

STATE OF MICHIGAN

County of Ontonagon

Received for Record this 26th

day of April 1902

at 3 30 o'clock PM, and copied in

Record of Surveys


on Page 28.

F. A. Lester

Register of Deeds.

COUNTY SURVEYOR'S RECORD,

TOWN 3rd NORTH, RANGE One West, MERIDIAN OF MICHIGAN.



Page 53 Vol 1

TOWN 3rd NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- J-11
- 1 W Oak 20 - S 70 E 25 1/2 lbs
 - 2 Do 14 - S 75 W 41 lbs
 - 3 W Oak 9 S 70 W 24 1/2 lbs
 - 4 Do 9 N 54 E 15 lbs
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11 W Oak 20 - N 65 W 21 lbs
 - 12 W Oak 14 - S 68 1/2 W 27 lbs
 - 13 Do 14 - S 56 1/2 E 12 lbs
 - 14 W Oak 17 - S 70 E 117 lbs
 - 15 W Oak 20 - N 70 1/2 W 15 lbs
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22 W Oak 14 - S 75 W 157 lbs
 - 23 W Oak 12 N 55 W 40 lbs
- J-13
- 24 Back 7 N 89 W 13 lbs
 - 25 Do 10 N 70 E 13 lbs

VOL 1 P 50

J-11
J-12
J-13


INGHAM COUNTY, MICHIGAN.

51

TOWN *Two* NORTH, RANGE *One* West, MERIDIAN OF MICHIGAN.

Run by the True Meridian No 3° 10' E
Surveyed and Recorded Feb 16th 1848
by A Jackson Co Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN Doer NORTH, RANGE One West, MERIDIAN OF MICHIGAN.SEC. Thirty-four 34

I-12

I-13

Page 49 Old

TOWN Doer NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1 24

2 25

3

4

5

6

7

8

9

10 W Oak 17 - S 7 1/2 E 114.

I-12 11 Maple 20 N 75 1/2 W 167

12 W Oak 20 - N 2 1/2 E 18 1/2

13 W Oak 22 S 2 1/2 W 28 1/2

14

15

16

17 Maple 9 N 62 W 26 1/2

18 Jamnash 8 N 55 E 46 1/2

W Oak 24 - N 50 W 18 1/2

19 Birch 12 - North 1 1/2 1/2

20 13 Ash 7 N 59 W 15 1/2

21 Do 10 - N 70 E 15 1/2

W Oak 16 - S 4 1/2 E 7

22 Birch 14 N 12 1/2 W 35

23

Vol P49

I-12

I-13

INGHAM COUNTY, MICHIGAN.

TOWN ~~32nd~~ NORTH, RANGE ~~One~~ West, MERIDIAN OF MICHIGAN.

Run by the True Meridian No 310' &
Surveyed and Recorded Feb 15th 1843
by A Jackson Co Surveyor