

INDEX		WF1
01	WITNESSES I-11, WHEATFIELD TWP.	
02	WITNESSES I-11, WHEATFIELD TWP.	
03	EDM CALIBRATION LME	
04	WITNESSES J-11, WHEATFIELD TWP.	
05-06	WITNESSES K-9, WHEATFIELD TWP.	
07	WITNESSES J-9, WHEATFIELD TWP.	
08	WITNESSES I-9, WHEATFIELD TWP.	
09	WITNESSES H-9, WHEATFIELD TWP.	
10	WITNESSES G-9, WHEATFIELD TWP.	
11	WITNESSES H-10, WHEATFIELD TWP.	
12	WITNESSES K-11, WHEATFIELD TWP.	
13	WITNESSES G-11, WHEATFIELD TWP.	
14	WITNESSES H-11, WHEATFIELD TWP.	
15	WITNESSES K-10, WHEATFIELD TWP.	
16	WITNESSES J-10, WHEATFIELD TWP.	
17-57	TRAVERSE NOTES	
58	WITNESSES G-10, WHEATFIELD TWP.	
59	WITNESSES I-10, WHEATFIELD TWP.	
60	CEED IDENTIFICATION SEC 5, WHEATFIELD	
61-65	BURBY SEC 5	
66	WITNESSES E-3, E-2, WHEATFIELD	
69	" " E-1, D-2, " "	
71	" " E-2, " "	
72	" " C-3	
73	" " D-2	

WE1
(61)

10-12-95
EA-E.S.

FROM UMM-1-FIELD BOOK PAGE (45)

T UMM-1-44-E-13-10 (WE-1-61-E-13-10)

BS UMM-1-40-1 (WE-1-1-40-1)

FS UMM-1-45-14 (WE-1-61-14)

ANGLES AS COPIED FROM UMM-1 PG (45)

D 178-47-20 10-1 388.880

R 178-47-30 10-1 388.885

D 178-47-25 10-1 1348.225

R 178-47-25 10-1 1348.230

T WE-1-61-14

BS WE-1-61-E-13-10 (UMM-1-44-E-13-10)

FS WE-1-61-E-2-15

BS 00-00-05

D FS 177-33-45 14-10 1348.220

BS 179-15-10 14-10 1348.225

R FS 356-48-55 14-15 942.225

BS 00-03-15 14-15 942.225


D FS 177-37-00

BS 181-05-50


C FS 358-39-30

MD 177-33-43

(61)



WF1 (22)			10-12-95 ENR-45.
1 WF1-61-E-2-15			
B5 WF1-61-14			
F5 WF1-62-15/16			
B5 05-04-10	15	14	242.240
D F5 185-03-30	15	14	242.245
B5 181-06-15	15	16	269.680
E F5 361-05-45	15	16	269.680
B5 01-01-20			
D F5 181-00-50			
B5 179-15-45			
E F5 359-15-15			
MA 179-54-27			
1 WF1-62-16			
B5 WF1-61-E-2-15			
F5 WF1-62-E-3-17			
B5 01-01-00	16	15	269.685
D F5 182-13-50	16	15	269.680
B5 179-04-15			
E F5 360-17-10	16	17	1762.165
B5 90-00-05	16	17	1762.170
D F5 271-12-55			
B5 270-12-40			
E F5 91-25-25			
MA 181-12-50			



WF-1 (63)

D-3

10-13-95
EH-DMH

WF-1-62-~~18~~-18

BS WF-1-62-E-3-17

FS WF-1-63-C-3-19

BS 04-04-05

D FS 183-43-15

BS 81-02-15

Z FS 368-41-15

BS 00-06-00

D FS 179-45-10

BS 179-02-45

E FS 358-41-56

MA 179-39-06

WF-1-63-E-3-19

BS WF-1-62-D-3-18

FS WF-1-63-A-3-20

BS 02-03-20

D FS 181-34-00

BS 181-30-15

E FS 361-00-50

BS 06-05-05

D FS 185-35-45

BS 179-03-20

Z FS 358-33-50

MA 179-30-36

18-17 2644.500

18-17 2644.500

18-19 2666.915

18-19 2666.920

19-18 2666.925

19-18 2666.920

19-20 637.005

19-20 637.000

WF-1 (63)

WF-1-63-A-3-20

BS WF-1-63-C-3-19

FS WF-1-63-A-2-21

BS 00-02-30

D FS 270-57-25

BS 270-08-10

E FS 180-58-05

BS 180-10-05

D FS 91-05-05

BS 09-00-10


E FS 279-55-05

MA 270-54-56


63-A-2-21

NORTH

2630.61




WF-1-64		10-13-95	244-DNH
WF-1-63-A-2-21			
BS WF-1-63-A-3-20			
FS WF-1-64-A-1-6	(Also KU0045 WM-1-4242-1) (A-13-6) SEE WM-1-79422		
BS 00-01-20			
D FS 180-15-30	21-20	2630.620	
BS 181-02-05	21-20	2630.620	
R FS 261-16-10	21-22(6)	2329.300	
BS 90-05-10	21-22(6)	2329.300	
D FS 270-19-20			
BS 270-02-30			
R FS 90-16-35			
MX 180-14-07			
WF-1-64-A-13(A-5)-26			
BS WF-1-63-A-2-21			
FS WF-1-64-3 (Also KU0045 WM-1-41-3)			
BS 00-04-25			
D FS 247-20-05	22-21	2329.295	
BS 269-57-10		2329.300	
R FS 157-12-40			
BS 179-00-35	22-3	726.955	
D FS 26-16-10	22-3	726.950	
BS 00-02-05			
R FS 247-17-40			
MX 247-15-35			



10-13-95
RH-DNH

WF-1-65			
T WF-1-63-A-2-21			
B5 WF-1-63-A-3-20			
FS WF-1-65-22			
B5	00-00-00		
D FS	241-22-45	21-20	2630.620
B5	180-16-05		2630.620
E FS	61-32-45		
B5	90-07-40		
D FS	331-30-20		
B5	264-59-10		
R FS	151-21-45		
MX	241-22-40		
T WF-1-65-22			
B5 WF-1-63-A-2-21			
FS WF-1-65-62-23 (AXLE SHAFT) STANDARD			
B5	00-02-40	22-23	432.965
D FS	27-22-00	22-23	432.970
B5	130-01-05	22-21	374.925
E FS	267-20-25	22-21	374.930
B5	264-11-20	22-21	374.930
D FS	396-30-40		374.925
B5	00-07-40		
E FS	127-27-06		
MX	127-19-20		

WF-1-65



WFI-66

10-13-95
DMH-ES

E-3

COR

CON NO

45,89

Found 5/8" DEER

PIPE OVER 11" X 34"

Back of old asphalt road near

N. 1/2 corner of 2nd lot (near road)

grade. Excavated area to old

road and found

part of stone lining hole &

metal object about 2' x 15" lying

horizontal to pavement.

Observed position of 5/8" pipe and set

3/4" from fire north post. 34800

#18994 P.S. on box.

FOUND NÉT N/SIDE 12" SPURCE (PALMERS)

AZ 110° 86.92'

FOUND STEEL NÉT W/SIDE 11 P.O.C.

AZ 56° 42.02'

FOUND STEEL NÉT S/SIDE 36' OAK

AZ 25° 54.80'

SET NÉT N/SIDE 22 TIE HARDPOST

AZ 249° 147.00'

10-13-95
DMH-ES

WFI-66

E-2

COR

CON NO

584

Found 5/8" DEER in E of Backhoe

E. on line with existing

fences east of road.

Found 1/2" pipe in fence to

east of 3.0 feet. Metal object

separated a wire fence from

to old clear bed. Did not

notice at this time

FOUND PAINTED STAKE 17' 1/2 DEEP

NEXT PAINTED STAKE MEETINGS

STONE AS MARKER SET FORWARD

#18994

SET NÉT SW/SIDE 8' HARD H/143° 32.38'

NE/SIDE 20' OAK AZ 33° 33.90'

SET ' S/SIDE 5' ELM AZ 27° 24.29'

STEEL GATE POST AZ 40° 56.40'

STEEL GATE POST AZ 79° 41.02'

WEL 69

10-14-95

11-14-95
END DAY

E-1 T3N, E1E

SET 36' FORM PIN & CAP 3.00

SOUTH OF TWP LINE BETWEEN

E-13 & D-13 T4N, E1E WILLAMSTOWN

TWP. AT 5.00. FILLING OF TRENCHES

(50.82') COULD NOT SET IN PROPER

POSITION FENCE, STEEL BEACE BAR

ESTOVES GUARDED AROUND DEWSE

TREE ROOTS ALONG WEST SIDE OF

TWIN PIG HUT TREE.

SET NET 5/50E TWIN PIG HUT A2 64', 2.80

" " W/SIDE 15' 04E A2 208', 81.27

" " S/SIDE P. POLE A2 92', 57.88

N/E COR HSE FUD. A2 248', 104.42'

E-13 A2 89', 50.80'

1/2" IRON PIPE IN MOU. BOX 2.0 WEST

OFF BURLEY RD. A2 83', 27.16

MEAS 2287.92 TO E-2 GLO 35.20M

10-14-95

WEL 69

D-2 T3N, E1E

CENTER OF SECTION 5

L2. P4 148 1979

FOUND T-BAR FENCE POST

DRIVEN IN OLD ANDHOB POST REMAINS

AT 4-WAY FENCE COMPUTED

107E SECTION 5 OF 1/4 LINES FOUND

THIS POSITION IN TO BE IN CLOSE

ACCORD. LOCATED ON SOUTH BANK

OF E-W DEAN SET

FUD. NET 41370 N/S 4' 04E A2 68', 5.65

FUD. NET 41370 N/S 6' 04E A2 205', 18.70

SET " 41394 S/S 14' 04E A2 72', 6.28

" " " E/S 4' 04E A2 200', 14.87

MEA TO D-1

MEA TO D-3

MEA TO D-2

MEA TO E-2

MEA TO E-2

SEE PAGE 73

WF-1
87

B-7-99
EH-ES

G-3 CORRUPTED TO

SECTIONS 3.4 9' 10' T3.1/EIE

EXCAVATED & FOUND 1/2" X 1/8" I. BAE

IN E LIND RD IN NOV. BAE

OVER 1 1/2" X 3" PIECE OF IRON

ON TOP OF BENT @ 1.5' DEEP

AT 2' TO 12" X 1 1/4" I. BAE

WEST TO 8" TO 10" BLUE STONE

(DIA) WITH BENT @ 1 1/2' E

SIDES. PLACED 3/4" X 3/4"

BAE WITH SHUTTERED 2 1/4"

I.C. REMOVED DIST NO 18994

1 1/2" BAE IN 4" TOUT MOVEMENT

SOUTH, 32.94 FT (WEST 1/2" WOODS)

1 SET N 1/2 T, 1894 N/SIDE. 20' ELDER

AZ. 236°, 36.03'

3) PD N45T #12034 (FNU WHITE) ON

N/SIDE F. 1816, AZ. 352°, 26.80'

4) PD 1 1/4" SQUARE IRON BAE

NORTH, 33.1'

5) FACE OF 6" STEEL GATE POST

@ GROUND LEVEL AZ. 41°, 28.32'

E-3 1/4 CORRUPTED

40 SECTIONS 4 & 9 T3.1/EIE

EXCAVATED & FOUND BENT @ 1.5'

@ E LIND RD ON FIELD LINE

TO NORTH. PD EC SPOT UNDER

B. SHAKE OVER TOP OF 1" PIPE 15"

DEEP 6" ± BELOW PIPE AT LAGE

FOUR ACCEPTED POSITION OF BENT

SPICE & SET 3 1/2" X 3" BENT @ 1

& SHUTTERED 2 1/4" REMOVED. DIST IN

NOV. BOX ON E

SET NET ABOVE TOUT, SET S/SIDE

POLE POLE AZ. 42°, 48.13'

SET NET N/SIDE 30' WOOD AZ. 237° 72.4

SET NET S/SIDE 11' WOOD AZ. 185°, 75.97

SET NET S/SIDE 16' PIPE, AZ. 215°, 40.24

SOUTH, 33.01' 34° ± 18989

(M. 18989)

B-7-99 WF-1
87

WF-1
88

F-1

7-13-00

FD 1 3/4" OD STEEL PIPE 2' ABOVE
GROUND IN 6-8" WATER NEXT &
EAST OF A 3' IRON ANCH POST WITH
FENCE TO WEST & SOUTH. FENCE
TO EAST HAS BEEN REMOVED
FOUND SOME FALLEN CEDAR POSTS
3' + EAST OF LARGE STONE ACCEPTED
POSITION OF PIPE BASED ON LOCATION
OF FENCE LINES & DATED POST 1951
FALLEN FENCE RUNNING N 15° E
FROM A POINT 16' ± WEST OF ANGLE
IRON POST. (DON'T KNOW WHAT THIS
IS FOR, OR REPERENTS)
EXCAVATED DOWN & PULLED SEVERAL
STONES, COULD NOT REMOVE,
3/4" PIPE WEDGED IN 2006 & STONES
ACCEPTED GROUND LEVEL OF THE
PIPE AS THE CORNER & SET
1/2" BARE CARB 19504KT E/SIDE
OF PIPE TO CORRESPOND TO
P.A. 74

WF-1
88

SET N 1/2° E/SIDE 20' NORTH/WEST
BELOW BUSHES N 1/2° E/SIDE
AZ, 200°, 8.22' (CHK)

SET N 1/2° E/SIDE 15' MAPLES
AZ 04°, 17.80'

SET N 1/2° N/W/SIDE 14' MAPLES
BELOW BRANCH N 1/2°
AZ 78°, 13.54' ()

SET N 1/2° N/E/SIDE 18' MAPLES
AZ 150°, 55.51'

EAST 54.86' to F-13 TAIL PIE

WF-1

G-1

7-15-00

T3N, R1E

Cor. Conned to sections 34

NO SURVEYS OF RECORDS OF THIS CORNER.

OLD NOTES CORNER SET 82

LINES WEST OF G-13 WILLIAMSBURG TWP

EXCAVATED & FOUND PLOW POINT

54.3 WEST OF G-13 WILLIAMSBURG TWP

WRAPPED WIRE & 1" x 1/4" WIDE IRON

BAND ABOUT 8" LONG NEXT TO ROAD

POINT IN A CIRCLE OF FIELD SHOE

ON LINE WITH A FENCE TO THE

WEST ACCEPTED POSITION

OF THE ROAD POINT AS FAIRLY

PERMANENT OF THE CORNER &

REPLACED WITH A STANDARD

3/4" x 24" FIRM PIN & DISK

STAMPED P.A. 245, DUG. Co.

& P.S. NO. 18994.

EN-15

WF-1

87

EAST, 54.80' (OLD STAND)
TO G-13 OF T3N, R1E,

SET NAIL & THE 18994.

SE/SIDE 20' N/ALE 42.150° 242'

SET N/E 4/SIDE 20' N/ALE

N/AE, 175°, 24.157.

SET N/E 5/SIDE T3N 22' ONK

N/AE, 265°, 27.457.

SET N/E 5/SIDE 8" BASSWOOD

N/AE, 110°, 27.217.

WFI
90

9-28-00
EM-FS


F-2 CENTER OF SEC. 4
T.3N. R.1E UNDEVELOPED TR
L.3. 563.0' CORNERS 12-1-75
MEADLEY 18989
FO THE FOOT SET 1/2" BARE CAR
N 1/2 W 1/2 SIDE 20' 0" AC, 1) 5.48 (DOUB STAKES)
N 1/2 W 1/2 SIDE 12' 0" PALM SW, 18.58 (14' PALM)
N 1/2 E 1/2 SIDE 12' 0" E SEE, 20.33 (12' PALM)
FO 1/2 BAC 13' 0" SIDER OF E-N FENCE
MATCHING ABOVE WITNESSES
FO THE POST ON GROUND
AT END OF FENCE LINE
FO 24' 10" IN BLUE STONE IN
CORNER OF FENCE SET DISTANCE ON
NORTH SIDE OF STAKE 2.75 SOUTH
OF FOUND 1/2 1/2 BAC.
CORNER 20' WEST N-S 1/4 LINE 1.24 N of E-W LINE
SET N 1/2 1/2 SIDE 1/2 SIDE 8' Piquet
N. 42 75° 23.21'
SET N 1/2 1/2 SIDE 14' BAC
NORTH 42 05° 14.78
SET N 1/2 1/2 SIDE 8" 0" AC
N. 42 275° 10.37'
SET N 1/2 1/2 SIDE 14' PALM
N. 42 160° 23.82'
N-SOUTH 1/2 2628.72' N-EAST 2639.83' 1/2 1/2
N-EAST 2613.86' 1/2 1/2
N-NORTH 2282.97' 1/2 1/2

9-27-00
EM-FS
WFI
90

G-2 THE CORNER SEC. 4
T.3N. R.1E UNDEVELOPED TR
FO 1/2 BAC NO. 18989 ON
FENCE LINE TO SOUTH WEST
CORNER IN A CIRCLE OF STAKES
14' 0" REMAINS OF WOOD ANCH
POST DUE ANY OTHER EVIDENCE
ACCEPTED POSITION & PLACED
BY 100' END OF DIST
FO 20' 0" PALM, SOUTH, 15' 45' ONLY
REMAINING WITNESSES

SET N 1/2 1/2 SIDE 20' PALM
N. 42 175° 14.86'
SET N 1/2 1/2 SIDE 6" PALM
N. 42 349° 6.81'
SET N 1/2 1/2 SIDE 8" 0" AC
N. 42 220° 13.12'
SET N 1/2 1/2 SIDE 10' 0" AC
N. 42 263° 24.57'

WF-1 91				
WF-1-91-101				101-100 (center)
BS WF-1-91-100			270.840	
FS WF-1-91-102			270.840	
BS 38-48-55			270.840	
FS 209-36-35	170-	47-30	270.840	
BS 04-53-30	?		270.840	
FS 175-44-03				
BS 45-10-10		170-47-35	101-102	
FS 215-57-45			1457.230	
BS 00-00-00		170-47-35	1457.230	
FS 170-47-40			1457.230	
MS = 170-47-43			1457.235	
			101-103 (Party)	
WF-1-91-101				
BS WF-1-91-103			273.570	
FS WF-1-91-102			273.570	
BS 00-00-00		170-39-00	273.570	
FS 170-39-00			273.570	
BS 170-57-50		170-39-00		
FS 341-36-50				
BS 37-03-35		170-39-45		
FS 201-43-20		170-39-45		
BS 38-57-35		170-39-05		
FS 209-36-40		MS 170-39-01		
WF-1-91-102			102-104	
BS " " " " 101			104.010	
FS WF-1-91-104			104.010	
BS 104-32-30		204-14-35	104.010	
FS 308-49-05			104.010	
BS 18-12-20		204-14-40	104.010	
FS 228-21-00				
BS 00-00-10		204-14-40		
FS 104-15-50		204-14-35		
BS 10-10-00				
FS 214-25-35		MS 204-14-30		



WF 1

1 WF-1-91-104

B/S WF-1-91-102

P/S WF-1-92-105 (E-3)

B/S 00-00-00

FSD 270-13-50

B/S 359-59-50

FSL 270-13-10

B/S 28-54-00

FSD 270-07-00

B/S 54-51-55

FSL 323-05-20

M 270-13-21

1 WF-1-91-104

B/S WF-1-91-102

B/S WF-1-62-17 (E-3)

B/S 00-02-25

FSD 273-32-20

B/S 18-22-50

FSE 209-36-40

B/S 01-55-35

FSD 353-09-15

B/S 00-00-00

FSE 271-13-50

M 271-13-40

104-105

663.045

663.030

663.025

663.020

663.010

MD = 663.025

270-13-20

270-13-25

104-17

3283.900

3283.905

3283.905

3283.905

3283.905

M-3283.90

E44-15

WF 1

9-28-00

WF-1-91-102

NORTH

FROM CANE

1041-01

WF-1-62-17 E-3

WF-1-92-105 E-3

WF-1-91-104

3283.90

ME 2421.00

1/1000 END

WF-1
(93)

T

WF-1-62-17

1-15

BS

WF-1-91-104

2631.710

FS

WF-1-61-15

2631.710

BS

07-32-55

2631.710

FS/D

276-21-20

263-48-25

2631.710

BS

20-00-25

FS/E

288-48-40

28-48-15

BS

00-00-00

FS/D

248-48-15

48-15

BS

14-15-20

48-15

FS/E

283-63-35

11X 268 48-20

9-28-00

WF-1
(93)

