LEGAL DESCRIPTION:

Commencing in the section line at a point 1444 feet west of the N E corner of Section 8, Town 3 North, Range I East, Wheatfield Township, INGHAM COUNTY, MICHIGAN, THENCE SOUTH 184.58 FEET AT RIGHT ANGLE TO THE SECTION LINE, THENCE WEST 236 FEET PARALLEL WITH THE SECTION LINE, THENCE NORTH 184.58 FEET, THENCE EAST 236 FEET ALONG THE SECTION LINE TO THE POINT OF BEGINNING. RECORDED

Dec 20 3 42 PM 272 REGISTER OF DEEDS Count M. Ruis MEHAN COUNTY, KICH.

SCALE 117 = 50FT

ROATO

Section Lines West 1444 Foint of 33 N.E. Corner of Section 8 T3N, RIE, 5 aginning #4 Iron MAISTRY Wheatfield 905 Twp., Inghom County Michigan 184.58 LavenNE J. HENDRYX 1 Here LAND SURVEYOR 3276 CAED LAND EA Iron West 236

THE ERROR OF CLOSURE IS O.

The undersigned, Civil Engineer and Land Surveyor, hereby certifies that he has surveyed the property shown on the annexed plat according to the requirements of $P_{\rm c}$ A. 132, Michigan $P_{\rm c}$ A of 1970 and that there are NO ENCROACHMENTS.

NOVEMBER 9, 1972

SURVEY # 11907

LAVERNE J. HENDRYX 2621 S. WAVERLY ROAD LANSING, MICHIGAN 48910 R. L. S. 3276


1 1 585

FOR Walter Neller Company 122 South Grand Avenue Lansing, Michigan 48933

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the West 1/2 of the SE 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan, beginning on the South Section line at a point N89°14'19"E 534.0 feet from the South 1/4 corner of said Section 5, thence continuing along said Section line N89°14'19"E 200.0 feet, thence perpendicular to said Section line N0°45'41"W 251.0 feet, thence S89°14'19"W 200.0 feet, thence S0°45'41"E 251.0 feet to the point of beginning, said parcel containing 1.152 acres, more or less, and being subject to the right of way of Linn Road and any other rights or easements of record.

RECORDED

JAN 8 10 51 AM -73



THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.


LEGEND SHATE HORI-O-MONUMENT X-X FENCE LINE E-CRHTER LINE A-RECORDED DIMENSION D-DEEDED DIMENSION M-MEASURED DIMENSION

STEPHENS ENGINES	RING
CIVIL ENGINEERING LAND PLANSIIN	G SURVEYORS
BUS. ADD P.O. BOX 1202, LANSING, MICHIG	AN 48904 PH. 351-4450
or Same Stephens	
REGISTRATION NO. 16053	and distribution to the second se
DATE DEC. 27, 1972 SURVEY NO.	114070

FOR Walter Neller Company 122 South Grand Avenue Lansing, Michigan 48933 JAN 8 10 51 AH = 73

REGISTER OF SCEDS

of Section 5. T3N, R1E, Wheatfield Township. Ingham County, Michigan, Michigan, beginning on the South Section line at a point S89°14'19"W 183.0 feet from the Southeast corner of said Section 5, thence continuing along said Section line S89°14'19"W 365.0 feet, thence perpendicular to said Section line N0°45'41"W 300.0 feet, thence N89°14'19"E 365.0 feet, thence S0°45'41"E 300.0 feet to the point of beginning, said parcel containing 2.514 acres of land, more or less, and being subject to the right of way of Linn Road and any other rights or easements of record.



- S/4 CORNER SECTION 5, T3N, RIE (12"IRON ROD WITNESSED WITH SURVEY TAG W. 510E 36"OAK TREENTS 55E 123.7. N. 510E 36"DEAD ELM TREE 514"04E 25.73 N. 75W 32.88" TO 4"PIPE ANCHOR POST.)

SE. CORNER SECTION 5,73N, RIE, (12 TRUN PAR MINNESSED WITH SURVEY TAG NAVED TO 5 SIDE 36" DAK TREE N 28"39" W 55.55, 5, 5102 30" DAK TREE N 20"72'E 55.07 W 510E UTILITY POLE N 50°472" 41.77.")

This survey complies with the requirements of Section 3, P.A. 132 of 1970, and that said survey was performed with an error of closure no greater than 1:5000

SCALE: /=60

THE UNDERSIGNED REGISTERED LAND SURVEY OF THE HEBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCHUNDICATES MENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND G-INON STAKE C-MONUMENT X-X PENCE LINE C.-CENTER LINE R.-DENTER LINE -RECORDED DIMENSION

,	JAMES 1
٠,	Č. L. C. 🐧
****	STEPHENS
	LAND SURVEYOR No.
	16053
1	16053

EHEBY C	ERTIFIES THAT	HE HAS SURVE	YED THE PROPERTY SHOW	IN ON ANNEVER
HERNS	ions and engro	ACHMENTS OF S	AID PROPERTY.	W ON AMERE
2 1/4		STEPHEN	S ENGINEERING	
***	CIVIL ENG	UNEERING	LAND PLANNING SIL	RVEYORS
* * *	BUS. ADD F.C	. вох 1202, பூ,	ANSING, MICHIGAN 48904	PH. 351-4450
. X	er lan	us a Sta	seres	
0				

ex James a stante	
	53
DATE DEC. 27, 1972	- L-14069

	CERTIFICAT	E OF	SURVEY		
FOR: John Hirth		0			RECORDED
985 Linn Road Williamston, Michigan	**	12 10 m		74 A	maa 1 16 18 (A)
	JeV.	2.5E 73N, 8AR			20 58 PH 776
) 3 ⁰ /	S N RO	10 W. W. C.			GISTER OF DEEDS
3/3	5	S. S. S.			HAM COUNTY, HICH.
[] (O O O) //	589°53'00'W		EW 14 LINE		4 1001
(2613.02)	1319.98'	p - Vis summemments for	V89°53'00"E	<u> </u>	
((2613.62) (2613.62) (2613.62) (2613.62) (2613.62)	dis distribution of the state o				3 %
in the second	326				26C.
Sign	Ö .				20. 116.
t EN					2 2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1
and of the	35				S S S
LEGEND:	77				32.28
1-All dimensions are in decimals thereof.	19/	2	PARCEL ± 69.615 A	TCEES	4
2-1/2" bars with identi caps have been placed	at all		(INCL ± 0.590	ACEES EW)	.°20'56'E
points marked "" unl vise notes.	27				0201
3- bound	line.	111/6	•		50.
5-All bearings are rela are referenced to the	South	17.00			7
line of Section 4, T3 Wheatfield Township,	Ingham o	15. T	•		
County, Michigan which assumed to bear due E	ast. o r	3		N89°20'57"E 543.81	
	23 00 11	r /			
?; A	2000			PARCEL ±9916 AC	
\$ 01115 0115	OMPE OMPE OPANIS			O (INCL ± 0.4	80.2 (m) 80.20 (m) 80.20 (m)
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			37.5	8 20 8
SCALE WE	WERE STATES	<u> </u>		20.	18 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
7-40	7	95-	778.50'	531.50	3, 100
\	WEST 1309.88	WES	T 778.91	530.97 WEST	
North St. 20		! 変数 J		& LINN BON	90
3 4 40 X	83	12 12 12 12 12 12 12 12 12 12 12 12 12 1		SOUTH LINE.	5EC 4
y or s	Š	8 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1			
					A STATE OF S
and the state of t	an Marian Canada and an annual and an annual and annual and annual and annual and annual and annual and an annual and annual and an annual and annual and annual and annual and annual annual and annual annu	MARKETONIALIZE, OT JULIO FRICE	nak priming dispersional priming and the con-	And the contract of the contra	Commence of the same
KYES ENGINEERING & ASSI CONSULTING ENGINEERS AND S	DCIATES, IMC.	drown	VIE 12-1-7 WE	5 7	M Never
4675 OKEMOS ROAD * 0 - 86% 191 OKEMOS, MICHIGAN	,	computed .			SURVEYOR ST
PM (317) 344-1772	317		ME 11-19-7	96	1200
WHATEL & BOTTA ST. HE 1878	Walkandelmandaman	Shortly account	10 01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	William Carlotter

FOR:

CERTIFICATE OF SURVEY

John Hirth 985 Linn Road Williamston, Michigan

LEGAL DESCRIPTION:

A parcel of land in Section 4, T3N, R1E, Wheatfield Township, Ingham County, Michigan the boundary of said parcel described as; Beginning at a point on the South line of said Section 4 distant West 530.97 feet from the SE Corner of said Section 4; thence West along said South line 778.91 feet to the S 1/8 Corner of the SE 1/4 of said Section 4; thence NOl°34'10"W along the East 1/8 line of said Section 4 a distance of 2634.22 feet to the N 1/8 Corner of said SE 1/4 of Section 4; thence N89°53'00"E along the E-W 1/4 line of said Section 4 a distance of 1319.98 feet to the E 1/4 Corner of said Section h; thence S01°20'56"E along the East line of said Section h a distance of 1827.64 feet; thence S89°20'57"W 543.81 feet; thence S02°16'28"E 801.23 feet to the Point of Beginning; said parcel containing 69.615 acres more-or-less including more-orless 0.590 acres presently in use as public right-of-way; said parcel also subject to all easements and restrictions of record.

Parcel B

A parcel of land in Section 4, T3N, R1E, Wheatfield Township, Ingham County, Michigan the boundary of said parcel described as: Beginning at the SE Corner of said Section 4; thence West along the South line of said Section h a distance of 530.97 feet; thence NO2°16'28"W 801.23 feet; thence N89°20'57"E 543.81 feet to a point on the East line of said Section 4; thence S01°20'56"E along said East line 807.00 feet to the Point of Beginning; said parcel containing 9.916 acres more-or-less including more-or-less 0.402 acres presently in use as public right-of-way; said parcel also subject to all easements and restrictions of record.

CERTIFICATE OF SURVEY

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels a tract of land previously described as the E 1/2 of the SE 1/4 of Section 4, T3N, RIE, Wheatfield Township, Ingham County, Michigan and that we have found or set as noted hereon permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions are as designated hereon.

This survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.

WITNESSES TO U.S. PUBLIC LAND CORNERS 5 1/4 Corner Section 4, T3N, R1E 1/2" bar and cap North 33.01'
Nail and Tag in W side 6" pine SSW 60.94' Nail and Tag in Util. Post NW 48.16'

SE Corner Section 4, T3N, RIE Tag in Utility Pole NO5°W 26.92' h" Steel Gate Post N30°E 28.5' 1 1/8" Square Iron N 33.00'

E 1/4 Corner Section 4, T3N, RIE

Nail and Tag NE side 18" Maple S 14.89' FP

Nail and Tag N side 12" poplar E 33.88' April 2005

Nail and Tag E side 18" Twin Maple NW 53.05' Nail and Tag W side Anchor Fost 5 25.60: GONE

Center Section 4, T3N, RIE Nail and Tag W side 20 Oak N 5.48'
Nail and Tag N side 10 Oak N 5.48' Nail and Tag N side 12 Poplar SW 18.58 Nail and Tag E side 12 Oak OSE 26.33' 14 MAPLE

N 1/8 Corner SE 1/h Section h, T3N, RIE Nail and Tag S side 10" tree NW 4.37' Nail and Tag N side 6" Hickory SE 19.90' Nail and Tag E side 14" Hickory S 27.70'

KYES ENGINEERING & ASSOCIATES, INC. CONSULTING ENGINEERS AND SURVEYORS

4673 OKEMOS NOAD P.O. BOX 191 OXEMUS, MICHIGAN +H (317) 349-1772

plotted ME computed ME fld. survey Off 2.

garage (Story of the story Q^{\dagger}

A-1166

Ž

MAY 78 | short |

GV

FLD. SURVEY

CERTIFIED **BOUNDARY** SURVEY LOCATION MAP FOR: Maynard R. Dyer 1229 Ferndale East Lansing, MI 48823 LEGEND: All dimensions are in feet and decimals thereof. 1/2" bars with identification caps have been placed at all points marked "•" unless otherwise noted. • described boundary line. FR 3 SEC 8 x x = fence line. LINN All bearings are relative and referenced to the South line of the NW fraction 1/4 of Section 3 which is assumed to bear due West. -indicates distance not to scale. NORTH EAST 298.00 N-S 1/4 LINE SEC 3 T3N RIE 33'R.M . 12.₩ ₹ 1559 ACRES ± 0.173 ACRES R/W 288.00 1" = 100" WEST 298.00' N 01º44'12"W RECORDED Jul 13 1 46 PH 178 REGISTER OF DEEDS Paula Johnson KNOHAM COUNTY, HICH. 376.00 SOUTH LINE OF NW 1/4 WI/4 COR. SEG.3 T 3N RIE SEC.3 T3N RIE FD 1/2" BAR & CAP REC. L3 P563 CENTER SEC3 EAST 2668.98 1791 T FD IBAR MAY 78 (MEC. 3) DRAW!N POLARIS 3422 Hagadorn Road BA NE T RIE Muson Michigan 48804 phone (517) 251-7410 COMPUTED RL ASSOCIATES INC.

60 196

LEGAL DESCRIPTION:

A parcel of land in Section 3, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel being described by Michigan R.L.S. #13998 as commencing at the Center of said Section 3; thence NO1°44'12"W along the N-S 1/4 line of said Section, 576.00 feet to the point of beginning of this description; thence West, parallel to the South line of the NW 1/4 of said Section 3, 298.00 feet; thence NO1°44'12"W parallel to the N-S 1/4 line of said Section 3, 228.00 feet; thence East, 298.00 feet to a point on the N-S 1/4 line of said Section 3; thence SO1°44'12"E along said N-S 1/4 line, 228.00 feet to the point of beginning; said parcel containing 1.559 acres more or less including 0.173 acres more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.

WITNESSES:

North 1/4 Corner Section 3, T3N, R1E 1/2" bar & cap #10057 East, 3.20' Railroad spike, East, 36.31' 11/2"bar East, 42.95' 11/2"bar East, 42.95'
Nail & tag #11370 in North side T. Pole S80°E, 61.33' Nail & tag #11370 in North side P. Pole, South, 12.27' Nail & tag #11370 in West R.R. tie fence corner, South 14.22'

Center Section 3, T3N, R1E concrete monument, East, 43.01' Nail & tag in S. Side 24" ash, East, 30.20'
Nail & tag in S.E. side 10" elm, S50°E, 41.05°
Nail & tag in East side twin 20" ash, S50°E, 40.65'

W 1/4 corner Section 3, T3N, Nail & tag #18989 NE side 18" maple, South 14.89'
Nail & tag #18989 North side 12" poplar, East 33.88' Nail & tag #18989 East side 18" Twin maple, N.W., 43.05'

CERTIFICATE OF SURVEY:


I hereby certify to the parties named hereon that we have surveyed at the direction of said parties, a tract of land previously described as:

Starting at the Southeast corner of the Northwest fractional 1/4 of Section 3, Wheatfield Township, Ingham County, Michigan, Town 3 North, Range 1 East, in the center line of Zimmer Road, thence North 376 feet to a point herein after here referred to as point of beginning, thence West 298 feet to an iron stake, thence North 228 feet to an iron stake, thence East 298 feet to a point in center line of Zimmer Road, thence South 228 feet along the center line of Zimmer Road to the point of beginning subject to right of way across Easterly 33 feet thereof.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of said tract and that the more particular legal description of said tract is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.




Komie M. Lesto 5/17/78 Ronnie M. Lester, R.L.S. # 18998

POLARIS ASSOCIATES INC. Surveyors

3422 Hegadorn Road Meson Michigan 48854 COMPUTED phone (517) 351-7410

BA MAY 78 SEC. 3 ,T 3N DRAWN FIE RL MAY 78 drawing no. MAY 78 shoot 2 of 2 A-1166 FLD. SURVEY GV



FOR: RICHARD SCHULTZ

CERTIFIED SURVEY MAP

3 /6 563 L'SE.

LEGAL DESCRIPTIONS:

Parcel A A parcel of land in Section 9, T3N, R1E, Wheatfield Township, Ingham County, Michigan, the boundary of which is described as: Beginning at a point on the North line of said Section 9 distant S88°34'07"W 264.00 feet from the North 1/4 corner of said Section; thence S02°29' 9 distant S88°34'07'W 264.00 feet from the North 1/4 corner of said Section; thence S02°29'32"E 2367.04 feet to a point on the North right of way line of Highway I-96, thence on a curve to the right along said right of way line 557.68 feet, said curve having a radius of 11156.16 feet and a chord of 557.63 feet bearing N83°33'19"W; thence N82°07'24"W along said right of way line 1712.67 feet; thence N02°31'33"W parallel with the West line of said Section 182.03 feet; thence S87°28'27"W 120.00 feet to a point on said West line; thence N02°31'33"W along said West line 1502.85 feet; thence N88°34'07"E parallel with the North line of said Section 553.87 feet; thence N01°25'53"W 330.94 feet to a point on said North line; thence N88°34'07"E along said North line 1796.96 feet to the Point of Beginning; said parcel containing 113.56 acres more or less including 2.50 acres more or less in use as parcel containing 113.56 acres more or less including 2.50 acres more or less in use as public right of way in Linn Road; said parcel subject to easements and restrictions of record (and Burkley Road)

Parcel B A parcel of land in Section 9, T3N, RIE, Wheatfield Township, Ingham County, Michigar the boundary of which is described as: Beginning at the North 1/4 corner of said Section 9; thence S02029'32"E along the N-S 1/4 line of said Section 2393.73 feet to a point on the North right of way line of Highway I-96; thence on a curve to the right along said right of way line 265.86 feet, said curve having a radius of 11156.16 feet and a chord of 265.85 feet bearing N85040'12"W; thence N02029'32"W parallel with said N-S 1/4 line 2367.04 feet to a point on the North line of said Section; thence N88034'07"E along said North line 264.00 feet to the Point of Beginning; said parcel containing 14.43 acres more or less including 0.20 acres more or less in use as public right of way in Linn Road; said parcel subject to easements and restrictions of record if any.

Parcel C A parcel of land in Section 9, T3N, R1E, Wheatfield Township, Ingham County, Michigan the boundary of which is described as: Beginning at the NW corner of said Section 9; thence N88°34'07"E along the North line of said Section 378.00 feet; thence S01°25'53"E 330.94 feet; thence S88°34'07"W parallel with said North line 196.68 feet; thence N02°31'33"W parallel with the West line of said Section 125.00 feet; thence S88°34'07"W parallel with said North line 175.00 feet to a point on said West line; thence N02°31'33"W along said West line 206.00 feet to the Point of Beginning: said parcel containing 2.25 sames were as less including 0.48 to the Point of Beginning; said parcel containing 2.35 acres more or less including 0.42 acres more or less in use as public right of way in Linn Road and in Burkley Road; said parcel subject to easements and restrictions of record if any.

Parcel D A parcel of land in Section 9, T3N, R1E, Wheatfield Township, Ingham County, Michigan the boundary of which is described as: Beginning at a point on the West line of said Section 9 distant SO2°31'33"E from the NW corner of said Section 9; thence N88°34'07"E parallel with the North line of said Section 175.00 feet; thence SO2°31'33"E parallel with said West line 125.00 feet; thence N88°34'07"W parallel with said North line 175.00 feet to a point on said West line; thence N02°31'33"W along said West line 125.00 feet to the Point of Beginning; said parcel containing 0.50 acres more or less including 0.10 acres more or less in use as public right of way in Burkley Road; said parcel subject to easements and restrictions of record if any.

Parcel E A parcel of land in Section 9, T3N, R1E, Wheatfield Township, Ingham County, Michigan the boundary of which is described as: Beginning at a point on the North line of said Section 9 distant N88°34'07"E 378.00 feet from the NW corner of said Section; thence continuing N88°34'07"E along said North line 182.19 feet: thence Sologica"E acc cl 34'07"E along said North line 182.19 feet; thence S01°25'53"E 330.94 feet; thence 588°34'07'W parallel with said North line 182.19 feet; thence No1°25'53"W 330.94 feet to the Point of Beginning; said parcel containing 1.38 acres more or less including 0.14 acres more or less in use as public right of way in Linn Road; said parcel subject to easements and restrictions of record if any.

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels a tract of land previously described as: "The NW 1/4 of Section 9, T3N, R1E, Wheatfield Township, Ingham County, Michigan except that part deeded to MDSH as recorded in Liber 801 of Deeds, Page 1049 Ingham County records." I further certify that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.

1871

MARVIN F. FOUTY, P.C. LAND SURVEYING & MAPPING 717 beech street east lansing, michigan - 48823 phone 332-5354

DATE 8-21-78

JOS NO. 242

EMBER & OF Z

REGISTERED LAND SURVEYOR NΩ

OF MICHIN

MARVIN F. FOUTY LAND SURVEYOR

No.

PFO LAND

CERTIFICATE OF PROPERTY SURVEY


LIBER

5 m 125

LEGAL DESCRIPTION: Description as per Title Policy #380629 That part of the East 1/2 of the Southeast 1/4 of Section 5, T3N, RIE, Township of Wheatfield, Ingham County, Michigan, lying South and West of Sloan Creek.

Description as per Survey of Sloan Creek Drain Liber 72, Page 215. Commencing ... at a point 600 feet North of the SW corner thereof, thence S 64 1/2°E, (1144) 144 feet, S 21 1/2° E, 596 feet; ... in the South line of said lands at a point 334 feet East of the SW corner of said lands.

OTHERWISE DESCRIBED AS: That part of the Southeast 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan, described as: Commencing at the Southeast corner of said Section 5; thence S89°11'27"W, 988.29 feet to the Point of Beginning, thence S89°11'27"W, along the South line of said Section 5, 334.00 feet; thence NO2°53'13"W along the West line of the East 1/2 of the Southeast 1/4 of said Section, 600.00 feet, said point being the centerline of Sloan Creek Drain; thence S72°38'10"E, along said centerline of drain, 144.53 feet; thence S22"18'33"E, along said centerline, 596.00 feet to the p.o.b. Containing 3.0598 Acres, more or less. Subject to an easement over the South 33 feet for Linn Road. Subject to any easements or restrictions of record.



I hereby certify that I have surveyed the property herein described, and that there are no visible encroachments upon the above property, except as shown hereon.

I Further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

David R. Lohr, L.L.S. #30090

May 29, 1986 FILE NO: 86-1161 SHEET: lof1 FIELD: DRL-RRB DRAWN: DRL.

CHECKED: DRI

REVISED:


& ASSOCIATES, INC.

Mr. Brian Williams

849 N. AURELIUS ROAD MASON, MICHIGAN 48854

PHONE (517) 676-4686





CENTER OF SECTION 5, T3N-R1E Wheatfield Township, Ingham Co., MI Found Wood Anchor Post 1 1/2" Oak, SE 5.40' 3" Oak, SW 18.20' 3" Apple, South 5.50' Recorded L-5, PG-148

SE CORNER, SECTION 5, T3N-R1E Wheatfield Township, Ingham Co., MI Found 1/2" Iron Pipe Survey Tag S side of 36" Oak, N 28° 39' W 56.55' Survey Tag S side of 30" Oak, N 20° 12' E 55.07' Survey Tag W side of Utility Pole, N 50° 41' E 41.97' Recorded L-2, PG-355

EAST 1/4 COR., SEC. 5, T3N-R1E Wheatfield Township, Ingham Co., MI Found Gas Pipe 33.0' Center of 7" Oak, NNW 43.10' Center of 4" Hickory, SE 32' 3" Recorded L-4, PG-87



LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF SECTION LINE
DESCRIBED BOUNDARY IRON SET & CAPPED IRON FOUND EX. FENCE LINE

WOLVERINE ENGINEERS & SURVEYORS, INC. ENGINEERS- SURVEYORS MASON, MICHIGAN

RICHARD NELLER JI SCALE SURVEY FOR FIELD SURVEY 1"= 400" DRAWN BY DATE DEC. 1987

RECORDING SPACE

DESCRIPTION PARCEL "F"

Beginning at a point in the East line of Section 5, distant N 02° 55' 07" W 1,335.38 feet from the SE Corner of said Section 5, T3N-R1E, Wheatfield Township, Ingham County, Michigan; thence along said East line N 02° 55' 07" W 636.41 feet; S 88° 53' 55" W 2,641.96 feet to the North/South 1/4 line of Section 5; S 02° 51' 19" E 295.25 feet along said North/South 1/4 line to the centerline of the Sloan Creek Drain; thence along the centerline of the Sloan Creek Drain S 70° 12' 34" E 223.89 feet and S 53° 28' 22" E 409.99 feet; N 89° 11' 27" E 2,119.25 feet to the p.o.b. Parcel contains 35.90 acres of land more or less and is subject to all easements of record.

DESCRIPTION PARCEL "G"


Beginning at a point in the East line of Section 5, distant N 02° 55' 07" W 1,971.79 feet from the SE Corner of said Section 5, T3N-R1E, Wheatfield Township, Ingham County, Michigan; thence along said East line N 02° 55' 07" W 659.93 feet to the East 1/4 Corner of said Section 5; S 88° 53' 55" W 2,641.23 feet along the East/West 1/4 line of said Section 5 to the Center of Section 5; S 02° 51' 19" E 659.91 feet along the North/South 1/4 line of said Section 5; N 88° 53' 55" E 2,641.96 feet to the p.o.b. Parcel contains 40.00 acres of land more or less and is subject to all easement of record.

Bearings are referenced to the East line of Section 5, line bears N 02° 55' 07" W as recorded by David R. Lohr, R.L.S. #30090, Survey No. 86-1161, recorded Liber 5, Page 125, Ingham County Register of Deeds.

I certify that I have surveyed the property described hereon and that the ratio of error of closure on the unadjusted field measurements is not greater than 1/5000, and that all of the requirements of P.A. 132 of 1970 have been complied with.

WOLVERINE ENGINEERS & SURVEYORS, INC.

George M. Young, L.S. #17640



ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF SECTION LINE DESCRIBED BOUNDARY IRON SET & CAPPED IRON FOUND EX. FENCE LINE

WOLVERINE ENGINEERS & SURVEYORS, INC. ENGINEERS-SURVEYORS MASON, MICHIGAN

SURVEY FOR RICHARD NELLER
FIELD SURVEY JE! SCALE NONE
DRAWN BY 544 DATE DEC 1987

RECORDED 6 10 929 LIBER CERTIFICATE OF SURVEY FEB 26 4 ON PM '92 FOR: James Tracy 7288 S. Gratiot Countyline Road RECITTER OF DEEDS The said the Some Fowler, Mich. 48835 मुस्तुबद्ध हरू का १४ अग्रह्म LEGEND: 1. All dimensions are in feet and decimals thereof.
2. 1/2, bar and cap have been placed at all points marked "o". indicates government corner. indicates not to scale. 5. indicates described boundary line. indicates fence line. 7. All bearings are relative and referenced to the North line of the NE 1/4 of Section 8 which is assumed to bear due East. centerline creek CREEK SLOAN M12013,00,M N00,51,20,A N89°52'35"E 89 52 35" North line of the South 1/2 of the ± 1.068 acres Northeast 1/4 of Section 8, T3N, R1E 362. 100 SCALE 1" = 50 375. 395.00 .00 East 1/4 Corner Section 8, Northeast Corner T3N, R1E. pipe and cap. Section 8, T3N, K15 1/2" pipe. \$0.0 ° 33' R/W Line P.O.B. 1195.70 120.00 501° 45' 40"E S 01° 45 40 E Section B ROAD BURKLEY fld. survey 3081 Holt Road RL 3N , R 1E Sep 91 8,T POLARIS Mason, Michigan 48854 drawn RL SURVEYING CO. Co. Ingham 517/676-3630 4172 Drawing number sheet A-4197

6 pa 930 CERTIFICATE OF SURVEY LIBER

PROPERTY DESCRIPTION:

A parcel of land in the South 1/2 of the Northeast 1/4 of Section 8, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel being described as commencing at the Northeast corner of said Section 8; thence SO1°45'40"E along the East line of said Section 8 a distance of 1315.70 feet to the Northeast corner of the South 1/2 of the Northeast 1/4 of said Section 8 and the point of beginning of this description; thence SO1°45'40"E continuing along the East line of said Section 8 a distance of 120.00 feet; thence $S89^{\circ}52'35"W$ parallel to the North line of the South 1/2 of the Northeast 1/4 of said Section 8 a distance of 375.00 feet to a point on the Easterly bank of Sloan Creek; thence on a random traverse along the Easterly bank of Sloan Creek N17°13'00"W a distance of 53.82 feet; thence continuing on said traverse N06°27'50"W a distance of 68.9° feet to a point on the North line of the South 1/2 of the Northeast 1/4 of said Section 8; thence N89°52'35"E along the North line of the South 1/2 of the Northeast 1/4 of said Section 8 a distance of 395.00 feet to the point of beginning, said property to include all land between the random traverse line along the creek bank and the thread of the stream of Sloan Creek; said parcel containing more or less 1.068 acres within the random traverse line along the creek bank; said parcel subject to the rights of the public across Burkley Road; said parcel subject to all easements and restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

Northeast Corner Section 8, T3N, R1E. 1/2" iron pipe. Liber 2, Page 355. Found Stephens nail and tag in West side utility pole, 56° az., 42.0 Found Stephens nail and tag in South side 36'' oak, 25° az, 54.8'Set nail and tag in North side 14" spruce, 110° az., 86.9' Set nail and tag in East side 16" hickory, 355° az., 185.9'

East 1/4 Corner Section 8, T3N, RIE. Pipe and cap 18988. Liber 3, Page 47. Set nail and tag in North side twin 24" cherry, 280° az., 27.9 Set nail and tag in West side 24" walnut, 137° az., 39.0' Set nail and tag in West side 12" walnut, 168° az., 99.8' Centerline of concrete right of way marker, 27° az., 73.9'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that I have surveyed a parcel of land within:

> The South 1/2 of the Northeast 1/4 of Section 8, T3N, R1E, Wheatfield Township, Ingham County, Michigan.

and that I have set, as noted hereon, permanent markers to all corners of said parcel and that the more particular surveyed description of said parcel is as designated

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of l in 5000.

Section of the Sectio The state of the s · , 80000 Marcus Car

Mr. Kests 9/20/91 Konne Ronnie M. Lester, Licensed Land Surveyor #18998

1172


POLARIS SURVEYING CO. 3081 Holt Road Mason, Michigan 48854 517/676-3630

fld. survey			Sec. 8 , T	
drawn	RL	Sep 91	Co. Ingham	
sheet 2 of	2	Drawing	number	A-4197

CERTIFIED SURVEY MAP RECORDED 6 m 824 LIBER Mr. and Mrs. Stoney FOR:

Oct 11 9 49 AM '91

REGISTER OF DEEDS The second second second INCHAM COUNTY, MICH



Project No. 7/3 Date 5-3/-90 Scale: 1" = 200'Field By: DH Drawn By: 78 Sheet ___ of ___ 4117 Licensed Land Surveyor No. 18989

MARVIN F. FQUTY, PC LAND SURVEYING & MAPPING

> 185 E. Grand River Ave. Williamston, Mich. 48895 Phone (517) 349-2442 FAX (517) 349-2328

LINER 6 en 825

CERTIFIED SURVEY MAP

FOR: Mr. & Mrs. Stoney

Legal Description: (Parcel C and G combined) That part of the East 1/2 of the SE 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan described as: Beginning at a point on the South line of said Section 5 distant S89°11'27"W 548.00 feet from the SE corner of said Section 5; thence continuing S89°11'27"W 440.29 feet along said South line to the centerline of Sloan Creek Drain; thence N22°18'33"W 596.00 feet along said centerline; thence N72°38'10"W 144.53 feet along said centerline; thence N86°15'22"E 1321.19 feet to a point on the East line of said Section 5; thence S02°55'07"E 30.00 feet along said East line; thence S86°15'22"W 250.00 feet; thence S00°48'33"E 324.45 feet; thence S89°11'27"W 274.86 feet parallel with said South Section line; thence S00°48'33"E 300.00 feet to the point of beginning; containing 10.485 acres more or less and subject to the rights of the public in Linn and Burkley Roads; said parcel also subject to the Sloan Creek Drain easement.

Legal Description: Parcei F - That part of the East 1/2 of the SE 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan described as: Beginning at the SE corner of said Section 5; thence S89°11'27"W 183.00 feet along said South line; thence N00°48'33"W 300.00 feet; thence S89°11'27"W 90.15 feet; thence N00°48'33"W 324.45 feet; thence N86°15'22"E 250.00 feet to a point on the East line of said Section 5; thence S02°55'07"E 637.69 feet along said East line to the point of beginning; containing 3.167 acres more or less and subject to the rights of the public in Linn and Burkley Roads.


I hereby certify to the parties named hereon that we have surveyed and divided that tract of land previously surveyed by Wolverine Engineers, Inc. in April of 1987 and described as "Parcel D" into parcels F and G. I further certify that we have found or set iron markers with identification caps at all corners of said parcels and that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.



Project No. 7/3	Date <u>5-31-90</u>	Scale: 1" =
Field By: 12/1	Drawn By: <u>TB</u>	Sheet Zof 2
MAN	m July	
Vicensed Land Su	rvevor No. 18989/	

MARVIN F. FOUTY, PC LAND SURVEYING & MAPPING

> 185 E. Grand River Ave. Williamston, Mich. 48895 Phone (517) 349-2442 FAX (517) 349-2328



CERTIFIED BOUNDARY SURVEY LIBER

CERTIFICATE OF SURVEY:

I hereby certify only to the parties named hereon that we have surveyed a parcel of land within:

The Northeast 1/4 of Section 8, T3N, R1E, Wheatfield Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as follows:

A parcel of land in the Northeast 1/4 of Section 8, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the Northeast corner of said Section 8; thence West along the North line of said Section 8 a distance of 1339.00 feet to the point of beginning of this description; thence South perpendicular to said North line 490.00 feet; thence West parallel with said North line 605.00 feet; thence North 160.00 feet; thence East parallel with said North line 264.00 feet; thence North 330.00 feet to said North line; thence East along said North 341.00 feet to the point of beginning; said parcel containing 4.80 acres more or less; including 0.25 acre more or less presently in use as public right of way; said parcel subject to all easements and restrictions if any.

WITNESSES TO SECTION CORNERS:

Northeast corner Section 8, T3N, R1E, Liber 2, Page 355. Found 3/4" bolt in centerline of Linn & Burkley Roads. Found nail & tag South side 40" Oak, N30 W, 56.44' Found nail & tag South side 36" Oak, N20 E, 54.94' Found nail & tag West side power pole, N50 E, 42.05'


North 1/4 corner Section 8, T3N, R1E, Liber 2, Page 357. Found 1/2" bar in monument box 1' North of centerline of Linn Road on fence line North & South. Found nail & tag #3829 West side 30" Oak, N80 E, 123.70' Bolt on East side 4" Steel fence post, North, 32.98' Set nail & tag Southwest side 12" Cherry, N15 W, 38.43'

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

All bearings are derived from the North line of Section 8, which is assumed to bear West.

J. d. Byan 1-27-89

Larry A. Bryan Date: Licensed Land Surveyor No.25832




BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

SECTION 8, T3N, RIE DRAWN BY GJW F(ELC) WORK BY JOB NUMBER: RS 89-B-23455 SHEET 2 OF



LIBER 6 PO 20 CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

I hereby certify only to the parties named hereon, that we have surveyed and divided into several parcels, at the direction of said parties, a tract of land previously described as:

The Northeast 1/4 of Section 8, T3N, R1E, Wheatfield Township, Ingham County, Michigan.

and that we have found or set, and noted hereon, permanent markers to all corners and angle points of the boundary of the parcels shown hereon and that the more particular legal descriptions of said parcels are as follows:

Parcel A

A parcel of land in the Northeast 1/4 of Section 8, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the Northeast corner of said Section 8; thence West along the North line of said Section 8 a distance of 1444.00 feet to the point of beginning of this description; thence South perpendicular to said North line 184.58 feet; thence West parallel with said North line 236.00 feet; thence North 184.58 feet to said North line; thence East along said North line 236.00 feet to the point of beginning; said parcel containing 1.00 acre more or less; including 0.18 acre more or less presently in use as public right of way; said parcel subject to all easements and restrictions if any.

Parcel B

A parcel of land in the Northeast 1/4 of Section 8, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the Northeast corner of said Section 8; thence West along the North line of said Section 8 a distance of 1339.00 feet to the point of beginning of this description; thence South perpendicular to said North line 490.00 feet; thence West parallel with said North line 605.00 feet; thence North 160.00 feet; thence East parallel with said North line 264.00 feet; thence North 145.42; thence East parallel with said North line 236.00 feet; thence North 184.58 feet to said North line; thence East 105.00 feet to the point of beginning; said parcel containing 3.80 acres more or less; including 0.08 acre more or less presently in use as public right of way; said parcel subject to all easements and restrictions if any.


WITNESSES TO SECTION CORNERS:

Northeast corner Section 8, T3N, R1E, Liber 2, Page 355. Found 3/4" bolt in centerline of Linn & Burkley Roads. Found nail & tag South side 40" Oak, N30 W, 56.44' Found nail & tag South side 36" Oak, N20 E, 54.94' Found nail & tag West side power pole, N50 E, 42.05'

North 1/4 corner Section 8, T3N, R1E, Liber 2, Page 357. Found 1/2" bar in monument box 1' North of centerline of Linn Road on fence line North & South. Found nail & tag #3829 West side 30" Oak, N80 E, 123.70' Bolt on East side 4" Steel fence post, North, 32.98' Set nail & tag Southwest side 12" Cherry, N15 W, 38.43'

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

All bearings are derived from the North line of Section 8, which is assumed to bear West.



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY G J W	SECTION 8, T3N, RIE
FIELD WORK BY R S	JOB NUMBER:
SHEET 2 OF 2	89-B-23455

ORIGINAL

Liber

CERTIFICATE OF SURVEY

FOR

3329 Tecumseh River Drive Lansing, Michigan 48906


AND

George J. Schraft

07/24/1996 10:28:17 REGISTER OF DEEDS Paula Johnson INCHAM COUNTY, MI

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest $\frac{1}{4}$ of Section 10, T3N, RlE, Wheatfield Township, Ingham County, Michigan, beginning on the North Section line at a point S89°26'28"E 1058.79 feet from the Northwest corner of said Section 10; thence continuing along said Section line S89°26'28"E 277.00 feet to the East line of the West ½ of said Northwest ¼; thence along said East line S01°47'51"E 1590.35 feet; thence parallel with the North Section line N89°26'28"W 277.00 feet; thence N01°47'51"W 1590.35 feet to the point of beginning, subject to the right of way of Linn Road and any other rights of way or easements of record, described parcel containing 10.105 acres of land, more or less.

The bearing orientation for this survey was taken from the M.D.O.T. plans for Highway I-96.



This survey complies with the requirements of Section 3, P.A. 132 of 1970. SCALE: 1"=200' THE UNDERSIGNED LICENSED PROFESSIONAL LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

	11101 21111 0110111	. 511 / 1111 (S THE OKCIONS	ים ואטופו	THE DIMENSIONS AND ENCHOACHMENTS OF SAID PROPER
	LEGEND	The unadjusted	field survey	ratio	STEPHENS-KYES & ASSOCIATES, INC.
	- IRON STAKE MONUMENT	of closure was	1:94529		1401 EAST LANSING DRIVE, SUITE 112 EAST LANSING, MICHIGAN 48823 PHONE (5/7) 351-
,	X - X FENCE LINE				BY James Stephen
- 1	CONTEQUINE				

RADIUS DEEDED DIMENSION MEASURED DIMENSION ROMP

PLATTED

LICENSED PROFESSIONAL LAND SURVEYOR NO. DATE July 18, 1996 16053

ORIGINAL

CERTIFICATE OF SURVEY

FOR

Patricia L. Schraft 3329 Tecumseh River Drive Lansing, Michigan 48906


AND

George J. Schraft

07/24/1996 10:28:18
REGISTER OF DEEDS
Paula Johnson
INCHAM COUNTY, MI

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest $\frac{1}{4}$ of Section 10, T3N, R1E, Wheatfield Township, Ingham County, Michigan, beginning on the North Section line at a point S89°26'28"E 781.79 feet from the Northwest corner of said Section 10; thence continuing along said Section line S89°26'28"E 277.00 feet; thence parallel with the East line of the West $\frac{1}{2}$ of said Northwest $\frac{1}{4}$ S01°47'51"E 1590.35 feet; thence parallel with the North Section line N89°26'28"W 277.00 feet; thence N01°47'51"W 1590.35 feet to the point of beginning, subject to the right of way of Linn Road and any other rights of way or easements of record. to the right of way of Linn Road and any other rights of way or easements of record, described parcel containing 10.105 acres of land, more or less.

The bearing orientation for this survey was taken from the M.D.O.T. plans for Highway I-96.



This survey complies with the requirements of Section 3, P.A. 132 of 1970. SCALE: 1'=200' THE UNDERSIGNED LICENSED PROFESSIONAL LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND	The unadjusted f	field survey ratio	_
- IDON STAVE	of alamana	rera served racto	J

of closure was 1:94529

IRON STAKE MONUMENT X FENCE LINE CENTER LINE

RADIUS

200

DEEDED DIMENSION MEASURED DIMENSION PLATTED

STEPHENS-KYES & ASSOCIATES, INC. 1401 EAST LANSING DRIVE, SUITE 112 T LANSING, MICHIGAN 48823 - PHONE (617) 351-2 RIVE, SUITE 112 - PHONE 617) 351-2574

LICENSED PROFESSIONAL LAND SURVEYOR NO. -16053 DATE July 18, 1996 DRAWING NO.

ORIGINAL

Liber

7 Page 848

CERTIFICATE OF SURVEY

Patricia L. Schraft FOR 3329 Tecumseh River Drive Lansing, Michigan 48906

AND

George J. Schraft

07/24/1996 10:28:20 REGISTER OF DEEDS Paula Johnson INGHAM COUNTY, MI

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest 1 of Section 10, T3N, R1E, Wheatfield Township, Ingham County, Michigan, beginning on the North Section line at a point S89°26'28"E 504.79 feet from the Northwest corner of said Section 10; thence continuing along said Section line S89°26'28"E 277.00 feet; thence parallel with the East line of the West ½ of said Northwest ¼ S01°47'51"E 1590.35 feet; thence parallel with the North Section line N89°26'28"W 277.00 feet; thence N01°47'51"W 1590.35 feet to the point of beginning, subject to the right of way of Linn Road and any other rights of way or easements of record, described parcel containing 10 105 agree of land more or lase. described parcel containing 10.105 acres of land, more or less.

The bearing orientation for this survey was taken from the M.D.O.T. plans for Highway I-96.

· LINN ROAD & NORTH SECTION LINE 22' ASPHALT PAVEMENT POINT OF BEGINNING S89°26′28″E 277.00′ 554.00 1889.79 \$89°26'28" E 504.79 277,00 TROAD R/W 33.03 33,03′ in Liber RIE, Wheatfield Twp. þ R1E, Wheatfield Twp., 9 OF witnessed WEST 1/2 (box recorded N70°E 45.15' S40°W 42.33' EAST LINE OF W NORTHWEST 1/4, S SO1°47'51"E 4, Page 154 monument 1590,35 1590,35 T3N, Y pole NWW 26,92's post NE 28.5's iron North 33.00' pole, recorded in Liber post, post, Northwest corner Section 10, 557,32 557.32 North 1/4 corner Section 10, in telephone 1/2" diameter steel bar steel fence sign 563, witnessed NO1°47'51"W 51, street 50:047 in utility in Ingham County gate square pipe 1 Ingham County tag 4" 2" steel oĘ 3, Page oţ; and 1" iron Center Center Tag Wail OF MICHIGAR JAMES E STEPHENS PROFESSIONAL SURVEYOR No. N89°26'28"W 16053 200 200 400 POFESSION

This survey complies with the requirements of Section 3, P.A. 132 of 1970. SCALE: 1"=200"

ROPERTY	SHOWN	ON ANNEXED PLAT, AND	AL LAND SURVEYOR H THAT THE SKETCH INI	EREBY CERT	THES THAT A SURVE	Y WAS MADE UNDER H	S SUPERVISION C)F T
LEGE	ND .	The unadjust	field survey	ratio	STEPHENS.	KYES & ASSOCIATION	ID PROPERTY	
- IRON S	ANE	of closure way	1:94529		14U1 EAS	ST LANSING DRIVE, SUIT CHIGAN 48823 - PHONE	F 440	
- X EENC	C I INC						(917) 351-2574	

of closure was 1:94529 IRON STAKE MONUMENT

PLATTED

MEASURED DIMENSION

X FENCE LINE CENTER LINE RADIUS DEEDED DIMENSION

LICENSED PROFESSIONAL LAND SURVEYOR NO. __ 16053

DATE July 18, 1996 _ DRAWING NO. L-19940

Sheet lof 2 ORIGINAL Liber 7 Page 849 **CERTIFICATE OF SURVEY** RECORDED 960027605 07/24/1996 10:28:21 REGISTER OF DEEDS Paula Johnson INCHOM COUNTY, MI Patricia L. Schraft FOR AND George J. Schraft 3329 Tecumseh River Drive Lansing, Michigan 48906 € LINN ROAD & NORTH SECTION LINE \$89°26'28"E 22' ASPHALT PAVEMENT 277.00 S89°26'28"E NORTHWEST CORNER SECTION 10, T3N, RIE, WHEATFIELD TWP., 277.00 ROAD R/W 33.03 INGHAM COUNTY NORTH 1/4 CORNER SECTION IO T3N, RIE, WHEATFIELD TWP. POINT OF BEGINNING 1590. 1557,49 **ÖRAIN** PG. 510 S01°56'40"E **≥** Z 1557. OF ₹ 40, LINE N NO1°56' WEST CORNER SECTION 10, WHEATFIELD TWP. 200 OF MICHIG 277.00 N89°26' 28" W JAMES E. STEPHENS R IE, 035.62 PROFE**SSION**AL SURVEYOR WEST T3N, F No. 16053 POFESSION This survey complies with the requirements of Section 3, P.A. 132 of 1970. SCALE: 1"=200" THE UNDERSIGNED LICENSED PROFESSIONAL LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY. STEPHENS-KYES & ASSOCIATES, INC. 1401 EAST LANSING DRIVE, SUITE 112 EAST LANSING, MICHIGAN 48823 - PHONE (517) 861-2574 LEGEND The unadjusted field survey ratio - IRON STAKE OF C
- MONUMENT
- X FENCE LINE
- CENTER LINE
- HADIUS
- DEEDED DIMENSION
- MEASURED DIMENSION
- PLATTED of closure was 1:94529 16053 LICENSED PROFESSIONAL LAND SURVEYOR NO. DATE July 18, 1996 L-19938 DRAWING NO. _

15987

Sheet 2 of 2

ORIGINAL

Liber

7 Page 850

CERTIFICATE OF SURVEY

Patricia L. Schraft 3329 Tecumsel River Drive Lansing, Michigan 48906

AND

George J. Schraft

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest \(\frac{1}{4} \) of Section 10, T3N, R1E, Wheatfield Township, Ingham County, Michigan, beginning at the Northwest corner of said Section 10; thence running along the North Section line S89°26'28"E 277.00 feet; thence parallel with the West line of said Northwest \(\frac{1}{4} \) S01°56'40"E 1590.52 feet; thence parallel with the North Section line N89°26'28"W 277.00 feet to said West line of the Northwest \(\frac{1}{4} \); thence N01°56'40"W 1590.52 feet to the point of beginning, subject to the right of way of Linn Road and any other rights of way or easements of record, described parcel containing 10 105 acres of other rights of way or easements of record, described parcel containing 10.105 acres of land, more or less.

The bearing orientation for this survey was taken from the M.D.O.T. plans for NOTE: Highway I-96

Northwest corner of Section 10, T3N, R1E, Wheatfield Twp., Ingham County $\frac{1}{2}$ " diameter steel bar in monument box recorded in Liber 3, Page 563 witnessed by: Tag in utility pole NNW 26.92' steel gate post NE 28.5 1 1/8" square iron North 33.00'

North $\frac{1}{4}$ corner of Section 10, T3N, R1E, Wheatfield Twp., Ingham County 1" iron pipe recorded in Liber 4, Page 154 witnessed by: Nail and tag in telephone pole, N45°W 35.15' Center of 4" steel fence post, N70°E 45.15' Center of 2" street sign post, S40°W 42.33'

West $\frac{1}{4}$ corner of Section 10, T3N, R1E, Wheatfield Twp., Ingham County 3" open pipe found in median of Highway I-96 2 feet below ground surface witnessed by survey tags nailed to:

West side triple 10" Oak tree North 176.55' East side 10" Cherry tree NNW 191.40' South side 6" Hickory tree ESE 53.20' South side 6" Hickory tree WSW 157.00'



This survey complies with the requirements of Section 3, P.A. 132 of 1970. THE UNDERSIGNED LICENSED PROFESSIONAL LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND The unadjusted field survey ratio - IRON STAKE of closure was 1:94529

- X FENCE LINE - CENTER LINE - RADIUS

DEEDED DIMENSION

MEASURED DIMENSION

STEPHENS-KYES & ASSOCIATES, INC.
1401 EAST LANSING DRIVE, SUITE 112
EAST LANSING, MICHIGAN 48823 PHONE 817) 351-2574

LICENSED PROFESSIONAL LAND SURVEYOR NO. .. 16053 DATE July 18, 1996 DRAWING NO.

Sheet 1 of 2 ORIGINAL Liber 7 Page 851 CERTIFICATE OF SURVEY FOR Patricia L. Schraft AND George J. Schraft 07/24/1995 10:28:23 REGISTER OF DEEDS 3329 Tecumseh River Drive Lansing, Michigan 48906 Paula Johnson INGKAN COUNTY, MI LINN ROAD & NORTH SECTION LINE 22' ASPHALT PAVEMENT \$89°26'28"E 227.79 \$89°26'28"E 2166.79" 227.71 33.03 ROAD RZW ⊙` NORTHWEST CORNER SECTION T3N, RIE, WHEATFIELD TWP, . INGHAM COUNTY õ BEGINNING 277,00 F BIRD DRAIN L-67, PG-510 NORTH 1/4 CORNER SECTION T3N, RIE, WHEATFIELD TWP. S89°26'28"E POINT OF 1590.35 1590.52 -≥ Z NO1°56' 40" W S01°47'51"E EAST LINE OF WEST 1/2 OF NORTHWEST 1/4, SECTION 10 1557.49 P NO1 56' 40"W LINE (S89°26'28" S89°26'28" E 831,00 277.00 830.14 846.61 CORNER SECTION 10, WHEATFIELD TWP. S01°47'51"E WEST 1/4 OF MICHIGA S89°51′12″W 1328.96 (R/W . 03 JAMES E. STEPHENS 589°51' 12"W & WEST BOUND LANES HIGHWAY PROFESSIONAL SURVEYOR No. 16053 300 300 600 OPESSION SCALE: 1"=300' This survey complies with the requirements of Section 3, P.A. 132 of 1970. THE UNDERSIGNED LICENSED PROFESSIONAL LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY. STEPHENS-KYES & ASSOCIATES, INC. 1401 EAST LANSING DRIVE, SUITE 112 IT LANSING, MICHIGAN 48823 - PHONE (517) 351-2574 The unadjusted field survey ratio LEGEND - IRON STAKE OF COMMUNICATION
- MONUMENT
- X FENCE LINE
- CENTER LINE
- RADIUS
- DEEDED DIMENSION
- MEASURED DIMENSION
- PLATTED of closure was 1:94529 LICENSED PROFESSIONAL LAND SURVEYOR NO. 16053 DATE July 18, 1996 L-19939 DRAWING NO. .

Sheet 2 of 2

ORIGINAL

Liber

7 Page 852

CERTIFICATE OF SURVEY

FOR Patricia L. Schraft 3329 Tecumseh River Drive Lansing, Michigan 48906

AND

George J. Schraft

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest $\frac{1}{4}$ of Section 10, T3N, R1E, Wheatfield Township, Ingham County, Michigan, beginning on the North Section line at a point S89°26'28"E 277.00 feet from the Northwest corner of said Section 10; thence continuing along said Section line corner of said Section 10; thence continuing along said Section line S89°26'28"E 227.79 feet; thence parallel with the East line of the West ½ of said Northwest ½ S01°47'51"E 1590.35 feet; thence parallel with the North Section line S89°26'28"E 831.00 feet to said East line of the West ½ of the Northwest ¼; thence along said East line S01°47'51"E 830.14 feet to the Northerly right of way line of Highway I-96; thence along said right of way line S89°51'12"W 1328.96 feet to the West line of said Northwest ¼; thence along said Foot line Northwest ¼; thence said Northw along said West line No1°56'40"W 846.61 feet; thence parallel with the North Section line S89°26'28"E 277.00 feet; thence No1°56'40"W 1590.52 feet to the point of beginning, subject to the right of way of Linn Road and any other rights of way or easements of record, described parcel containing 33.820 acres of land, more or less, The bearing orientation for this survey was taken from the M.D.O.T. plans for

Highway I-96.

Northwest corner of Section 10, T3N, RlE, Wheatfield Twp., Ingham County diameter steel bar in monument box recorded in Liber 3, Page 563 witnessed by: Tag in utility pole NNW 26.92' 4" steel gate post NE 28.5' 1 1/8" square iron North 33.00'

North $\frac{1}{4}$ corner of Section 10, T3N, R1E, Wheatfield Twp., Ingham County 1" iron pipe recorded in Liber 4, Page 154 witnessed by: Nail and tag in telephone pole, N45°W 35.15' Center of 4" steel fence post, N70°E 45.15' Center of 2" street sign post, S40°W 42.33'

West 4 corner of Section 10, T3N, RlE, Wheatfield Twp., Ingham County 3" open pipe found in median of Highway I-96 2 feet below ground surface witnessed by survey tags nailed to:

West side triple 10" Oak tree North 176.55' East side 10" Cherry tree NNW 191.40' South side 6" Hickory tree ESE 53.20' South side 6" Hickory tree WSW 157.00'



16053

This usrvey complies with the requirements of Section 3, P.A. 132 of 1970. THE UNDERSIGNED LICENSED PROFESSIONAL LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND

The unadjusted field survey ratio of closure was 1:94529

STEPHENS-KYES & ASSOCIATES, INC. 1401 EAST LANSING DI ANSING, MICHIGAN 48923 IVE, SUITE 112 -- PHONE (517) 351-2574

IRON STAKE X FENCE LINE

CENTER LINE


DEEDED DIMENSION

MEASURED DIMENSION

PLATTED

LICENSED PROFESSIONAL LAND SURVEYOR NO. _

DATE July 18, 1996 DRAWING NO.



CERTIFIED BOUNDARY SURVEY

Page 919

Liber

CERTIFICATE OF SURVEY:

I hereby certify only to the parties named hereon that we have surveyed and diviled into several parcels, at the direction of said parties, a parcel of land previously described as:

The Northeast 1/4 of the Southwest 1/4 of Section 3, T3N, R1E, Wheatfield Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions of said parcels are as follows:

Parcel A


A parcel of land in the Southwest 1/4 of Section 3, T3N, R1E, Wheatfield Township, Ingham County, Michigan, the surveyed boundary of said parcel described as: Commencing at the South 1/4 corner of said Section thence N02°11'44"W along the North-South 1/4 line 2322.62 feet to the point of beginning of this description; thence S89°36'54"W parallel with the East-West 1/4 line of said Section 1334.72 feet to the West line of the Northeast 1/4 of the Southwest 1/4 of said Section; thence N02°10'31"W along said West line 331.80 feet to said East-West 1/4 line; thence N89°36'54"E along said East-West line 1334.60 feet to the Center of said Section; thence S02°11'44"E along said North-South 1/4 line 331.80 feet to the point of beginning; said parcel containing 10.16 acres more or less; including 0.25 acre more or less presently in use as public road right of way; said parcel subject to all easements and restrictions if any.

Parcel B:

A parcel of land in the Southwest 1/4 of Section 3, T3N, R1E, Wheatfield Township, Ingham County, Michigan, the surveyed boundary of said parcel described as: Commencing at the South 1/4 corner of said Section thence N02°11'44"W along the North-South 1/4 line 1990.82 feet to the point of beginning of this description; thence S89°36'54"W parallel with the East-West 1/4 line of said Section, 1334.83 to the West line of the Northeast 1/4 of the Southwest 1/4 of said Section; thence N02°10'31"W along said West line 331.80 feet; thence N89°36'54"E parallel with said East-West 1/4 line 1334.72 feet to said North-South 1/4 line; thence S02°11'44"E along said North-South 1/4 line 331.80 feet to the point of beginning; said parcel containing 10.16 acres more or less; including 0.25 acre more or less presently in use as public road right of way; said parcel subject to all easements and restrictions if any.

Parcel C:

A parcel of land in the Southwest 1/4 of Section 3, T3N, R1E, Wheatfield Township, Ingham County, Michigan, the surveyed boundary of said parcel described as: Commencing at the South 1/4 corner of said Section thence N02°11'44"W along the North-South 1/4 line 1659.02 feet to the point of beginning of this description; thence S89°36'54"W parallel with the East-West 1/4 line of said Section, 1334.95 feet to the West line of the Northeast 1/4 of the Southwest 1/4 of said Section; thence N02°10'31"W along said West line 331.80 feet; thence N89°36'54"E parallel with said East-West 1/4 line 1334.83 feet to the North-South 1/4 line; thence S02°11'44"E along said North-South 1/4 line 331.80 feet to the point of beginning; said parcel containing 10.16 acres more or less; including 0.25 acre more or less presently in use as public road right of way; said parcel subject to all easements and restrictions if any.



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY MGO	SECTION 3, T3N, R1E
FIELD WORK BY RS	JOB NUMBER:
SHEET 2 OF 3	96-B-52421

Liber

Parcel D:

A parcel of land in the Southwest 1/4 of Section 3, T3N, R1E, Wheatfield Township, Ingham County, Michigan, the surveyed boundary of said parcel described as: Commencing at the South 1/4 corner of said Section thence N02°11'44"W along the North-South 1/4 line 1327.21 feet to the point of beginning of this description; thence S89°48'27"W along the South line of the Northeast 1/4 of the Southwest 1/4 of said Section, 1335.22 feet to the West line of the Northeast 1/4 of the Southwest 1/4 of said Section; thence N02°10'31"W along said West line 327.32 feet; thence N89°36'54"E parallel with said East-West 1/4 line 1334.95 feet to said North-South 1/4 line; thence S02°11'44"E along said North-South 1/4 line 331.81 feet to the point of beginning; said parcel containing 10.09 acres more or less; including 0.25 acre more or less presently in use as public road right of way; said parcel subject to all easements and restrictions if any.

WITNESSES TO SECTION CORNERS:

Southwest corner Section 3, T3N, R1E, Liber 3, Page 563.

Found 1/2" bar in the centerline of Linn Road on tree line North & South.

Found naıı & tag East side power pole, N25°W, 26.92'.

Found 4" Steel gate post, N20°E, 28.50'.

Found 1 1/8" square iron, North, 33.00'.

Found P.K. & tag Northwest side 12" Ash, S45°W, 32.35'.

West 1/4 corner Section 3, T3N, R1E, Liber 3, Page 563.
Found Fouty Bar & cap on fence intersection, North-South & East-West.
Found nail & tag #25832 East side 8" Maple, North, 10.30'.
Found nail & tag #25832 North side 10" Poplar, West, 13.00'.
Found nail & tag #25832 Northeast side 18" Maple, South, 13.49'.

Center of Section 3, T3N, R1E, Liber 4. Page 243. Found 1" pipe in the centerline of Zimmer road on field line West. Found concrete monument East, 41.05'. Found nail & tag East side Twin 20" Ash, 42.32'. Found nail & tag #25832 Southwest side 16" Elm, S50°E, 41.00'.

South 1/4 corner Section 3, T3N, R1E, Liber 4, Page 154.. Found boat spike in the centerlines of Zimmer & Linn Roads. Found nail & tag Northeast side power pole, N45°W, 35.25'. 12" C.M.P. top West edge, S80°E, 117.42'. Found P.K. & tag Southwest side 8" Maple, S40°E, 83.55'. Set nail & tag Southwest side 10" Maple, S25°E, 123.86'.

9-25-96

This survey complies with the requirements of Public Act 132, as amended, and was performed with an error of closure no greater than a ration of 1 in 5000.

All bearings are derived from the South line of said Section 3, which is shown to bear East on Liber 3, Page 255, Ingham County Surveys.

Larry A: Bryan Date: Licensed Land Surveyor No. 25832





BRYAN LAND SURVEYS, P.C.

6019 Morsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339 1014

	DRAWN BY MGO	SECTION 3, T3N, R1E
	FIELD WORK BY RS	
	SHEET 3 OF 3	96-8 52421
j	30LL 3 01 3	20(1





RECORDING SPACE

Legal Description:

Parcel 1:

A part of the Southest 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan; described as beginning at the East 1/4 corner of said Section 5; thence S02°55'07"E 329.99 feet along the East line of said Section 5; thence S88°53'55"W 329.98 feet along the North-South 1/4 line of said Section 5; thence N02°51'19"W 329.98 feet along the North-South 1/4 line to the center of said Section 5; thence N88°53'55"E 2641.23 feet along the Section 5; there the said Section 5; there are the said Section 5; the said Section 5; there are the said Section 5; the East-West 1/4 line of said Section 5 to the point of beginning, containing 20.00 acres of land, more or less, and subject to any easements or rights of way of record.

Parcel 2:

A part of the Southeast 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan; described as beginning at a point S02°55'07"E 329.99 feet on the East line from the East 1/4 corner of said Section 5; thence S02°55'07"E 329.94 feet along the East line of said Section 5; thence S88°53'55"W 2641.96 feet to the North-South 1/4 line of said Section 5; thence N02°51'19"W 329.93 feet along the North-South 1/4 line of said Section 5; thence N88°53'55"E 2641.60 feet to the North-South 1/4 line of said Section 5; thence N88°53'55"E 2641.60 feet to the point of beginning, containing 20.00 acres of land, more or less, and subject to any easements or rights of way of record.

The basis of bearing for this survey is based on a previous survey by this office as recorded in Liber 5 Page 405 Ingham County Records of Surveys.

I hereby certify that I have surveyed and mapped the land above platted and/or described on May 29, 1998, and that the ratio of closure on the unadjusted field observation of such survey was 1/15,000, and that all the requirements of P.A. 132, 1970 have been complied with.

Mayrice H. Mahieu P.S. #28414



LEGEND


ALL DIMENSIONS ARE II' FEET AND DECIMALS THEREOF
D= DEEDED FI= FOUND IRON
P= PLATTED SI= SET IRON D= DEEDED
P= PLATTED

MEASURED
PROPERTY CORNER IRON
CONCRETE MONUMENT FENCE LINE



WOLVERINE ENGINEERS & SURVEYORS, INC 312 NORTH ST. MASON, MICHIGAN 48854 PHONE (517) 676-9200

SURVEY FOR:	NENA BONDARE	NKO	
FIELD SURVEY:	LS	DATE:	6-1-98
DRAWN BY:	MJM	SHEET:	2 OF 2
SCALE:	1" == 300'	JOB NO.:	980560
	RE: XXXX DWO		Distribute



RECORDING SPACE

Legal Description:

Parcel 2-A (15 acres)

A part of the Southest 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan; described as beginning at a point on the East line of Section 5, S02°55'07"E 329.99 feet from the East 1/4 corner; thence S02°55'07"E 329.94 feet along said East line; thence S88°53'55"W 1981.35 feet; thence N02°55'07"W 329.94 feet; thence N88°53'55"E 1981.35 feet to the point of beginning, containing 15.00 acres of land, more or less, and subject to any easements or rights of way of record.

Parcel 2-B (5 acres)

A part of the Southeast 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan; described as commencing at the East 1/4 corner of Section 5; thence S02°55'07"E 329.99 feet along the East Section line; thence S88°53'55"W 1981.35 feet to the point of beginning; thence S02°55'07"E 329.94 feet; thence S88°53'55"W 660.61 feet to the North—South 1/4 line; thence N02°51'19"W 329.93 feet along the North—South 1/4 line; thence N88°53'55"E 660.25 feet to the point of beginning, containing 5.00 acres of land, more or less, and subject to any easements or rights of way of record.

The basis of bearing for this survey is based on a previous survey by this office as recorded in Liber 5 Page 405 Ingham County Records of Surveys.

I hereby certify that I have surveyed and mapped the land above platted and/or described on September 29, 1998, and that the ratio of closure on the unadjusted field observation of such survey was 1/15,000, and that all the requirements of P.A. 132, 1970 have been complied with.

Jaure WINakien Maurice H. Mahieu P.S. #28414



LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF D= DEEDED
P= PLATTED
M= MEASURED
PROPERTY CORNER-IRON
CONCRETE MONUMENT FI= FOUND IRON
SI= SET IRON

WOLVERINE ENGINEERS & SURVEYORS, INC 312 NORTH ST. MASON, MICHIGAN 48854 PHONE (517) 676-9200

SURVEY FOR:	NENA BONDARE	NKO	
FIELD SURVEY:	TS & TC	DATE:	10698
DRAWN BY:	MJM	SHEET:	2 OF 2
SCALE:	1" = 300'	J08 NO.:	980560 A

DRAWING: 9803805 DWG