

INDEX WFL

01	WITNESSES	I-11	WHEATFIELD TWP.
02	WITNESSES	I-11	WHEATFIELD TWP.
03	EDM CALIBRATION	LAKE	
04	WITNESSES	J-11	WHEATFIELD TWP.
05-06	WITNESSES	K-9	WHEATFIELD TWP.
07	WITNESSES	J-9	WHEATFIELD TWP.
08	WITNESSES	I-9	WHEATFIELD TWP.
09	WITNESSES	H-9	WHEATFIELD TWP.
10	WITNESSES	G-9	WHEATFIELD TWP.
11	WITNESSES	H-10	WHEATFIELD TWP.
12	WITNESSES	K-11	WHEATFIELD TWP.
13	WITNESSES	G-11	WHEATFIELD TWP.
14	WITNESSES	H-11	WHEATFIELD TWP.
15	WITNESSES	K-10	WHEATFIELD TWP.
16	WITNESSES	J-10	WHEATFIELD TWP.
17-57	TRAVERSE	KIDIES	
58	WITNESSES	G-10	WHEATFIELD TWP.
59	WITNESSES	I-10	WHEATFIELD TWP.

INDEX M.F. 1 CONTINUED

INDEX M.F. 1 CONTINUED

CONTINUED

DISTANCE MEASUREMENTS

NOTES (CONTINUED)

NOTES (CONTINUED)

7/18/93 606 S. SUNDAY, 500 TYGH

WITNESSES: ILL, WHEATFIELD TWP.

FOUND 1/2" IRON ROD ON CENTERLINE
PROJECTIONS OF DECKS AND BRAY
ROADS, ROW LESTER PS #18998, ON 5/17/73
ET 1/2" IRON ROD OVER WHITE STONE
WITH WITNESSES:
BOAT SPIKE IN E. SIDE FENCE ANCHOR
POST, NORTH, 3.84
AT 1/2" ON E. SIDE POWER POLE, SW, 93.42
NOTCH IN TOP OF WEST END CHP, SW, 83.97
FOUND FENCE ANCHOR POST, BUT
NO BOAT SPIKE IN EAST SIDE, MEASURED
32.30' TO THE CENTERLINE OF POST
FOUND W. END CHP, BUT NO NOTCH
ON TOP END, CHP APPEARS TO
HAVE BEEN REPLACED SINCE 5/73
MEASURED 85.05 TO W. END CHP,
FOUND POWER POLE, BUT NO AT
IN E. SIDE, MEASURED 92.85' TO
CENTERLINE POWER POWER

(CONTINUED) WITNESSES: ILL, WHEATFIELD TWP.

AT #28414 W. SIDE WOOD FENCE POST, WITH
322.39
1/2" IRON ROD WITH CAP #25832, N22°W
32.85
SW CORNER BRIDGE BLOCK FOUNDATION
N46°E, 170.07'
AT #28414 S. SIDE 10" MAPLE, N101°E, 150.12
AT #28414 N. SIDE POWER POLE, S38°W, 92.93

EDM CALIBRATION				TY-GH
STATION	TO	STATION	DIST.	
04 1992	TO	1504 1992	149.9992	
04 1992	TO	4304 1992	429.9980	
04 1992	TO	12134 1992		
1504 1992	TO	4304 1992	279.9972	
1504 1992	TO	12134 1992		
4304 1992	TO	12134 1992	783.3687	

7/16/93

WITNESSES: JIM WHEATFIELD TWP.

②

FOUND 1/2" IRON ROD WITH 4" DIAMETER CONCRETE MONUMENT, ROAD WESTER, 18998 SET CONCRETE MONUMENT. ON SEPT 14, 1979, WITH WITNESSES.	
NET #18998 S. SIDE 24" BITTERLUT, NW 574'	
NET #18998 S. SIDE 136" MAPLE WINDY, 148.80'	
NET #18998 N. SIDE 14" CHERRY, SW, 33.14'	
TOP CEANTEL OR GENERAL TELEPHONE UNDERGROUND CABLE BOX, NW, 33.5'	
FOUND 24" BITTERLUT, 36" MAPLE, AND UNDERGROUND CABLE BOX, CHERRY TREE HAS BEEN REMOVED.	
J-M WHEATFIELD TWP	
4" X 36" CONCRETE MONUMENT WITH 1/2" IRON ROD	
WITNESSED BY	
NET #28414 S. SIDE 28" BITTERLUT, NW, 59.8'	
NET #28414 S. SIDE 42" MAPLE, W 82' W, 148.5'	
NET #28414 N. SIDE 36" MAPLE, S 82' W, 172.22'	
NET #28414 E. SIDE WOOD POST, NE 34' W, 33.81'	

WITNESSES K-9, WHEATFIELD TWP.

FOUND 4" x 36" CONCRETE HOUSING WITH

1/2" LEAD AND GAP, CAP #

DESTROYED IN CENTERLINE OF

WILLIAMSTON DAVID EAST RODES

RON LESTER, PS 18998 SET. CONCRETE

MOBILEHEAT ON 7/28/78 WITH

FOLOWING WITNESSES:

SOUTH SIDE CONCRETE CORNER POST, SW, 38.01

EAST SIDE CONCRETE CORNER POST, 4/4/4, 30890

ADL 7/89495 N. SIDE TELEPHONE POLE EAST 73.50

FOUND CONCRETE CORNER POST TO SW

AUD TELEPHONE POLICE WITNESSES

K-9, WHEATFIELD TWP.

4"x36" CONCRETE MONUMENT WITH

1/2" IRON ROD

WITNESSED BY

NAT #	28414	A. SIDE	TELEPHONE POLE
-------	-------	---------	----------------

N 89° E 73.53'

9/18/93

CONTINUED K-9 WITNESSES WHEATFIELD TURN

TOP CENTER OF GENERAL TELEPHONE

CABLE BOX 11.55' E, 39.80' N

PE" NAIC TOP CENTER. OF CONCRETE CORNER

POST, 553°W, 38.13°N

14 T # 28414 S. SIDE TELEPHONE POLE

43.38' N, 116.1° W

SEPT 20, 1993 CLOUDY FISSO TY-GH
WITNESSES: J. J. WHEATFIELD TWP.

FOUND BOAT STRIKE IN CENTER LINE
OF FROST ROAD, 1/4 MILE NORTH
TREE LINE TO NORTH,
WITNESSED BY:
ALT STEPHENS E. SIDE TELEPHONE POLE, W. 21.87
ALT #28414 N. SIDE 127 ECH, 559' W, 4068'
ALT #28414 N. SIDE ECH 505' E, 53.34
SE CORNER OF HOUSE #1745 FOUNDATION N, N 10° W, 103.53

SEPT 20, 1993 CLOUDY FISSO TY-GH

WITNESSES J. J. WHEATFIELD TWP.

FOUND 10" STEEL DOVE WITH HOLE IN
CENTER, "2" SOUTH OF PHYSICAL
CENTER LINE FROST ROAD AND FENCE-
LINE TO THE NORTH FOUND 3 POLARIS
SURVEY WITNESSES IN MAPLE TREES
MEASURED IN CLOSE ACCORDANCE
WITH INDIAN COUNTY ROAD COMMISSION
RECORDS.

WITNESSES:

ALT #28414 E. SIDE 32" MAPLE, N 14° W, 5.70
ALT #28414 E. SIDE 32" MAPLE N 37° W, 55.18
ALT #28414 W. SIDE 28" MAPLE S 44° W, 54.67
ALT #28414 W. SIDE 30" MAPLE, S 32° W, 41.98
E. OF FENCE GARE WEST 100' 30.3'

10-20-93 - MATH
10" STEEL DOVE IS ACCURATE
END OF ROAD SHOWN AS NOTED
IN RECORD DATES (1969)

SEP 20, 1893

११५

WITNESSES IN CH-9, WHEATFIELD TRAP

WITNESSES: H.T. 9

FOUND 1/2" PIPE IN HOUSE HEAT BOX

IN CENTERLINE OF "EROST" AND

ZIMMERMAN, BROADS, FOUNDATION "POLAKIS"

SURVEYING WITNESSES POWER. PACE

SW	MEASURED DISTANCE
74.205	

CHECKS WITH MAGNAM COUNTRY ROAD

COMMISSIONER OF RECAPS

WITNESSES

MTT # 20414 - 4 SIDE POWER, 552°W, 74.29

TOP CENTER 12° 14' N, 179° 57' 00" W, 179.741° E

TOUR CENTER 10121 GENERAL TELEPHONE CABLE

Box, 44.35° E, 43.94°

TOP CENTER 118" CHP, S 71° E, 209.30'

10-29-73

Removed 1/2" pet and embedded in

Mail. Box to 3 1/2' DEPTH - NO OTHER

OPENING INFORMATION	END	SET	3/4" X 24"
---------------------	-----	-----	------------

STEEL BOD W/ CAP # 2844

SEPT 20, 1993

sty-6)

WITNESSES: 1 G-9, WHEATFIELD TRIP.

WITNESSES: 11-6-9

FOUND 1/2" PIPE. 14" CENTERLINE. EPOST

ROAD AND 1 1/2 WEST OF FENCE (MEL)

TO SOUTH 4" BELOW ROAD SURFACE

FOUND 2 POLARIS SURVEYING

WITNESSES, 1/3" MAP E 335° E, 34.00

AUD 4" STEEL ALUIGR POST, SOUTH, 3005

DISTANCES MEASURED (CHECK) WITH

DISTANCES IN INGHAM COUNTY ROAD

COMMISSION & RECORDS

UNITED STATES

Ma-T #28414 3.5 IDE 36" BITERUNT, 4476°W 122.51

WAT 28414 RESIDE NAME : SADE. 36.68'

WAT #28414 NE SIDE OAL: 54' E. 43.79

2. 4" DIA. STEEL ANCHOR POST :: 54# :: 30.05

① SEPT 20, 1993 T-6H

WITNESSES: (SEE ID) WHEATFIELD TWP.

H-10

FOUND "T" BAR 11' WEST OF PHYSICAL
CENTERLINE OF EITHER ROAD
AND TREE LINES TO THE EAST
AND WEST, FOUND NO EVIDENCE
OF RON LESTER, #18990 WITNESSES
IN LEBER 3, PAGE 71, OR ANY
EVIDENCE OF WITNESSES FROM
INGHAM COUNTY ROAD COMMISSION
RECORDS

WITNESSES:

ALT #28414 E SIDE 15' SW, 54° W, 32.90'

ALT #28414 W SIDE 24' WALNUT, N 9° E, 154.02'

ALT #28414 E SIDE 10' SYCAMORE N 23° W, 85.89'

SW CORNER METAL POLE BARN, N 35° E, 194.05'

NO. 29-93 N 11° W

REVIEWED "T" BAR - DUG CORNER

3' AND FOUND NO OTHER INDICATORS

AND SET 3/4" X 24" STEEL ROD W/

CAP # 28414 PA340

SEPT 21, 1993 RAINY-55° T-6H

WITNESSES: L-11, WHEATFIELD TWP.

②

FOUND BOLT SPIKE IN CENTERLINE
INTERSECTION OF INGHAMSTON AND
DEANIS ROADS, 4' BELOW ASPHALT
SURFACE, FOUND R. LESTER, #18990
WITNESS IN W SIDE 30' MAPLE, 55E, 77.72'
AND "PE" MARK IN SE SIDE POWER
POLE, SW 43.20' MEASURED TO
BOTH WITNESSES AND DISTANCES
CHECK WITH INGHAM COUNTY ROAD
COMMISSION RECORDS

WITNESSES

ALT #28414 W SIDE 32' MAPLE, 510° E, 77.53'

ALT #28414 W SIDE 24' MAPLE, 520° E, 106.02'

SW CORNER SCHOOL HOUSE FOUNDATION, 550° E,
128.55'

ALT #28414 S SIDE TELEPHONE POLE, N 47° E, 46.19'

TOP CENTER GENERAL TELEPHONE CABLE BOX
N 44° W, 43.60'

(2)

SEPT 21, 1993 WY-64

G-11 WHEATFIELD TWP. WITNESSES

FOUND 1 1/2" PIPE ON CENTERLINE

PROJECTION OF WALDO ROAD TO THE

WEST AND FENCE TO THE NORTH

AND ACROSS THE CENTERLINE OF

CLARK ROAD TO THE SOUTH MEASURED

SOUTH 20.5' TO THE CENTERLINE OF

WALDO ROAD

FOUND 3 1/2" BEARS SURVEYED WITNESSES:

18" CEDAR W 90° E 55.13' 10" MAPLE 540° E

101.24' AND 24' OAK 320° E 79.03'

MEASURED DISTANCES ARE CLOSE

TO DISTANCES IN INDIAN COUNTY

ROAD FOUND IN RECORDS

WITNESSES

ALT #28414 W SIDE 28' OAK 523° E 75.95'

ALT #28414 W SIDE WOOD ALUMINUM POST 530° E 69.71'

ALT #28414 E SIDE 28' MAPLE 545° E 102.45'

ALT #28414 E SIDE (3) 20' OAK 524° W 94.02'

SW CORNER HOUSE FOUNDATION 455° E 101.40'

10-24-93 MWM

REMOVED LOCATED - DOG AROUND AND BURNING

M.B.T. OPERATING IN OPEN AND AREA

OF ROAD BURNING - STONE WAS NOT AND

SEPT 21, 1993

WY-64 WHEATFIELD TWP

(2)

FOUND 4" DIA. CONCRETE MONUMENT

WITH 1/2" REBAR AND CAP.

NUMBER 15 DESTROYED. RON LESTER

PS # 1899B SET CONCRETE MONUMENT

ON JULY 25, 1978 WITH THE

FOLLOWING WITNESSES:

ALT #1899B SW SIDE 8" HULBERRY SW 38.98'

ALT #1899B E SIDE 14" MAPLE WEST 2714'

ALT #1899B S SIDE SQUARE FENCE POST

EAST, 3764'

ALT #1899B NW SIDE 6" BEECH NE 39.80'

ELM TREE NO. 4066B STANDING SQUARE

FENCE POST HAS BEEN REMOVED, MEASURED

DISTANCES TO MAPLE AND HULBERRY AND

THEY CHECK WITH R. LESTER DISTANCES.

WITNESSES

ALT #28414 S SIDE (2) 18" MAPLE N 83° W 27.25'

ALT #28414 W SIDE 24" HULBERRY 541° W 89.65'

ALT #28414 E SIDE 10" MAPLE 558° W 111.88'

ALT #28414 W SIDE 10" MAPLE 537° E 55.49'

OCT 2, 1993, 55°F, CLOUDY, TY. MF
 K-10, WHEATFIELD TWP, WITNESSES

FOUND 4" DIAMETER CONCRETE
 MONUMENT WITH 1/2" IRON ROD
 WITH CAP, CAP NUMBER IS NOT
 READABLE. FOUND 4" OF EOL
 LESTER, PS #18998, WITNESSES AS
 RECORDED IN LIBER 5, PAGE 79,
 DISTANCES MEASURED ARE
 CLOSE TO LESTER DISTANCES

WITNESSES:

N4T #28414 E. SIDE 32" MAPLE, S20°E, 161.81'
 N4T #28414 W. SIDE 24" MAPLE, S10°E, 200.66'
 N4T #28414 W. SIDE 32" MAPLE, S15°E, 219.40'
 N4T #28414 S. SIDE UTILITY POLE, S89°E, 251.26'
 N4T #28414 S. SIDE WOOD CORNER POST, WEST, 45.04'
 TOP CENTER GTE TELEPHONE CABLE BOX, N4°E, 320.44'

J-10, WITNESSES, WHEATFIELD TWP

SET 3/4" IRON ROD W/ CAP #28414
 ON NORTH SIDE 4" DIAMETER STEEL
 FENCE CORNER POST.

WITNESSES:

N4T #28414 N. SIDE 20" MAPLE, S70°W, 71.43'
 N4T #28414 W. SIDE 12" ASH, S60°W, 26.27'
 N4T #28414 S. SIDE 12" HICKORY, WEST, 17.00'
 CENTER 4" DIAMETER METAL POST, EAST, 13.80'

FENCES TO EAST & WEST -
 Proj of Subdiv to S. 1/4 of
 Sec 1.

TRAVELERS MEASUREMENTS

SEPT 30, 1993

50° F. 9TY/HF

⑤

4

1/2" 1800: BOD: W/

COAL. MOD. 1.1

MF 4-17-42-541

SEE PAGE ③

FOR KITALFSES

WF4-17-4127

SET $\frac{1}{2}$ " IRON ROD

1/2 NORTH OF N. EDE

GRAVEL, 49 1/2 W. "DI

M. EDG E GRAVER

DRIVE HOUSE

1/2" Iron Rod

BEAY RD

DEANIS ROAD

WF1-17-40-111

SEE PAGE ① - ② FOR

WITNESS ES

WF4-17-41

B.S. Q WFA-117-40-111

WF 4-17-42-544

10

0.00'00"

181° 40' 47"

179341 R

174041

[illegible][illegible][illegible]

2014

100

一、

[illegible]

...

[illegible][illegible]

[illegible]

7	1	3	2
---	---	---	---

12/30

[illegible]

1263.305

1378-31

①9 SEPT 20, 1993

50° 00' T - 114° 11' E

BOATSPILL

WFL-19-44-11

SEE PAGE ② FOR WITNESSES

WFL-19-45
SET 1/2" IRON ROD 3' E OF
EAST EDGE BIT

WFL-19-44-11
SEE PAGE ② FOR WITNESSES

WFL-19-40 - E-10

WILLIAMSTOWN ROAD

SEE PAGE ③ FOR WITNESSES

SET 1/2" IRON ROD

WFL-19-43-2

4' SOUTHW. OF

S. EDGE GRAVEL

SEE PAGE ④ FOR WITNESSES

1/2" IRON ROD w/ CORR. MON.

WFL-17-42-J11

SEE PAGE ④ FOR WITNESSES

SET 1/2" IRON ROD

WFL-17-41

DENNIS ROAD

SEPT 30, 1993

50° 00' T - 114° 11' E

②0

T @ WFL-17-42-J41

B.S. @ WFL-17-41

F.S. @ WFL-19-43

BSD 0° 00' 00"

D 179° 56' 26"

BSE 179° 59' 48"

P 359° 56' 17"

BSD 359° 59' 56"

D 179° 56' 28"

BSE 179° 59' 50"

P 359° 56' 16"

179° 56' 26"
172° 56' 28"

T @ WFL-17-42-J11

F.S. @ WFL-19-43

MB

1340.28

1340.28

REVERSE

1340.28

1340.28

1340.28

2 SEPT 30, 1993 50° T-Y-M-F

N @ WFL - 19-43			
B.S. @ WFL - 17-42 - 5116			
F.S. @ WFL - 19-44 - 4440			
BSD 0°00'00"			
D 178°18'53"	178-18-53		
BSE 179°59'42"			
R 350°18'42"	178-18-50		
BSD 0°00'03"			
D 170°18'52"	178-18-49		
BSE 179°59'53"			
R 350°18'46"	178-18-53		
	178-18-51		
N @ WFL - 19-43			
F.S. @ WFL - 19-44 - 4440			
HP			
1312.16			
1312.16			
REVERSE			
1312.13			
1312.13			
1312.13	1312-145		

SEPT 30, 1993 50° T-Y-M-F

N @ WFL - 19-44 - 4440			
B.S. @ WFL - 19-43			
F.S. @ WFL - 19-45			
BSD 0°00'00"			
D 89°49'47"	89-49-47		
BSE 179°59'52"			
R 267°49'39"	89-49-47		
BSD 359°59'59"			
D 89°49'42"	89-49-43		
BSE 179°59'49"			
R 267°49'32"	89-49-42		
	89-49-45		
N @ WFL - 19-44 - 4440			
F.S. @ WFL - 19-45			
HP			
1376.65			
1376.66			
REVERSE			
1376.72			
1376.73			
1376.73	1376-69		

23

SEP 13 1993

50° F. - 115° F.

OCT 1, 1993
55°F, 2600 PDY T

73-100-10000

24

(23)	SEPT 30, 1993	SOPHOMORE TY-HILL
N @ WFL-19-45		
B.S. @ WFL-19-44-K10		
F.S. @ WFL-19-46-K10		
BSD 0°00'00"		
D 178°47'56"	178-47-56	
BSR 179°59'49"		
E 358°47'49"	178-48-00	
BSD 0°00'00"		
D 178°47'57"	178-47-57	
BSR 179°59'49"		
E 358°47'47"	178-48-00	
	178-47-58.5	
N @ WFL-19-45		
F.S. @ WFL-19-46-K10		
ND		
1279 K		
1279 K		
REVERSE		
1279 14		
1279 14		
	1279 15	

N @ WFL-19-46-FL10	
B.S. @ WFL-19-45	
F.S. @ WFL-25-47	
BSD 0°00'00"	
D 180°09'09"	180-09-09
BSE 179°59'50"	
E 0°09'06"	180-09-16
BSD 0°00'02"	
D 180°09'14"	180-09-14
BSE 179°59'54"	
E 0°09'07"	<u>180-09-18</u> 180-09-18.5
N @ WFL-19-46-K10	
F.S. @ WFL-25-47	
HD	
1559.72	
1559.72	
REVERSE	
1559.68	
1559.68	
1559.70	

(25)

55°F

OCT. 1, 1943

CLOUDY

TY-MF

WFL-25-41, SET 1 FROM
ROAD, 29' N. OF HEDGE CRAWL

FLAT A - ROAD

WFL-25-50-19

SEE PAGE (7) FOR
WITNESSES

WFL-25-48-19
SEE PAGES (5) & (6)
FOR WITNESSES

WFL-25-47
SET 1/2" FROM
ROAD 3' W. OF
WEST EDGE OF
ASPHALT AND
E. SOUTH OF E. 1
SOUTH FOUNDATION
WALL WITH
HOUSE ON S. SIDE
ROAD

WFL-25-99-110

WFL-19-46-110

SEE PAGE (15) FOR
WITNESSES

WFL-19-45

WILLIAMSTON

ROAD

OCT. 1, 1943
55°F, CLOUDY, TY-MF

(26)

N @ WFL-25-47
B.S. @ WFL-19-46-K-10
F.S. @ WFL-25-48-19

BSD 0°00'00"

D 181°03'01"

BSR 100°00'02"

A 1°02'57"

BSD 0°00'00"

D 181°03'06"

BSR 180°00'02"

A 1°02'57"

N @ WFL-25-47

F.S. @ WFL-25-48-19

HD

1076.80

1076.80

REVERSE

1076.80

1076.80

181.03.01

181.02.55

181.02.58

181.02.56

181.02.57.5

1076.80

(27)

OCT 11 1993		TY-MF
SSOF-CL00DY		
X @ WFL-25-48-K9		
B.S. @ WFL-25-47-11		
F.S. @ WFL-25-49-35		
BSD 0°00'00"		
D 91°05'49"	91.05.49	
BSR 179°51'53"		
R 271°05'40"	91.05.41	
BSD 0°00'04"		
D 91°05'52"	91.05.48	
BSR 179°54'56"		
R 271°05'44"	91.05.48	
	91.05.48	
X @ WFL-25-48-K9		
F.S. @ WFL-25-49		
HD 11		
1474.76		
1474.76		
REVERSE		
1474.80		
1474.80	1474.78	

OCT 11 1993 TY-MF

SSOF-CL00DY

(28)

X @ WFL-25-49	
B.S. @ WFL-25-48-K9	
F.S. @ WFL-25-49-110	
BSD 0°00'00"	
D 112°34'42"	112.34.42
BSR 179°59'54"	
R 292°34'41"	112.34.47
BSD 0°00'01"	
D 112°34'50"	112.34.49
BSR 179°59'54"	
R 292°34'44"	112.34.50
	112.34.47
X @ WFL-25-49	
F.S. @ WFL-25-49-110	
2852.52	
2852.54	
2852.53	
2852.54	2852.54

Oct 1, 1993 55°F CLOUDY TY-HF

N @	WF1-25-49		
B.S. @	WF1-25-49-K9		
F.S. @	WF1-25-50-39		
BSD	0°00'00"		
D	178°57'23"	178-57-23	
BSE	179°59'52"		
E	358°57'14"	178-57-22	
BSD	0°00'00"		
D	178°57'23"	178-57-23	
BSE	179°59'52"		
E	358°57'13"	178-57-22	
N @	WF1-25-49		
F.S. @	WF1-25-50-39		
HD			
	1179.74		
	1179.74		
REVERSE			
	1179.72		
	1179.72		
		1179.73	

Oct 1, 1993 55°F CLOUDY TY-HF (30)

N @	WF1-25-50-39		
B.S. @	WF1-25-49		
F.S. @	WF1-31-51		
BSD	0°00'00"		
D	180°06'33"	180-06-33	
BSE	179°59'49"		
E	0°06'29"	180-06-20	
BSD	0°00'03"		
D	180°06'34"	180-06-23	
BSE	179°59'50"		
E	0°06'29"	180-06-32	
N @	WF1-25-50-39		
F.S. @	WF1-31-51		
HD			
	1346.75		
	1346.75		
REVERSE			
	1346.73		
	1346.73		
		1346.74	

OCT 1, 1993 11:55 AM C400RY
TY-MF

WFL # 25-50-	J9
SEE PAGE (7)	FOR
WITNESSES	

WF1 - 31 - 51	SET 1/2" 12041 ROD	13' S OF SOUTH EDGE	GRAVEL, 15' W OF	WEST GRAVEL DRIVE	TO HOUSE #1620		
WF1 - 31 - 52 - I9							
SEE PAGE ② FOR							
WITHNESSES							

RSD	0° 00' 00"	
P	181° 03' 14"	181.03.14
BSE	179° 59' 47"	
R	180° 03' 11"	181.03.24

BSP	0°00'01"	
D	181°03'15"	181-03-14
BSR	179°59'45"	
R	1°03'09"	181-03-24
		181-03-20

NQ WFL-31-51
F.S. Q WFL-31-52-1A
HID
1271.33
1271.33
REVERSE
1271.33
1271.33

1271.33

(33)

OCT 11, 1993, 55°F CLOUDY, TY-MF

WFL-33-53
 SET 1/2" IRON ROD
 N. OF N. EDGE
 GRAVEL
 ZIMMER
 WFL-33-54-19
 SEE PAGE 32 FOR
 WITNESSES

WFL-31-52-19
 SEE PAGE 32 FOR
 WITNESSES

WFL-31-51

OCT 11, 1993, 55°F CLOUDY, TY-MF

(34)


X @	WFL-31-52-19	1
B.S. @	WFL-31-51	1
F.S. @	WFL-33-53	1
BSD	0°00'00"	
D	180°35'26"	180-35-26
BSE	179°59'53"	
E	0°35'18"	180-35-25
BSD	0°00'00"	
D	180°35'27"	180-35-27
BSE	179°59'49"	
E	0°35'16"	180-35-26
X @	WFL-31-52-19	
F.S. @	WFL-33-53	
HD		
	1207.24	
	1207.24	
REVERSE		
	1207.23	
	1207.23	1207.235

(5)

OCT 4, 1991 TY-MF
CLOUDY

T @ WFL-33-53			
B.S. @ WFL-31-32-19			
F.S. @ WFL-33-54-H9			
BSD 0°00'00"			
P 178° 55'58"		178.55.58	
BSR 179° 59'58"			
E 358° 55'50"		178.55.52	
BSD 0°00'07"			
D 178° 56'02"		178.55.57	
BSR 179° 59'59"			
E 358° 55'52"		178.55.51	
		178.55.55	
T @ WFL-33-53			
F.S. @ WFL-33-54-H9			
HD			
1449.59			
1449.59			
REVERSE			
1449.61			
1449.61			
		1449.60	

OCT 4, 1991 TY-MF
CLOUDY - 55°



WFL-33-54-H9
SEE PAGE ④ FOR
WITNESSES

(5)

WFL-35-57-H11
SEE PAGE ④ FOR
WITNESSES

60

OCT. 4, 1993 CLOUDY - 55°F - TV-MF

N @ WFL - 33-54-119			
B.S. @ WFL - 33-53			
F.S. @ WFL - 35-48-69			
BSD 0°00'00"			
D 179°54'19"	179	54-19	
BSE 179°59'53"			
E 359°54'12"	179	54-19	
BSD 0°00'01"	1		
D 179°54'16"	179	54-15	
BSE 179°59'50"			
E 359°54'08"	179	54-18	
	179	54-18	
N @ WFL - 33-54-119			
F.S. @ WFL - 35-48-69			
HD			
2650.52			
2650.52			
2650.52			
2650.53			
2650.53			
2650.52			

OCT 4, 1993

CLOUDY 55°F - TV-MF 61

N @ WFL - 33-54-119			
B.S. @ WFL - 33-53			
F.S. @ WFL - 35-55-110			
BSD 0°00'00"			
D 88°28'55"	88	28-55	
BSE 179°59'52"			
E 248°28'45"	88	28-53	
BSD 0°00'01"			
D 88°28'55"	88	28-54	
BSE 179°59'50"			
E 248°28'45"	88	28-54	
	88	28-54	
N @ WFL - 33-54-119			
F.S. @ WFL - 35-55			
HD			
2640.82			
2640.82			
2640.32			
2640.32			
2640.31			
2640.82			

(38)

OCT 4, 1993
CLOUDY - 55°F

TY-MF

N @ WFL - 35-55-H:10			
B.S. @ WFL - 33-54-H:19			
F.S. @ WFL - 35-56-H:10			
BSP 0°00'00"			
D 179°17'48"		179-17.48	
BSR 179°59'51"			
R 359°17'43"		179-17.52	
BSD 359°59'59"			
D 179°17'48"		179-17.49	
BSR 179°59'52"			
R 359°17'42"		179-17.50	
		179-17.50	
N @ WFL - 35-55-H:10			
F.S. @ WFL - 35-56-H:10			
HD			
1164.36			
1164.36			
REVERSE			
1164.39			
1164.39		1164.875	

OCT 4, 1993
CLOUDY - 55°F

TY-MF

(39)

N @ WFL - 35-55-H:10			
B.S. @ WFL - 33-54-H:19			
F.S. @ WFL - 35-57-H:10			
BSD 0°00'00"			
D 261°40'37"		261-40.37	
BSR 179°59'48"			
R 61°40'28"		261-40.00	
BSD 0°00'01"			
D 261°40'38"		261-40.37	
BSR 179°59'48"			
R 61°40'28"		261-40.00	
		261-40.385	
N @ WFL - 35-55-H:10			
F.S. @ WFL - 35-57-H:10			
HD			
1321.59			
1321.59			
REVERSE			
1321.59			
1321.59		1321.59	


(10)

OCT 4, 1993
CLOUDY - 55°F
JNTY-MF

X @	WFL - 35-56		
B.S. @	WFL - 35-55-110		
F.S. @	WFL - 35-57-111		
BSD	0°00'00"		
D	181°21'21"	181-21-21	
BSR	179°59'52"		
R	1°21'12"	181-21-20	
BSD	0°00'04"		
D	181°21'21"	181-21-17	
BSR	179°59'52"		
R	1°21'14"	181-21-22	
		181-21-24	
X @	WFL - 35-56		
F.S. @	WFL - 35-57-111		
HD			
1470.75			
1470.75			
REVERSE			
1470.79			
1470.80		1470.785	

OCT 4, 1993
CLOUDY - 55°F
JNTY-MB

(11)



(42)

OCT. 4, 1943
55°F - CLOUDY

5:11 PM

TY-HF

π @ WFL - 35-57-H11			
B.S. @ WFL - 35-56			
F.S. @ WFL - 41-58			
BSD 0°00'00"			
D 178°17'50"		178-17.50	
BSE 179°59'53"			
E 358°17'49"		178-17.50	-1
BSD 0°00'03"			
D 178°17'54"		178-17.51	
BSE 179°59'52"			
E 358°17'48"		178-17.50	
		178-17.53	
π @ WFL - 35-57-H11			
F.S. @ WFL - 41-58			
HD			
1090.85			
1090.85			
REVERSE			
1090.87			
1090.86		1090.86	

OCT. 4, 1943
55°F - CLOUDY

5:11 PM

TY-HF

(43)

π @ WFL - 41-58			
B.S. @ WFL - 35-57-H11			
F.S. @ WFL - 41-58			
BSD 0°00'00"			
D 93°56'33"		93-56.33	
BSE 179°59'52"			
E 273°56'28"		93-56.36	
BSD 359°59'50"			
D 93°56'28"		93-56.30	
BSE 179°59'53"			
E 273°56'21"		93-56.28	
		93-56.32	
π @ WFL - 41-58			
F.S. @ WFL - 41-58			
HD			
1460.84			
1460.84			
REVERSE			
1460.85			
1460.85		1460.845	

(14)

OCT 4, 1993
55°F - CLOUDY
TY-HF

T @ WFL - 41-58	11		
B.S. @ WFL - 35-57 - HLL			
F.S. @ WFL - 41-60			
BSD 0°00'00"			
P 279° 13'07"	279-13-07		
BSE 179° 59'54"			
R 99° 13'07"	279-13-13		
BSD 0°00'02"			
P 279° 13'08"	279-13-06		
BSE 179° 59'55"			
R 99° 13'06"	279-13-11		
	279-13-09		
T @ WFL - 41-58			
F.S. @ WFL - 41-60			
HD			
1499.89			
1499.89			
REVERSE			
1499.88			
1499.88	1499.885		

OCT 5, 1993
55°F - CLOUDY
TY-HF

T @ WFL - 41-58	11		
B.S. @ WFL - 4-58			
F.S. @ WFL - 17-40 - ILL			
BSD 0°00'00"			
P 133° 53'02"	133-53-02		
BSE 179° 59'46"			
R 313° 52'51"	133-53-05		
BSD 0°00'02"			
P 133° 53'04"	133-53-02		
BSE 179° 59'43"			
R 313° 52'52"	133-53-09		
	133-53-05		
T @ WFL - 41-58			
F.S. @ WFL - 17-40 - ILL			
HD			
1595.70			
1595.71			
REVERSE			
1595.71			
1595.72	1595.71		

(42)

OCT 5, 1993
SUNNY 60°F

TY-MF

X @ WFL-17-40-141

B.S. @ WFL-41-59

F.S. @ WFL-17-41

BSD 0°00'00"

D 224°14'01" 224-14-01

BSR 179°59'55"

R 44°13'51" 224-13-56

BSD 0°00'04"

D 224°14'07" 224-14-03

BSR 179°59'59"

R 44°13'55" 224-13-56

224-13-59

OCT 5, 1993
SUNNY - 60°F

TY-MF

(43)

X @ WFL-41-60

B.S. @ WFL-41-58

F.S. @ WFL-41-61

BSD 0°00'00"

D 212°28'39" 212-28-39

BSR 179°59'56"

R 32°28'30" 212-28-34

BSD 0°00'04"

D 212°28'43" 212-28-37

BSR 179°59'58"

R 32°28'31" 212-28-36

X @ WFL-41-60

F.S. @ WFL-41-61

IID

1058.15

1058.15

REVERSE


1058.10

1058.10

1058.145

(49)

OCT 5, 1993
SUNNY - 60°F TY-ME



OCT 5, 1993
SUNNY - 60°F TY-ME

(49)

X @ WFL - 48-61	
B.S. @ WFL - 41-60	
F.S. @ WFL - 48-62 - G11	
BSD 0°00'00"	
D 172°12'29"	172-12-29
BSE 179°59'51"	
E 352°12'17"	172-12-26
BSD 351°59'59"	
D 172°12'25"	172-12-26
BSE 179°59'51"	
E 352°12'13"	172-12-26
X @ WFL - 48-61	
F.S. @ WFL - 48-62 - G11	
HP	
447.07	
447.07	
447.07	
447.07	
447.07	447.07

69

OCT 5, 1993

504447-660-5

3901 TY:HP:000

N	@	WF4-48-61			
B.S.	@	WF4-41-60			
F.S.	@	WF4-48-63			
BSD		0°00'00"			
D		193°09'21"		193-09-21	
BSR		179°59'55"			
R		13°09'10"		193-09-15	
BSD		359°59'59"			
D		193°09'21"		193-09-22	
BSR		179°59'54"			
R		13°09'09"		193-09-15	
				193-09-18	
N	@	WF4-48-61			
F.S.	@	WF4-48-63			
HD					
		411.09			
		411.09			
REVERSE					
		411.08			
		411.08		411.085	

OCT 5, 1993

SUNNY - 60° F

STYAMEN

$\Delta @ WFL - 48-63$	
B.S. @ WFL - 48-61	
F.S. @ WFL - 48-64	
BSD 0°00'00"	
D 216°52'42"	216°52'42"
BSK 179°59'57"	
E 36°52'34"	216°52'37"
BSD 0°00'06"	
D 216°52'43"	216°52'37"
BSK 179°59'58"	
E 36°52'35"	<u>216°52'37</u> 216°52'38
$\Delta @ WFL - 48-63$	
F.S. @ WFL - 48-64	
HD	
968.60'	
968.60'	
REVERSE	
968.58'	
968.58	968.59

52

OCT 5, 1993
SUNNY - 60°F - 11:45 AM

N @ WFL - 48-64			
B.S. @ WFL - 48-64			
F.S. @ WFL - 54-65			
BSD 0°00'00"			
D 200°06'54"		200-06-54	
BSR 179°59'50"			
R 20°06'46"		200-06-56	
BSD 359°59'59"			
D 200°06'55"		200-06-56	
BSR 179°59'48"			
R 20°06'47"		200-06-59	
N @ WFL - 48-64			
F.S. @ WFL - 48-65			
HD			
819.83			
819.83			
REVERSE			
817.83			
819.83		819.83	

OCT 5, 1993
SUNNY - 60°F - 11:45 AM

53

N @ WFL - 54-65			
B.S. @ WFL - 48-64			
F.S. @ WFL - 54-66-610			
BSD 0°00'00"			
D 134°02'19"		134-02-19	
BSR 179°59'54"			
R 314°02'07"		134-02-13	
BSD 0°00'05"			
D 134°02'27"		134-02-12	
BSR 179°59'54"			
R 314°02'17"		134-02-23	
N @ WFL - 54-65			
F.S. @ WFL - 54-66-610			
HD			
734.99			
734.98			
734.98			
734.98		734.98	

23

OCT 5, 1943
SUNNY-60°F, TY-MY

WFL-35-55-H10
SEE PAGE ① FOR
WITNESSES

WFL-54-66-610
SEE PAGE
WITNESSES FOR

WFL-35-97
SET 1/2" FROM
ROD

WFL-54-67
SET 1/2" FROM
ROD

WFL-48-64
SET 1/2" FROM
ROD

WFL-48-63
SET 1/2" FROM
ROD

ROAD

N

OCT 5, 1943
SUNNY-60°F, TY-MY

25

N @ WFL-54-65

BS @ WFL-48-64

FS @ WFL-54-67

BSD 0°00'00"

D 250°18'37"

BSA 179°59'31"

A 70°18'25"

BSD 0°00'02"

D 250°18'36"

BSR 179°59'50"

A 70°18'27"

N @ WFL-54-65

FS @ WFL-54-67

NIP

453.06

REVERSE

453.07

453.07

250-18-37

250-18-34

250-18-34

250-18-37

250-18-35.5

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

250-18-34

183

OCT 5, 1975
SUNNY - 60°F CITY-HF

N @ WFL - 54 - 67			
B.S. @ WFL - 54 - 65			
F.S. @ WFL - 35 - 97			
BSD 0°00'00"			
D. 142° 53'56"		142.53.56	
BSR 179° 59'53"			
L 322° 53'53"		142.54.00	
BSD 0°00'05"			
D. 142° 54'04"		142.53.59	
BSR 179° 59'56"			
L 322° 58'55"		142.53.59	
		142.53.59	
N @ WFL - 54.67			
F.S. @ WFL - 35.97			
HD			
701.76			
701.76			
REVERSE			
701.75			
701.75		701.755	

OCT 5, 1975

SUNNY 60°F CITY-HF

187

N @ WFL - 35 - 97			
B.S. @ WFL - 54 - 67			
F.S. @ WFL - 35 - 55 - 110			
BSD 0°00'00"			
D. 207° 40'18"		207.40.18	
BSR 179° 59'59"			
L 27° 40'15"		207.40.16	
BSD 0°00'05"			
D. 207° 40'24"		207.40.19	
BSR 179° 59'55"			
L 27° 40'16"		207.40.21	
		207.40.21	
		207.40.28.5	

(58)

OCT. 5, 1993

31.500000 F. TY. MF

WITNESSES 6-10, WHEATFIELD TWP.

FOUND 1/2" ROD WITH CAP #25832

AT NORTH SIDE WOOD FENCE CORNER

POST AT N, S, E, & W FENCE LINE

INTERSECTION

WITNESSES

NLT #28414 E. SIDE 15" ELM, 310°E, 12.05'

NLT #25832 E. SIDE WOOD FENCE CORNER

POST, SOUTH, 1.101

NLT #28414 N. SIDE 24" HICKORY, WEST, 143.0'

NLT #28414 W. SIDE WOOD FENCE POST, NORTH,

NLT #93 BUNNY N.H.M.T. = 40° 60.60'

WATER SIDE OF 6-10' FENCE 1/2"

LEON ROD AT BASE OF WOOD FENCE

POST. AREA AROUND FENCE POST

IS DEPRESSSED WITH MANY MINNY

SIDINGS PLACED AT BASE OF POST.

SURRENDERING AREA IS FURT

AND HAS BEEN FARMED. OCCUPATION

AT THIS SITE IS OLD AND NO

OTHER EVIDENCE SHOWS ALTERNATE

LOCATION.

OCT 29 1993

Creeper 40° TY. MF

(59)

WITNESSES 1-10, WHEATFIELD TWP

ROUNDER DESTROYED DUE TO BEING

DRIVE OPERATING. SET 6' x 5' x 1'

PIECE W & DRAIN W NORTH -

SOUTH FENCE LINE, DIRE FALLS 28.51'

WEST OF 4' DEER CREEK. ROD

SET IN POSITION AS SET PREVIOUSLY

BY RODDER LASTED.

WITNESSES

1) 1/2" ROD W/ CAP #28414 S. SIDE 28.00'

TO DE EAST BANK OF DEER CREEK

W/ CAP #93 33.48'

2) 3/4" ROD W/ CAP #28414 S. SIDE 28.00'

TO DE WEST BANK OF DEER CREEK

W/ CAP #93 28.00'

3) SET MARK 5.78 4.23 W. SIDE 10" ELM

N. SIDE 43.24'

4) SET MARK 5.78 4.23 W. SIDE 6" OAK

S. SIDE 14.48'

5) SET MARK 5.78 4.23 E. SIDE 6" CREEPER

S. SIDE 18.45'

6) SET MARK 5.78 4.23 W. SIDE

W. SIDE 58.50' 21.50'

MF 1 Field Book