

T3 N R 1 B

West on the S. boundary Dec 31 74. 116.18

7.34 Beach 12 in. diam. on 724 in

7.97 East. Meridian 18.770 in. 117 cor

of 37.384 N R 1 W set post

at intersection cor of 37.384 N.

R 1 B from which a

Beach 14 in. 283 1/2 B 16 1/2 W

4th 17 in. N 45 B 44 in

Technology 17.1824 - Joseph Wampler

Dep. Surveyor

T3 N. R 1 B 19

Subdivision

Begin Surveying Feb. 20, finished Mar.

3.1826

North Boundary Dec. 31 36 T3 N R 1 B

7.68 4th 10 in. diam.

36.87 Beach 20 in. "

40.00 Set 1/4 Sec post from a.

Beach 22 in N 57 B 20 W.

Do. 11 in. 283 1/2 W 18 in

44.64 4th 17 in. diam.

54.63 Beach 18 in. "

73.37 Clin. 24 in. "

80.00 Set post cor. Dec. 25. 26. 35 & 36

4th 6 in N 45 B 18 W

Beach 16 in. N 78 W 20 in

Land gently rolling from E. toward Beach, beyond, etc.,
by road see N. 9. same

20 J 3 A B 1 B

East in Random betw. Dec. 25 & 26

35.50 enter bushy clump

38.46 a Run 16 M wide corner W

40.00 at top of 1/4 sec. part

41.00 a Run 25 M wide corner W

51.50 leave bushy clump

56.50 enter " "

64.00 leave " "

80.46 Just E. boundary 2 M S of part

Land timber. 2 M. S. same as last described

West-Cornered Betw. Dec. 25 & 26

40.23 at 1/4 sec. part at over dist. for

Maple 12 in. d 51 B 6 M
oak 10" 115 B 8 1/2"

80.46 To Sec. corner

J 3 A B 1 B 21

North between Dec. 25 & 26

11.25 Beech 14 in. diam.

27.80 Do. 12" "

40.00 at 1/4 sec. part for a

Beech 30 in. d 52 W 26 M

Do. 6" 114 W 10 1/2"

44.42 Do. 30 in diam

72.59 oak 17" "

80.00 a Beech 11" is the corner tree

for Dec. 23, 24, 25 & 26

Land, timber as we, the same as

last described.

30 JS NR 1 B

North between steel 34835

0.45 Beech 8 in. diam.

18.41 Ash 36 " "

33.59 Beech 19 " "

40.00 Set 1/4 dec post for a

Beech 12 in. d 2 1/2 W 13 W

Do. 11. d 6 2 3/8 25"

57.46 Spruce 20 in. d.

78.47 Spruce 21 in. "

80.00 Set post in steel 26.27.34835

Beech 30 in. d 66 W 17 W

Do. 8. d 11 3 3/8 38"

Found nothing, timber Beech
spruce, etc. Spruce & W.G. same

JS NR 1 B 31

East on Hamilton beto steel 26835

40.00 Set temp. 1/4 dec post.

80.10 Set. W.G. line 17 W. 50 post

Found timber W.G. same as

last observed.

West Connected between steel 26835

40.05 Set 1/4 dec post at new diff.

Beech 6 in. W 54 W 14 W

Do. 8. d 5 1/8 15 W

80.10 to see corner.

32 J. B. 1 B

North between shed, 23027

5.53 Sugar 18 in room.

22.21 Beech 21 " "

28.00 enter brushy swamp

39.61 a Run 100 yds across

40.00 Set 1/4 Dec. post for a

Map 10 22.20 in 22.24
Set Corn Pit Well 8 in 11 1/2 24 9 M
Doubt 14 5 22.50 10 86

No other bearing etc

40.78 a Run 120 yds to 1st W

53.85 Elm 14 in. diam.

68.57 leave Swamp

80.00 Set post for Dec. 22. 23. 26 27

from
Stake Sugar 12 530 W 54 + 80 yds 12 8 45
Beech 24 in. 18 9 W 36

O.R. 4 + 0.15 20. 6. N 55 W 24

Found mostly Swamp heavily
thick M.S. brush & Grass.

53 J. B. 1 B 33

East on Mountain below 23026

1.00 enter brushy swamp

11.00 leave " "

15.00 enter Swamp.

20.00 leave 20. 427.00 in the top 8 3 1/2 leave 20.

40.00 Set temp. 1/4 Dec post.

80.14 Post M.S. line 11 M. S. of Post

found at cutting Swamp Nothing 20

note, timber Beech, Sugar,

with Sugar & M.S. Swamp

West-Corner of below 23026

40.07 Set 1/4 Dec. post at new ditch.

Beech 9 in. 54 8 W 11 M

20. 15. N 29 W 9 "

80.14 To Dec Corner

41
J. N. B.

North American No. 33834.

44.03 km San Luis Arriba.

28.28 Aug 21 "

110.00 Dec 17 Dec 17 Dec 17 Dec 17

Beach. 15 in. S 54 W 2 1/4 N 60

Bo 12. Aug 27 Ma

46.71 Am 11th Nov.

47.20 a beam 15' wide course of 16

62,61 Beech 16 in diam

80.00 September 27. 28. 33 34

S. 67.0 N 131 1/2 W (NEOT)
Superior 4 mi. S.
Superior 1 mi. S 53 W 18 N (NEOT)

4 Sept 5 - 1151 W. 61th (near)
Lacoda St. S22E S22. " same

Lowndes selling of water timber

Heck, digan, sth, Lynne

Alg. M. Shore

442 J 3 N R 1 B

East on Brandon Section Dec. 27 & 34

26.38 x Run 20 Mts with corner N

29.70 x 20 15. " " NW

40.00 set bench 1/4 Sec. post

68.27 x Run 15.7. C. N

80.50 set 1st line 20 Mts S of post

Land timber & W.S. same as

last described

West-Correlated section Dec. 27 & 34

40.25 set 1/4 Sec. post at corner

Elev 5.5566 67 1/2

Beach 8 in. of 8 1/4 22 Mts

Cap 9 1/4 in. corner

Bed 1 5566 25 1/2

80. 12. N 27 W 19"

80.50 To Sec. corner

J. 3 N. R. 1 B

North between Sec. 27 & 28

8.63 Beach 14 in. di

20.47 Sugar 24. "

40.00 set 1/4 Sec. post for which

to 1st 5. 557 1/2 N 104 1/2 " same as above now

Beach 8 in. S 34 E. 26 Mts

Sugar 14 in. 1.50 W. 27 1/2 (as)

Sugar 12. 579 1/4 W 19"

52.93 Beach 8.

80.00 set post Cor. Dec. 21. 22. 27 & 28 for

55 3/4 in. + 1/4 Elev 5.560 1/2 N 60 1/2 W. 195' Dec 20 to 1999

Sugar 6 in. S 6 1/2 E 9 Mts. 192 beach

Beach 20 in. N 3 1/2 E 41" (Went)

Beach 43 in. S 38 W 24"

Elev 8' N 60 1/2 W 195' Dec 21 to 1899 beach

Land Timber & Wandering with same

is best described

T. 3 N. 13. 1 E.

East on Warden between Dec. 22 & 27

40.00 det timber 1/4 Sec post

80.16 det. 1/4 Sec line 15th N. 1/4 post

Found timber on same east line

West corrected between Dec. 22 & 27

40.08 det 1/4 Sec Post road for

5th Sec. 10 rods N. 1/4 Sec. 11th Sec. 20 rods 15th Sec. 6 in. 1/4 Sec 1/4 Sec.

Wickky Tim. S 44 1/2 E 25th

80.16 to Sec. corner

T. 3 N. 13. 1 E.

W. Warden. Dec. 21 & 22.

5.00 Enter Warden. Toward Swamp

13.35 Tow. 8 in. down.

37.00 leave Swamp

40.00 det 1/4 Sec post for

Back 5 in. 1/4 Sec 8th.

Do. 9. 1/4 Sec 21th.

55.79 Do. 19

80.00 det post to. Dec. 15, 16, 21 & 22 for

Back 18 in. 1/4 Sec 16th.

Do. 8. S 84 1/2 W 1/4 Sec.

Found, Timber, is Warden. Th. same as

lost described

Feb. 22. 1826.