




SEC 31, 187.36A.
ORIG GOVT SURVEY



G.L.2

G.L.3

7-G

200

400

SEC. 3D, 164.88A.
ORIG. GOVT. SURVEY

FROST

RD.

RD.

1314.06
1299.16 m.

G.L.1

517.3

009 2.34

000 1.12

011 2.27

179.74

186.49

187

577.3

172.67

1549.87

176.71

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

172.67

38

4-7-05

T. SINHAWE

M. KETEHUM

cloudy 50°

E-13

FOUND MONUMENT AND UNREADABLE CAP

4.5' EAST OF E AND 2.2' NORTH OF E. PUT

2 1/4" ALUMINUM REMON CAP #28414 ON.

NO EXCAVATION DONE DUE TO PREVIOUS

WORK AT CORNER. FOUND RR SPIKE

S45W 3.10 FOUND 1/2" IRON AND 2 1/4"

REMON CAP #47942 IN MONUMENT BOX

EAST 1.84'

E-13 IS NOT IN MONUMENT BOX

WITNESSES:

FOUND NAIL AND TAG #25832 WEST SIDE

8" MAPLE SEE 40.62

FOUND NAIL AND CAP #18994 EAST SIDE

PP S46W 109.86

E Phone RISER N63E 63.53

SET NAIL & TAG #28414 NORTH SIDE PP

S76E 271.96

SET NAIL & TAG #28414 EAST SIDE PP

N11W 442.53

SET MONUMENT BOX AROUND

MONUMENT

D-13

FOUND MONUMENT IN E OF ROAD, NO MONUMENT
BOX. PUT 2 1/4" ALUMINUM REMON CAP #28414

ON. FOUND MONUMENT AND 2 1/4" REMON CAP

#47942 IN MONUMENT BOX WEST 8.58

FOUND NAIL AND TAG #28414 EAST SIDE DOUBLE

15" DEAD ELM N9W 31.26

FOUND NAIL AND TAG #47942 EAST SIDE 15'

WALNUT NORTH 51.27

FOUND NAIL AND TAG #18994 SOUTH SIDE 27"

WALNUT N71E 89.92

SET NAIL AND TAG #28414 NE SIDE POWER POLE

S67E 274.38

FOUND NAIL AND TAG #18998 NORTH SIDE

POWER POLE S41W 136.74

FOUND RK NAIL WEST SIDE POWER POLE

S41W 137.08

1852

39

E-11

4-07-05

T.S. + MK

FOUND 5/8" IRON IN MONUMENT BOX

1.3' SOUTH OF E AND 0.8' EAST OF

E. DUG IN BOX TO 1.3' DEEP.

FOUND NO FURTHER EVIDENCE.

SET 3/4"x24" SMOOTH IRON ROD

AND 2 1/4" ALUMINUM REMON CAP

#28414 AT LOCATION OF FOUND

IRON.

WITNESSES:

FOUND NAIL AND CAP #16053 NW SIDE

36" CHINESE ELM S20W 116.73

FOUND NAIL AND CAP #16053 NORTH SIDE

POWER POLE ST4W 69.11

FOUND NAIL AND CAP #16053 SOUTH SIDE

POWER POLE NG1W 75.67

FOUND NAIL AND TAG #3829 WEST SIDE

POWER POLE N76E 83.25

CORNER IS IN FILL AREA OF ROAD

6-21-05

T. S. MURRAY

M. KETCHUM

SUNNY 82°

C-11

FOUND 3/4" X18" REBAR IN E MERIDIAN AND

WALDO ROADS EXCAVATED 20' X 20' HOLE

1.5' DEEP. FOUND NO FURTHER EVIDENCE.

SET 3/4"x24" SMOOTH IRON ROD AND 2 1/4"

ALUMINUM REMON CAP #28414 IN

MON. BOX AT LOCATION OF FOUND IRON

WITNESSES:

FOUND NAIL AND TAG #25832 NORTH SIDE

12" TRIPLE POPLAR S85W 26.74

FOUND NAIL AND TAG #18574 SOUTH SIDE

POWER POLE NS1E 47.51

FOUND NAIL AND TAG #13574 WE SIDE

POWER POLE S89E 99.28

FOUND NAIL AND TAG #25832 SOUTH

SIDE POWER POLE S60W 100.10

SE CORNER OF HOUSE #1007 NS69W

149.63. CORNER IS NEWER ATTACHED

GARAGE.

SPLIT RAIL FENCE TO WEST NORTH 487

BENCHMARK IN MONUMENT BOX

NS3E 21.23, 2 1/4" DISK STAMPED

INGHAM COUNTY CONTROL CORNER
WHE 290

40

10-21-05
TS+ME

A-9

FOUND $\frac{3}{8}$ " X $\frac{1}{8}$ " REBAR IN E FROST AND
 MERIDIAN RDS. EXCAVATED 2.0' X 2.0' X 2.0'
 HOLE. FOUND NO FURTHER EVIDENCE.
 SET $\frac{3}{4}$ " X $\frac{1}{2}$ " SMOOTH IRON ROD AND
 $2\frac{1}{4}$ " ALUMINUM REMON CAP IN
 MON BOX AT LOCATION OF
 FOUND IRON.
 WITNESSES:
 FOUND 2" PIPE IN CONCRETE N77W 40.05
 NE CORNER OF BLOCK BUILDING S80W 83.82
 SE CORNER OF BLOCK BUILDING S58W 96.68
 USCG BENCHMARK IN CONCRETE MONUMENT
 S18W 72.73
 FOUND NAIL AND TAG #28414 NW SIDE
 POWER POLE S44W 89.32
 SET NAIL AND TAG #28414 NE SIDE
 POWER POLE S68E 183.49
 CORNER IS IN FILL AREA OF ROAD

C-12

FOUND $\frac{3}{8}$ " PIPE 8" LONG 1.0' WEST OF E
 MERIDIAN RD. EXCAVATED 3.0' X 3.0'
 HOLE 2.5' DEEP TO ORIGINAL GROUND.
 FOUND $\frac{3}{8}$ " REBAR 1.5' LONG BELOW $\frac{3}{8}$ "
 PIPE. FOUND BOAT SPIKE 1.0' EAST AND
 0.8' SOUTH OF $\frac{3}{8}$ " PIPE. FOUND NO
 FURTHER EVIDENCE. SET $\frac{3}{4}$ " X $\frac{1}{2}$ "
 SMOOTH IRON ROD AND $2\frac{1}{4}$ " ALUMINUM
 REMON CAP #28414 IN MON BOX AT
 LOCATION OF $\frac{3}{8}$ " PIPE.
 FOUND NAIL AND TAG #25832 NORTH SIDE
 15" ASH N82W 34.39
 SET NAIL AND TAG #28414 SW SIDE POWER
 POLE S33E 271.74
 FOUND NAIL AND TAG #25832 NE SIDE
 15" ASH N40W 50.38
 FOUND NAIL AND TAG #25832 NORTH SIDE
 8' PINE EAST 33.28
 SET NAIL AND TAG #28414 NORTH SIDE
 18" CHERRY N88E 52.39
 CHAIN LINK FENCE TO WEST
 TREE LINE TO EAST

CORNER IS IN FILL AREA OF ROAD

41/

7-13-05 T. SUNNABE M. KETCHUM

SUNNY 85°

C-8

FOUND $\frac{1}{2}$ " IRON AND KEBS CAP IN NORTH
 SOUTH FENCE LINE 8.5' NORTH OF FENCE
 TO EAST. EXCAVATED 2.0' X 2.0' X 2.0' HOLE
 AROUND N-S-E FENCE POST. FOUND CLAY
 TILE, AND OLD BOTTLES ($\frac{1}{2}$ GALLON CLAY
 BOTTLE, CALIFORNIA FIG SYRUP CO., AND
 OTHERS) ON NORTH SIDE OF POST. HOLE
 WAS MOSTLY FULL OF ROCKS. NO RECORD
 OF COUNTY SURVEYOR WORK AT THIS
 CORNER. REPLACED FOUND $\frac{1}{2}$ " IRON WITH
 $\frac{3}{4}$ " X $\frac{3}{4}$ " SMOOTH IRON ROD AND 2 1/2" ALUMINUM
 REMON CAP #28414. WITNESSES:
 SET NAIL AND TAG #28414 NW SIDE 18"
 HICKORY 523W 8.82
 SET NAIL AND TAG #28414 EAST SIDE 15"
 OAK 59E 18.85
 SET NAIL AND TAG #28414 NORTH SIDE
 12" HICKORY N82E 28.60
 FOUND NAIL AND TAG #25832 SE SIDE
 24" HICKORY N31E 17.93

A-10

FOUND CONCRETE MONUMENT 0.65' EAST OF
 EAST EDGE OF ASPHALT WITH CAP #18998.
 SET NAIL AND TAG #28414 NW SIDE 8' MAPLE
 537W 129.40
 FOUND NAIL AND TAG #28414 NORTH SIDE
 6LM CLUMP 579E 14.67
 FOUND NAIL AND TAG #28414 EAST SIDE
 POPLAR CLUMP N25W 83.29
 FOUND NAIL AND TAG #25832 WEST SIDE 6"
 MAPLE N11E 96.58
 BEAN FIELD TO EAST NORTH EDGE OF WOODS
 STARTS #1000' EAST.
 PUT 2 1/2" ALUMINUM REMON CAP ON
 MONUMENT. CORNER IS IN FILL
 AREA OF ROAD.

C-10	7-13-05	TS + m/k
FOUND 1/2" IRON AND CAP #18994 IN ROCK PILE WITH OLD FENCE RUNNING SOUTH. AT NORTH EDGE OF WOODS TO EAST. WERE SEPERATING CORN FIELD AND BEAN FIELD TO NORTH.		
EXCAVATED 3.0' X 3.0' X 2.5' DEEP HOLE. FOUND 1 BOTTLE AND THE REST OF HOLE WAS ALL ROCKS.		
SET 3/4" X 2 1/4" SMOOTH IRON ROD AND 2 1/4" ALUMINUM REMON CAP #28414 AT LOCATION OF FOUND IRON.		
WITNESSES		
FOUND NAIL AND TAG # 25832 NE		
SIDE 12" OAK S60E 16.00		
FOUND NAIL AND TAG # 25832 EAST		
SIDE 12" CHERRY SOUTH 1382		
FOUND NAIL AND TAG # 25832 NW		
SIDE 15" OAK S55W 19.31		
FOUND NAIL AND TAG # 25832 EAST		
SIDE 12" ASH N25W 47.77		

JULY 25, 2005 SUNNY 90°
T. SINAWEYE M. KETCHUM

FOUND 1/2" IRON AND UNREADABLE CAP IN MONUMENT BOX & HOWELL ROAD EAST AND MERIDIAN ROAD NORTH. EXCAVATED IN MON BOX 1.5' DEEP. FOUND NO FURTHER EVIDENCE. SET 3/4" X 2 1/4" SMOOTH IRON ROD AND 2 1/4" ALUMINUM REMON CAP #28414 AT LOCATION OF 1/2" IRON	
WITNESSES	
FOUND 3/4" IRON & 2 1/4" REMON CAP #47942 IN MON BOX WEST 21.22	
FOUND NAIL AND TAG # 28414 EAST SIDE 24" MAPLE S20W 107.98	
FOUND NAIL AND TAG #18998, 19440 WEST SIDE UTILITY POLE S45W	
FOUND NAIL AND TAG #47942 WEST SIDE 36" OAK N15E 139.86	
CORNER IS IN FILL AREA OF ROAD	

43

A-8 7-25-05
TS-MK

FOUND CONCRETE MONUMENT
8.5' EAST OF E. MERIDIAN ROAD
SET 2 1/4" ALUMINUM REMON CAP
#28414 ON MONUMENT AND SET
ADJUSTMENT RING AND CAP
ON CONCRETE RING. NOT EXCAVATED
DUE TO PRIOR WORK AT CORNER
WITNESSES
TOP SEAM AT NORTH END OF
10" CMP N60E 1785
TOP DENT AT SOUTH END OF
10" CMP S55E 1780
FOUND NAIL AND TAG #18998 WEST SIDE
15" WALNUT SSE 270.05
SET NAIL AND TAG #28414 WEST
SIDE 18" WALNUT SSE 287.30

A-11

FOUND 1/2" X 18" REBAR IN BORED
N-S FENCE LINE. EXCAVATED 2.0' X
2.0' X 2.0' HOLE. FOUND AND FURTHER
EVIDENCE SET 3/4" X 2 1/4" SMOOTH IRON
ROD AND 2 1/4" ALUMINUM REMON
CAP #28414 AT LOCATION OF FOUND
IRON.

WITNESSES

FOUND 1/2" IRON AND CAP #12034
ON SOUTH SIDE OF FENCE POST
FOR OLD WIRE FENCE NORTH-SOUTH-
EAST, NORTH 47.00
FOUND NAIL AND TAG #25832 WEST
SIDE 8" ASH N24W 56.26
FOUND NAIL AND TAG #25832 SE
SIDE DOUBLE 10" APPLE N42E 68.53
SW FOUNDATION CORNER OF HOUSE
HARPER RD S13E 39487

44

7/25/05
TSMK

A-13

FOUND $\frac{1}{2}$ " X $\frac{1}{8}$ " IRON ROD ON
SOUTH SIDE OF NORTH-SOUTH-
EAST FENCE POST. EXCAVATED
2.0' X 2.0' X 2.0' HOLE, FOUND
ALL ROCKS AND NOTHING ELSE
SET $\frac{3}{4}$ " X 24" SMOOTH IRON
ROD AND 2 $\frac{1}{4}$ " ALUMINUM
REMOVAL CAP #28414 AT LOCATION
OF FOUND IRON.
WITNESSES.

SET NAIL AND TAG #28414
EAST SIDE 6" ASH 11.60 NORTH
SET NAIL AND TAG #28414 SE
SIDE 8" OAK 11.92 N45E
SET NAIL AND TAG #28414
EAST SIDE 18" OAK SOUTH 11.55
FOUND NAIL AND TAG WITH NO
NUMBER SW SIDE 10" ASH
S60E 15.75

D-12

FOUND $\frac{1}{2}$ " X $\frac{1}{8}$ " IRON ROD AT INTER-
SECTION OF OLD N-S-E-W WIRE
FENCE. EXCAVATED 2.0' X 2.0' HOLE
1.5' DEEP. FOUND ALL ROCKS AND
NOTHING ELSE. SET $\frac{3}{4}$ " X 24" SMOOTH
IRON ROD AND 2 $\frac{1}{4}$ " ALUMINUM
REMOVAL CAP #28414 AT LOCATION
OF FOUND IRON.

WITNESSES

SET NAIL AND TAG #28414 WEST
SIDE 12" MAPLE N20E 18.48
SET NAIL AND TAG #28414 SW
SIDE 15" MAPLE N45W 30.64
SET NAIL AND TAG #28414
NE SIDE 12" OAK 13.60 S40E
SET NAIL AND TAG #28414 WEST
SIDE 15" OAK SOUTH 20.48

45/

AUGUST 11, 2005 T.S. N. N. AVE
SUNNY 80° M. KETCHUM

END

FOUND 3/4" X 1/8" PINCH PIPE IN ASPHALT
ROAD 1.5' WEST OF E. EXCAVATE 2.0' X
2.0' X 2.0' HOLE AROUND FOUND

IRON. FOUND NO FURTHER EVIDENCE.
SET 3/4" X 24" SMOOTH IRON ROD
AND 2 1/4" ALUMINUM REMON CAP

#28414 AT LOCATION OF FOUND
IRON. ALSO SET 'MON BOX

WITNESSES

FOUND NAIL AND TAG #12034 SOUTH
SIDE 8" CHERRY N77E 27.77

FOUND NAIL AND TAG #12034 NORTH
SIDE 21" OAK S69E 32.70

FOUND NAIL AND TAG #12034 NW
SIDE 16" OAK N46E 32.72

FOUND NAIL AND TAG #16053 EAST
SIDE 12" OAK N30W 43.12

FOUND NAIL AND TAG #3829 EAST SIDE 52"
OAK WEST 30.14

FOUND NAIL AND TAG #12034 NORTH SIDE
52" OAK WEST 31.43

OLD FALLEN DOWN EAST-WEST WIRE
FENCES TO EAST AND WEST LINE UP

WITH SECTION CORNER
SLIGHT CUT AREA FOR ROAD GRADE

C-9

FOUND 5/8" IRON REBAR 0.7' BELOW
SURFACE OF GRAVEL ROAD 0.5' NORTH
OF E. NO OCCUPATION LINE TO NORTH.
BEAN FIELD CORN FIELD LINE TO
SOUTH AND WOOD LINE POST
BEAN FIELD LINE. THESE LINE
UP WITH FOUND IRON.

EXCAVATED 2.0' X 2.0' HOLE 3.0' DEEP

FOUND REMAINS OF VERTICAL WOOD STAKE
0.4' NE OF FOUND IRON 1.0' BELOW GRADE.

FOUND 0.7' DIAMETER ROCK 1.3' LONG
0.7' SW OF FOUND IRON WITH POINT
UP NEXT TO 0.7' DIAMETER

ROCK 1.3' LONG ON IT'S SIDE
NEXT TO IT. FOUND NO OTHER

EVIDENCE. POINT UP ROCK WAS
1.5' BELOW GRADE

SET 3/4" X 24" SMOOTH IRON ROD AND 2 1/4" ALUMINUM
REMON CAP #28414 AT LOCATION OF FOUND

POINTED STONE WITH POINT UP. WITNESSES.
SET NAIL AND TAG #28414 WEST SIDE UTILITY POLE SOUTH

FOUND NAIL AND NASHD TAG WEST SIDE WOOD POST NORTH
SET NAIL AND TAG #28414 NORTH SIDE 21" WALNUT

588E 612.53

E STEEL FENCE POST SOUTH 26.75
FILL AREA FOR ROAD GRADE

AUGUST 15, 2005
 T. SIMONEAU M. KETCHUM
 SUNNY 80°

of ROAD

OCTOBER 13, 2005

T. S. WHEATLEY
G. WHEATLEY

FOUND 1/2" ROD AND CAP #18998 4.0' NORTH
7.0' WEST OF OLD FALLEN DOWN FENCE CORNER.
FENCE TO EAST AND SOUTH. REPLACED FOUND
IRON WITH WITH 3/4" X 24" SMOOTH IRON ROD AND
2 1/4" ALUMINUM RIMON CAP #28414. NO
EXCAVATED PERFORMED DUE TO LACK OF
PREVIOUS SURVEY WORK IN AREA.


± 74 TO NAIL AND TAG #18998 IN POST IF POST IS STOOD UP.
MEASURED 11.0 TO CENTER LINE OF 21" STUMP TO SSE

OCTOBER 14, 2005

SUNNY 65°

T. SYMONE

M. KETCHUM



T WFE-47-32
 BS WFE-47-31
 FS WFE-47-33-C8

BSD 0°00'00"

FSO 122°38'40"

BSR 179°59'57"

FSR 302°38'40"

BSD 0°00'01"

FSO 122°38'37"

BSR 180°00'02"

FSR 302°38'34"

122°38'38"

40

43

36

32

T WFE-47-32
 FS WFE-47-31

1059.65

1059.64

1059.65



T WFE-47-32
 FS WFE-47-33-C8

303.59

303.57

303.58

OCT 14, 2005
TS MK



WFE-48-34	WFE-48-35
BS WFE-48-35	BS WFE-48-34
FS WFE-48-36-A12	FS WFE-48-37


BSD 0°00'00"	0°00'00"
FSD 284°58'03"	154°35'11"
BSR 180°00'02"	179°59'58"
FSR 104°58'22"	334°35'09"
BSD 359°59'57"	359°59'55"
FSD 284°58'16"	154°35'13"
BSR 179°59'58"	179°59'55"
FSR 104°58'21"	334°35'07"
284°58'16"	154°35'13"

WFE-48-34	WFE-48-35
FS WFE-48-36-A12	FS WFE-48-37
32.75	283.82
32.75	283.83
32.75	283.83

WFE-48-35
FS WFE-48-34
1338.26
1338.26
1338.26

49

OCT 14, 2005
TS MK



π WF2-49-39	π WF2-49-40
BS WF2-49-40	BS WF2-49-39
FS WF2-49-38-D12	FS WF2-49-41-E12

BSD 0°00'00"	0°00'00"
FSD 245°59'44"	137°10'02"
BSR 179°59'59"	180°00'01"
FSR 65°59'42"	317°09'59"
BSD 0°00'01"	359°59'59"
FSD 245°59'41"	137°09'59"
BSR 180°00'02"	180°00'01"
FSR 65°59'43"	317°10'02"
<u>245°59'42"</u>	<u>137°10'00"</u>

π WF2-49-39	π WF2-49-40
FS WF2-49-38-D12	FS WF2-49-41-E12
459.11	261.84
459.11	261.84
<u>459.11</u>	<u>261.84</u>


π WF2-49-39
FS WF2-49-40
2241.95
2241.95
REVERSED

2241.99
2241.99
2241.97

50/

Oct 14, 2005

75 M/K



T WF2-50-43
 BS WF2-50-44
 FS WF2-50-42-C10

ASD 0°00'00"
 FSD 179°39'24"
 BSR 180°00'08"
 FSR 359°39'23"
 ASD 0°00'08"
 FSD 179°39'22"
 BSR 180°00'05"
 FSR 359°39'26"

179°39'19"

T WF2-50-43
 FS WF2-50-44

T WF2-50-43
 FS WF2-50-42-C10

557.31
 557.31
557.31


484.22
 484.22
484.22

51

OCT 14, 2005

TRAVESED MOST OF SECTIONS 19, 30, 31, 32
USING GPS.

1 - BASE STATION, SET $\frac{1}{2}$ " IRON ROD 16'
SOUTH OF SOUTH EDGE OF FROST RD.
ON EAST SIDE OF FIELD ENTRANCE
WEST OF C-9



OCTOBER 26, 2005

cloudy 45°

T. SIMONE M. KETHUM

WF2-5146-E11


WIND RD

BURKLEY RD

WF2-49-41-E12

HOWELL RD

WF2-51-45-E13



52

W F2-49-41-E12

FS W F2-51-46-E11

2633.15

2633.15

2633.15

W F2-49-41-E12

FS W F2-51-45-E13


2622.96

2622.96

2622.96

Oct 26, 2005

TS MK



55/

Oct 20, 2005
TS MLE

T	WF2-48-36-A12	
BS	WF2-52-50	
FS	WF2-52-52-A12 (AMENDED)	
	30°52'25" 7.26	
	A-12	
RESET 1/2" ROD AND CAP #18998 THAT WAS PREVIOUSLY REPLACED WITH A REMON IRON AND CAP. MOVED REMON IRON AND CAP (3/4" X 2 1/4" SMOOTH IRON ROD AND 2 1/4" ALUMINUM REMON CAP #28414) 54°48'10" W 7.26. IRON IS MIDWAY BETWEEN A-11 AND A-13 ON LINE WITH M-12 AND M-11. WITNESSES: FOUND 1/2" IRON AND CAP #18998 NSYE 7.26 OLD FALLEN DOWN FENCE CORNER, FENCE TO EAST AND SOUTH, EAST 12.03 FOUND NAIL AND TAG #28414 SOUTH SIDE 8" MAPLE N86E 12.08 FOUND NAIL AND TAG #28414 WEST SIDE S" HOUTHORN N11E 37.72 FOUND NAIL AND TAG #28414 SE SIDE - 6" ASH N36E 32.63 FOUND NAIL AND TAG #28414 EAST SIDE 10" CHERRY S22E 24.85		

T	WF2-52-48	
BS	WF2-52-47-A13	
FS	WF2-52-53-A13 AMENDED	
	0°11'00" 1086.64	
	A-13	
RESET 1/2" ROD THAT WAS PREVIOUSLY REPLACED WITH A REMON IRON AND CAP, MOVED SET REMON IRON AND CAP (3/4" X 2 1/4" SMOOTH IRON ROD AND 2 1/4" ALUMINUM REMON CAP #28414) N89°42'37" W 3.35. IRON IS ON LINE BETWEEN M-13 AND M-12. WITNESSES FOUND NAIL AND TAG #28414 EAST SIDE 6" ASH N17E 11.84 FOUND NAIL AND TAG #28414 SE SIDE 8" OAK NSYE 28.63 FOUND NAIL AND TAG #28414 EAST SIDE 18" OAK SOUTH 11.63 FOUND NAIL AND TAG WITH NO NUMBER SW SIDE 10" ASH S70E 19.15 FOUND 1/2" IRON ON SOUTH SIDE OF NORTH, SOUTH EAST FENCE CORNER POST EAST 355		

56


OCT 26, 2005
TS MK

E-11

EXCAVATED 20'X20' HOLE 11.5' SOUTH
OF PREVIOUSLY SET REMON IRON AND
CAR. AT DEPTH OF 2.5' FOUND WOOD
REMANUS 4" IN DIAMETER FOR DEPTH
OF 6" DUE TO DEPTH OF 3.0' AND
FOUND NO FURTHER EVIDENCE.
WOOD REMANUS WERE FOUND 0.4'
WEST OF OF WITNESS TIE TO
OLD SCHOOL HOUSE TO SW.

◉ PREVIOUSLY SET E-11

20'X20' HOLE



SET 3/4" X 2 1/4" SMOOTH IRON ROD AND
2 1/4" ALUMINUM REMON CAP #28414
AT LOCATION OF SCHOOL WITNESS AND
EAST OF WOOD REMANUS. SET MON
BOX AROUND IRON.

WITNESSES

FOUND 3/4" ROD AND 2 1/4" ALUMINUM
REMON CAP #28414 IN MON BOX
NORTH 11.45

NE CORNER OF OLD BLOCK SCHOOL
HOUSE 573W 175.88

FOUND NAIL AND TAG #16053 NORTH
SIDE 36" CHINESE ELM 522W 106.17

FOUND NAIL AND TAG #16053 NORTH
SIDE POWER POLE 587W 67.10

FOUND NAIL AND TAG #16053 SW SIDE
POWER POLE 554W 82.10

FOUND NAIL AND TAG #3829 WEST SIDE
POWER POLE 469E 86.59

57/

A-9

OCT 26, 2005
75 MK

SET 3/4" SMOOTH IRON ROD AND 2 1/4"

ALUMINUM REMON CAP #28414 IN
MONUMENT BOX ON STANDARDTOWNSHIP LINE, 9.6' E. OF E. MERIDIAN
E. FROST RD

WITNESSES

FOUND 3/4" IRON AND 2 1/4" ALUMINUM
REMON CAP #28414 IN MON BOX
WEST 9.65'FOUND NAIL AND TAG #28414 NORTH
SIDE POWER POLE 5665 174.81

USCG BENCHMARK IN CONCRETE

MONUMENT 525W 76.49

FOUND NAIL AND TAG #28414 NW

SIDE POWER POLE 548W 96.38

FOUND 2" PIPE IN CONCRETE 180W

49.37

A-11

SET 3/4" SMOOTH IRON ROD AND
2 1/4" ALUMINUM REMON CAP ON TOWN-
SHIP LINE BETWEEN 2 FORM FIELDS.Found 1/2" IRON & CAP #12034 At base
of old fence that goes North & East
N30°W 47.10' - Old fence goes
East ± 660 ft. Then is replaced
by newer fenceFound N&T #25832 W. Side
8" Ash N130°W 57.6'

Found N&T #25832 E. Side

24" Poplar N110°W 89.90'

Found N&T #25832 SE Side

double 10" apple N58°E 66.20'

SW Foundation corner of house

S 12°33'E 394.20'