

MINUTES OF SURVEY (Concluded).

a
b
c
d
e
f
g
h

X Path on X Lines
Centers of X Sections

Trace of Old post of Survey No 1473. Stumps of C. B. G. f.w.
Sugar 8 - A. E. - 48 l.

X. Set gas pipe, f.w. Cherry 4 S. 73 $\frac{3}{4}$ W 38 l.

Y. Set post, f.w. Sugar 4. East 2 $\frac{1}{2}$ links.

Magnetic variation of 10' West was allowed.

STATE OF MICHIGAN, } ss.
COUNTY OF INGHAM,

Do Hereby Certify that I did, on the application of E. A. Balkins, County Surveyor of said County,

Survey the South 30 acres of N. $\frac{1}{2}$ of S. $\frac{1}{4}$ of

Section 33 in the Township of Wheat field, Town 3 N. North, Range 16,
on March 13th A.D. 1902, and the following persons acted as chainmen, first being duly sworn, to-wit: Frank Collins Benjamin Collins

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.


E. A. Balkins, County Surveyor.

STATE OF MICHIGAN, } ss.
COUNTY OF INGHAM,

Received for Record this 11 day of April, A. D. 1902, at 5 o'clock P. M.
F. A. Lester, Register of Deeds.

COPY OF MINUTES OF SURVEY.

SECTION 33, Town 3 N. North, Range 1 E Meridian of Michigan.



C Old post Survey No. 1473.


Old post of survey No. 1796 f.w.
M. Oak 10 - S 88 1/4 W 48 l.

Old post of Survey No 1796 O.B.L. Let tile. f.w.
 Chnd 8 - St 28 Pt. B-l.

COUNTY SURVEYOR'S RECORD,

TOWN Three NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

SEC. 28



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24
25

INGHAM COUNTY, MICHIGAN.

TOWN Three NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of section No Twenty-eight in Township No Three North Range No One East, represented by the accompanying plat (the scale of which is thirteen chains to one inch) in which the names of owners, the numbers of acres owned by each, the bearings and distances of lines, letters of reference to lines and corners, the position of Roads &c. are respectively given.

The corners are described as follows.


- (5) a stone about even with the surface set for corner
 (4) " post from which a S.W. Oak 6 in. diam. bears S 30 1/2° E 59 1/2 chs. dist.
 (3) " " " " an Ash 14 " " " N 34° E 2 1/2 " "
 (2) " " " " a N. Oak 17 " " " S 8 1/2° E 5 " "
 (1) " " " " a N. Oak 20 " " " N 42° E 64 " "
 (11) " " " " an Elm 8 " " " S 8 1/2° E 79 1/2 " "
 (11) " " " " a Spruce 11 " " " S 67 1/2° E 9 " "
 (11) " " " " " Birch 20 " " " N 3 3/4° E 41 " "
 (12) " " " " " Spruce 14 " " " N 50° W 27 1/2 " "
 (12) " " " " " Elm 13 " " " S 74° W 32 3/4 " "
 (12) " " " " " N. Oak 10 " " " N 77° E 133 " "
 (13) " " " " " Elm 8 " " " N 33° W 116 " "
 (27) " " " " " Maple 2 " " " S 41 1/4° E 9 3/4 " "
 (27) " " " " " Birch 7 " " " N 42° E 34 1/2 " "
 (14) " " " " " R. Elm 6 " " " S 5° E 60 " "
 (14) " " " " " N. Spruce 10 " " " N 31 1/2° W 48 " "
 (15) " " " " Blue Granite Stone Corners
 (28) " " " " " Sugar 13 " " " S 29° E 75 1/2 " "
 (29) " " " " " N. Elm 12 " " " S 72 1/2° W 79 " "
 (7) " " " " No Cross
 (8) " " " " " N. Elm 28 " " " N 30 1/2° E 14 " "
 (25) " " " " " the N.E. cor. of S. 1/4 " " " S 62 1/2° W 206 1/2 " "
 (30) " " " " an Elm 10 in " " " S 29 1/2° W 77 " "
 (20) " " " " a Hickory 10 " " " N 38° W 30 1/2 " "
 (31) " " " " " N. Oak 12 " " " N 32° E 27 3/4 " "
 (22) " " " " " S Oak 4 " " " N 69 1/2° W 74 3/4 " "
 (22) " " " " " N Oak 8 " " " N — 86 " "
 (21) " " " " an apple 6 " " " N 68° W 98 " "
 (21) " " " " a Sugar 4 " " " S 62° W 131 1/2 " "
 (9) " " " " " Sugar 5 " " " N 51° W 61 " "
 (9) " " " " " Oak 2 " " " S 59° E 52 1/2 " "
 " " " " " Oak 4 " " " S 34° W 59 " "

Run by the true Meridian. Magnetic Var 1° 55' East
 Surveyed & Recorded Nov. 13th 1874, by T. J. Brown, Clerk, Ingham Co., Mich.

COUNTY SURVEYOR'S RECORD,

TOWN Twa NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

SEC. 4



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

24
25

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of the north west quarter of section No Four in Township No Two North of Range No One East, as represented by the accompanying plat (the scale of which is 12 chains to one inch); in which plat the names of the owners, the number of acres owned by each, the bearings and distances of lines, letters of reference to lines and corners, the relative position of the lands surveyed and the position of Acre etc. are respectively given.


The corners are described as follows.

- (5) a post from which an apple 1 in. diam. bears S 26 1/2° E 62 3/4" to old.
- (4) " " " " a Maple 12 " " " N 57° W 68 3/4" "
- " " " " " Elm 12 " " " S 25 1/2° E 44 1/2" "
- (3) " " " " " Elm 12 " " " S 47° E 63 1/2" "
- " " " " " Cherry 14 " " " N 65° E 56 " "
- (26) " " " " " Apple 6 " " " S 66 3/4° W 97 " "
- (27) " " " " " Birch 9 " " " S 74 1/2° E 44 " "
- (28) " " " " " B. Ash 17 " " " S 44° W 107 1/4" "
- (6) " " " " " Maple 16 " " " N 62° E 72 " "
- " " " " " Elm 8 " " " S 19° E 72 1/2" "
- (16) " " " " " B. Ash 11 " " " S 2 1/2° E 88 " "
- (13) " " " " " Apple 5 " " " N 77 1/2° W 79 3/4" "
- (28) " " " " " Sweet Cherry 3 " " " N 80 3/4° W 110 3/4" "
- (29) " " " " " Sugar 10 " " " N 77 1/2° W 78 3/4" "
- " " " " " Sugar 12 " " " N 78° W 103 " "
- (23) " " " " " Thorn 6 " " " S 66 1/2° E 88 " "
- (11) " Stone Corner

Run by the true Meridian Magnetic Var 1° 55' East.
 Surveyed and Recorded Nov. 26th 1875 by
 T. J. Brown, Dep. Co. Suror, Ingham Co., Mich.

COUNTY SURVEYOR'S RECORD,

TOWN Three NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

SEC. 33

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

24
25

INGHAM COUNTY, MICHIGAN.

TOWN True North, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of the west half of section No Thirty Three in Township No Three North of Range No One East as represented by the accompanying plat (the scale of which is 12 chains to one inch); in which the names of owners, the number of acres owned by each, the bearings and distances of the lines, letters of reference to lines and corners and the relative position of the land surveyed are respectively given.

The corners are described as follows.


- (3) a post from N.E. Co. of S. H. H. bears S 66 $\frac{1}{2}$ ° W 266 $\frac{1}{2}$ ch. dist.
- (4) " " " which a S. N. Oak 16 in diam - bears S 51° E 353 ch. dist.
- (5) " " " " " Hickory 10 " " " N 39° W 36 $\frac{1}{2}$ " "
- (6) " " " " " N. Oak 12 " " " " N 32° E 27 $\frac{1}{2}$ " "
- (13) " " " " " Elm 6 " " " " N 29 $\frac{1}{2}$ ° W 45 " "
- (14) " " " " " N Elm 10 " " " " N 30 $\frac{1}{2}$ ° E 24 $\frac{1}{2}$ " "
- (15) " " " " " N Elm 7 " " " " N 53 $\frac{1}{2}$ ° W 47 $\frac{1}{2}$ " "
- (16) " " " " " Elm 14 " " " " N 71° W 52 $\frac{1}{2}$ " "
- (17) " " " " " Cherry 14 " " " " S 71 $\frac{1}{2}$ ° E 48 $\frac{1}{2}$ " "
- (18) " " " " " Maple 5 " " " " N 21 $\frac{1}{2}$ ° W 60 " "
- (19) " " " " " Sugar 6 " " " " S 66° E 28 $\frac{1}{2}$ " "
- (20) " " " " " Buck 8 " " " " S 20° W 2 " "
- (21) " " " " " Buck 16 " " " " N 46 $\frac{1}{2}$ ° W 79 " "
- (22) " " " " " Cherry 12 " " " " N 68° E 62 $\frac{1}{2}$ " "
- (23) " " " " " Elm 10 " " " " S 61 $\frac{1}{2}$ ° E 70 " "
- (24) " " " " " Elm 12 " " " " S 31 $\frac{1}{2}$ ° E 47 " "
- (25) " " " " " Maple 12 " " " " N 54° W 64 " "
- (26) " " " " " Apple 1 " " " " S 28° E 64 " "
- (27) " " " " " Maple 5 " " " " N 15° E 12 $\frac{1}{2}$ " "

Run by the true Meridian. Magnetic Var 10° 55' East
 Surveyed and Recorded Jan 14th 1876 by
 T. J. Brown, Dep. Comm., Ingham Co., Mich.

COUNTY SURVEYOR'S RECORD,

TOWN TWO NORTH, RANGE ONE EAST, MERIDIAN OF MICHIGAN.

SEC. 5



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of the north fractional part of the north west quarter of section No Five in Township No Two North Range No One East as represented by the accompanying plat (the scale of which is 12 chains to one inch); in which plat the names of owners, the number of acres owned by each, the bearings and distances of the lines, the letters of reference to lines and corners, and the positions of the land surveyed are respectively given.

The corners are described as follows

(5)	a post from which	a N. Oak 18 in diam.	bears	S 31° E	28	Stakes
(26)	"	"	"	an Elm 12 "	"	" S 38° W 109 " "
"	"	"	"	a Black 12 "	"	" S 20½° E 9½ " "
(3)	" stone	"	"	Corner	"	"
(8)	a post	"	"	an Elm 28 "	"	" S 49½° E 32½ " "
"	"	"	"	" Elm 36 "	"	" N 47° W 42½ " "
(28)	"	"	"	a Black 12 "	"	" South 2 " "
"	"	"	"	an Elm 36 "	"	" N 23° E 69 " "
(26)	"	"	"	No bearing	"	"

Run by the true Meridian. Variation assumed 1° 55' East
 Surveyed and Recorded Feb 2nd 1876 by
 T. J. Brown, Dep. Co. Surv., Ing. Co., Mich.

INGHAM COUNTY, MICHIGAN.

159

TOWN Thurs NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of section Twenty nine in Township No. Three North of Range No. One East as shown by the plat the scale of which is 13 chains to one inch by which all the corners are described by letters referring to the same, and the distance given on all lines measured. The east half of the south west quarter was divided thus 22.66 acres being set off on the north end, then 22.68 acres from the west side of what remained leaving 34.66 acres more or less in 1883 in compliance with the deeds thereof.


Note: At the corner (1) I find ~~to~~ stakes ~~one~~ made by W. H. Rayner, the other claimed by Mr. Kent to be the original corner and I am of the opinion that he is right and my reasons are these that the original survey makes the west half of section Twenty nine be 40.08 chains and the east half of section 29, 40.03 chains or difference of 5 links. Now according to Mr. Rayner the west half of section 28 16 links too long and the east half of section 29, 16 links too small. When the corner noted in this record makes the sides agree with the original.

Run by the true Meridian Variation 1° 52' East
 Surveyed Oct 2nd 3rd & 4th 1878
 by A. P. Drake
 Co. Surv.

COUNTY SURVEYOR'S RECORD,

TOWN Two NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Section 5



7465 Ad 4

TOWN Two NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22

- 24
- 25

INGHAM COUNTY, MICHIGAN.

TOWN East NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of the N & S 1/4 line of Section 5 of Ingham Made April 29th 1896
for M. D. Robinson & others

The S 1/4 Post A was set midway between section corners upon a transect line
and the post C was perpetuated with a stone by J. J. Brown which stone was found
D. Kuhlbert & Wm. Gutches sworn chainmen Nov 0

Corners were marked and witnessed as follows

- A. Iron sligh shoe for Elm S N 55 1/2 E 52 1/2 Apple 10 N 76 3/4 W 192 1/2 1/2
- B oak post for Bush S N 55 E 30 1/2 & Cherry S S 59 1/2 E 30 1/2
- C Stone for Wheatfield corner also a stone bears East 13 1/2
- D Post only to set off east 1/4 of SW 1/4 of Sec 5

Recorded April 30th 1896 W. A. Rowe Co. Surveyor

TOWN Three NORTH, RANGE One East-----, MERIDIAN OF MICHIGAN.


TOWN Three NORTH, RANGE One East-----, MERIDIAN OF MICHIGAN.

SEC. 32

S 89.° 27' W

26

NORTH



TOWN-----NORTH, RANGE-----, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

24
25

INGHAM COUNTY, MICHIGAN.

TOWN Three North, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of Section No 32 in Township ~~Three~~^{Four} North of Range One East (Hearthfield) as shown by the plat on opposite page by which the names of owners, the lengths of lines as measured and letters of reference to lines and corners as described below are respectively given.

The S.R. was run by Mr. Brown June 19th 1876 (See Line 3 Page 134 This book) and the Quarter Section (11) was made by him at the equidistant point between (1) and (2) at which Mr. Geo. Reble protested as the original corner had been preserved by him and digging up the highway the remains of the old stake could be plainly seen, this corroborating the testimony of Mr. Reble.

Corners described.

- (5) Post No trees marked
- (4) " Sapling 12 N 15 E 36 lks
- (26) Iron Stake No trees
- (3) Post and stones
- (2) Iron stakes
- (1) Stone N.E. Cor of 1st House & S 66 1/2 W 266 1/2 lks
- (10) " Elm 30 N 56 1/2 W 43 3/4 "
- (12) Post No trees
- (13) " Beech 10 N 49 W 54 1/4 lks
- (27) " Oak 7 S 86 E 17 1/4 "
- (14) " " 4 N 22 E 106 B. Oak 6 S 15 1/2 W 18 1/2
- (15) " Sapling 8 S 69 1/2 W 61 Elm 16 S 23 1/4 W 29
- (23) Stone No trees
- (22) Post Hickory 12 N 73 E 92
- (21) " Apple 5 S 29 E 63 3/4
- (20) " Maple 10 N 37 1/4 E 44 1/2
- (19) " No trees near.

Surveyed for the persons named in the plat
Nov 22nd to 24th 1896 by

A. P. Drake

Dep. Co. Surv.

Cameron Collier } Sworn
A. B. Drake } Chainmen.

Run by the true Meridian Var 10 15' East.

SOURCE: FOLDER #1 P. 42


TRANSCRIBED from RECORD BOOK on file at REMON. OFFICE
DUPLICATE

SURVEYOR'S NAME W. H. RAYNER SURVEYOR NO. _____

DATE OF SURVEY NOV. 7, 1867 SECTION NO. 32

MAGNETIC VARIATION 2° 45' E.

Town 9 Range 16 Section No. 32



Sec.	Timber.	Diam.	Bearing.	Links	Sec.	Timber.	Diam.	Bearing.	Links
A	Redwood	6	N 70 1/2 W	162 1/2					
	H. D.	3	S 42 1/2 E	92					
	Clear	10	N 61 1/2 E	51					
B	Clear	1	N 44 W	50					
	Black	4	N 2 E	73					
C	Bayan	1	S 77 E	10					
	Redwood	2	N 48 W	13 1/2					
	"	2	N 25 E	13 1/2					
D	R. R.	6	S 13 1/2 W	115					
	"	5	S 60 1/2 E	16					
	Clear	30	S 60 1/2 E	36					

Notes
Survey temporary on margin.

Run by the true meridian. Magnetic variation 2 degrees 45 minutes E
Surveyed the 7 day of Nov 1867 by

W. H. Rayner
County Surveyor of Ingham County, Mich.

Sec. 32

422

SOURCE: CO. SURVEYOR'S RECORDS V.3 P.118

TRANSCRIBED from ~~RECORD~~ on file at REMON. OFFICE
DUPLICATE


SURVEYOR'S NAME T. J. BROWN SURVEYOR NO. _____

DATE OF SURVEY APRIL 27, 1876 SECTION NO. 30

MAGNETIC VARIATION 1° 55' E.

118

T. 3 N. R. 1 E. Sec. 30



C-11

TRANSCRIBED from RECORD on file at REMON. OFFICE

Survey of Section 1st Twenty nine in Township 1st Three North of Range 1st One East as shown by the plat (the scale of which is Thirtens chains to One inch) by which all the corners are described by letters referring to the same, and the distances given on all lines measured. The East half of the Southwest quarter was divided thus: 22.66 Acre being set off on the north end, then 22.68 Acre from the west side of what remained, leaving 34.66 Acre more or less in 1583 in compliance with the deeds thereof.

The corners are described as follows:

A =	a stone set for corner by J. J. Brown		
B =	" " " " " " " " " " " "	S. 79° E.	123 3/4 ch
	" " " " " " " " " " " "	N. 35° E.	78 1/2 "
C =	" Post " " " " " " " " " " " "	N. 12 1/4° W.	181 "
D =	" " " " " " " " " " " "	S. 8 1/4° W.	78 "
E =	" " " " " " " " " " " "	N. 70° E.	140 "
F =	" " " " " " " " " " " "		
G =	" " " " " " " " " " " "	N. 8 1/3° E.	36 1/2 "
H =	" " " " " " " " " " " "		
I =	" " " " " " " " " " " "	N. 30 1/2° E.	32 "
J =	" " " " " " " " " " " "	S. 17 1/2° W.	32 "
K =	" " " " " " " " " " " "	N. 69 1/2° E.	10 1/2 "
L =	" " " " " " " " " " " "	S. 37° W.	25 1/2 "
M =	" " " " " " " " " " " "	N. 74 1/2° W.	24 1/2 "
N =	same as corner O on Page 118 of this book		
O =	a post set on Elm 5 in dia bears	N. 22° W.	28 1/2 "
P =	" " " " " " " " " " " "		
Q =	" " " " " " " " " " " "	N. 10 1/2° E.	58 "
R =	" " " " " " " " " " " "	N. 41° W.	61 "
S =	" " " " " " " " " " " "	S. 66 1/2° W.	26 1/2 "
T =	a Blue Granite stone set for corner		
U =	" Post " " " " " " " " " " " "	S. 44 1/2° E.	65 "
V =	" " " " " " " " " " " "	S. 67 1/2° E.	19 1/2 "
W =	" " " " " " " " " " " "		

C-11

At the corner E. I find two stakes one made by W. H. Rayner and the other claimed by Mr. Hart to be the original corner, and from the opinion that he is right, and my reasons are that the original survey made by W. H. Rayner 28.4006 or and the Ch. of Sec 29 40.00 or a difference of 5 links. Now according to Mr. Rayner the W. H. Rayner 16 links too large and the Ch. of Sec 29 16 links too small, when the corner is set in this record makes both sides agree with the original.

Run by the true meridian Variation 1° 52' E

Surveyed Oct 2nd 8th & 10th 1878

SOURCE: CO. SURVEYOR'S RECORDS V. 5 P. 1160

TRANSCRIBED from 2012-2013 on file at REMON. OFFICE
DUPLICATE

SURVEYOR'S NAME E. A. CALKINS SURVEYOR NO.

DATE OF SURVEY SEP. 26, 1902 SECTION NO. 30


MAGNETIC VARIATION 10' W.

Received for Record this 21 day of October, A. D. 1902, at 442 o'clock
J. A. Kuster, Register of

STATE OF MICHIGAN, { ss.
COUNTY OF INGHAM.

COPY OF MINUTES OF SURVEY.

Parcel of Land in Section 30, Town 3, North, Range 16 East, Meridian of Michigan



16

(264)

V. 5 P. 1160

SOURCE: RECORD OF CO. SURVEYOR V. 5 P. 160
TRANSCRIBED from RECEIVED on file at REMON. OFFICE

Line A.D. runs N 34° 0' W
Line B.C. runs N 2 1/2° 0' W

C-11 C Buggy axle and stone. No trees

Old post found

B. Old corner stone "N" survey No. 1489

F. Gas pipe dug in 14" N 15 1/2° E. 164 L.

D. Stone set, Old post found, No trees

E. Post set for sub. div. cor. No trees

A. Post set. Old post in ditch No trees

M. Post set to divide line C.F. No trees

11.075 chs. N. 89 44° E. from C. and D. 594' 0" N. 11.075 chs from F.

265

100% V.C. 0.11

V.5 P.160

1661/R

The sub-division line was determined to be a line running parallel to line L.C. above mentioned and through a point 7 1/2 links North of said. line L.C.

Magnetic variation of 10° West was allowed

SOURCE: RECORD OF CO. SURVEYOR

V. 5 P. 160

TRANSCRIBED from REMINISCENCES on file at REMON. OFFICE

STATE OF MICHIGAN, }
COUNTY OF INGHAM, }

Do Hereby Certify that I did, on the application of C. A. Balkins County Surveyor of said County,
W. H. Blanchard and Frank
Blanchard.

subdivide the above survey sprerintensioned area on
Section 30 in the Township of Wheatfield, Town 3 North, Range 1 E
on September 26th A D 1902 and the following persons acted as chainmen, first being duly sworn, to-wit:
C. H. Easterlin

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

100%

C. A. Balkins

County Surveyor.

V. 5 P. 160

SOURCE: CO. SURVEYOR'S RECORDS V. 3 P. 203

TRANSCRIBED from ~~REMOVED~~ on file at REMON. OFFICE
DUPLICATE


SURVEYOR'S NAME A. P. DRAKE SURVEYOR NO. _____

DATE OF SURVEY NOV. 22-24, 1886 SECTION NO. 32

MAGNETIC VARIATION 1° 15' E.

203

JOHN RICE



TRANSCRIBED from ORIGINAL on file at REMON. OFFICE
DUPLICATE

Survey of Section N° 32 in Township Four North
in Range N° One East (Wheatfield) as shown by
the Plat on opposite page by which the names
of owners, the lengths of lines as measured, and
letters of reference to lines and corners as described
described below are respectively given

This T.P. was run by Mr Brown January 19 1876 (See Subst. Pgs.
114) and the quarter post by was made by him at
the equidistant point between T & P. at which Mr.
George Reble protested as the original corner had
been preserved by him, and upon digging up the
Highway the remains of the old stake could be plainly
seen thus corroborating the testimony of Mr Reble.
Corners described

C-11

A. Post not trees marked

B. " Swamp Oak 12 N 15° E 36 links

C. Iron Stake no trees

D. Post & Stones

E. Iron Stake

F. Stone N E corner of School House S 66 1/2° W 2,66 1/2

G. " Elm 30 N 56 1/2° W 41 1/2 1/4

H. Post No trees

I. " Birch 10 N 49° W 104 1/4

K. " B Ash 7 S 80° E 17 1/4

L. " B Ash 4 N 22° E 06 - B Ash 6 S 15 1/2° W 13 1/2

M. " Swamp Oak 8 S 69 1/2° W 61 - Elm 16 S 23 1/4° W 29

N. Stone no trees

O. Post Hickory 12 N 73° E 92

P. " Apple tree 5 S 28° E 63 1/4

Q. " Maple 10 N 37 1/4° E 44 1/2

R. Post No trees near

Surveyed for the persons named in the Plat by
November 22 & 24 1886 A P Drake

Dept. Co. Surveyor

Cameron Collar } Given

A B Pollock } Given

Run by the true meridian Var 115° E