

WHEATFIELD

58

MAY 3, 2006 T.S. D.R.

SUNNY 75°

J-13

FOUND MONUMENT AND UNREADABLE CAP
IN MON BOX 50' NORTH OF E.
REPLACED WITH 2 1/4" ALUMINUM REMON
CAP #28414

WITNESSES

NE CORNER OF POLE BARN

S18°W 149.89

FOUND PK NAIL EAST SIDE UTILITY

POLE N2W 201.42

SET NAIL AND TAG #28414 NE SIDE

S78E 264.34

FOUND NAIL AND UNREADABLE TAG SOUTH SIDE

N84W 273.85

UTILITY
POLE

UTILITY
POLE

K-13

FOUND MONUMENT IN MONUMENT BOX
42' WEST OF E INTERSECTION. PUT
2 1/4" ALUMINUM REMON CAP #28414
ON MONUMENT

WITNESSES

FOUND NAIL AND TAG #25832 EAST SIDE
CHINESE ELM DOUBLE 15" SIZE 160.54

FOUND NAIL AND TAG #25832 IN TOP
OF WOOD POST N26E 76.01

SOUTH CORNER OF FENCE POST

N20W 85.95

FOUND NAIL AND TAG #18998 SOUTH
SIDE UTILITY POLE N85W 189.54

M-13	FOUND MONUMENT IN MONUMENT BOX	K-12	FOUND BOAT SPIKE IN MONUMENT BOX
1.5' EAST OF E OF INTERSECTION WITH UNREADABLE CAP. REPLACED CAP WITH 2 1/4" ALUMINUM REMON CAP #28414 WITH NAILS	1.5' EAST OF E OF INTERSECTION WITH UNREADABLE CAP. REPLACED CAP WITH 2 1/4" ALUMINUM REMON CAP #28414 WITH NAILS		IN E OF ROAD. EXCAVATED INSIDE BOX TO A DEPTH OF 1.75'. FOUND NO FURTHER EVIDENCE. CORNER IN INTERIOR AREA OF ABOUT 4.0'.
FOUND NAIL AND TAG #25832 EAST SIDE 30" OAK STW 137.25	FOUND NAIL AND TAG #25832 EAST SIDE 30" OAK STW 137.25		REPLACED BOAT SPIKE WITH 3/4" X 24" SMOOTH IRON ROD AND 2 1/4" ALUMINUM REMON CAP #28414 WITH NAILS
FOUND NAIL AND TAG #18998 EAST SIDE 30" OAK NIBW 133.43	FOUND NAIL AND TAG #18998 EAST SIDE 30" OAK NIBW 133.43		FOUND NAIL AND TAG #25832 NORTH SIDE 8" MAPLE N74E 28.79
SET NAIL AND TAG #28414 NORTH SIDE 42" OAK 586E 361.15	SET NAIL AND TAG #28414 NORTH SIDE 42" OAK 586E 361.15		FOUND NAIL AND TAG #25832 SOUTH SIDE 24" CHINA-ELM N24W 58.33
SET NAIL AND TAG #28414 SOUTH SIDE 4" OAK 1856 356.20	SET NAIL AND TAG #28414 SOUTH SIDE 4" OAK 1856 356.20		SET NAIL AND TAG #28414 EAST SIDE 18" CHINA-ELM 326.79
			SET NAIL AND TAG #28414 24" S.W. 42" MAPLE N24 543.70
			SET NAIL AND TAG #28414 SOUTH SIDE 42" OAK 160.76

60

MAY 8, 2006 SUNNY 70° T.S. W.R.

FOUND $\frac{1}{2}$ " ROD 18" LONG IN E OF ROAD
IN 50' FILL AREA NEAR BRIDGE. EXCAVATED
1.5' X 1.5' HOLE 1.5' DEEP. AT DEPTH OF
1.0' FOUND $\frac{1}{2}$ " X 12" ROD WITH INGHAM
TEMP CAP ON SOUTH SIDE OF 18" LONG
ROD. FOUND NO FURTHER EVIDENCE SET
 $\frac{3}{4}$ " X 24" SMOOTH IRON ROD AND 24"
ALUMINUM REMON CAP #28414 AT
LOCATION OF FOUND 18" LONG IRON
AND SET MON BOX.
WITNESSES
NW CORNER OF SW BRIDGE RAILING
SUPPORT S61E 26.90
FOUND NAIL AND TAG #25832 WEST SIDE
15" BOX ELDER S11W 45.27
FOUND NAIL AND TAG #25832 SW SIDE 15"
ASH CLUMP N40W 29.37
SW CORNER OF NW BRIDGE RAILING
SUPPORT N59E 29.16
SET NAIL AND TAG #28414 EAST SIDE 36"
ASH N3W 53.61
CORNER IS 7.2' EAST OLD WIRE
FENCE TO NORTH

JUNO
DROD
20005

M-11

FOUND $\frac{1}{2}$ " X 18" ROD AND UNREADABLE CAP
1.0' BELOW ROAD SURFACE AT E OF NORTH,
SOUTH, WEST INTERSECTION, ADJACENT GROUND
IS ABOUT SAME GRADE AS ROAD. EXCAVATED
2.0' X 2.0' HOLE 2.5' DEEP. FOUND NO
FURTHER EVIDENCE. SET $\frac{3}{4}$ " X 24" SMOOTH
IRON ROD AND 24" ALUMINUM REMON
CAP #28414 IN MON BOX AT LOCATION
OF FOUND IRON.
WITNESSES
FOUND NAIL AND TAG #17540 SOUTH SIDE
WOOD POST N70E 24.94
FOUND NAIL AND TAG #25832 NWSIDE
WOOD POST S40W 68.95
FOUND NAIL AND UNREADABLE CAP WEST
SIDE UTILITY POLE S15E 122.44
FOUND NAIL AND UNREADABLE CAP EAST SIDE
UTILITY POLE N18W 211.66
CORNER IS 56.97 SOUTH OF A-11-L-ROAD

MAY 11, 2006

T.S. W.R.

RAIN 60°

I-12

FOUND 1"X5/8"X21" SQUARE BAR
2.5' WEST OF E ASPHALT ROAD. ROAD
GRADE THE SAME AS SURROUNDING
GRADE. EXCAVATED 2.0X2.0X2.0 HOLE
TO NATURAL GROUND. FOUND NO
FURTHER EVIDENCE. SET 3/4"X24" SMOOTH
IRON ROD AND 2 1/4" ALUMINUM REMON
CAP #28414 IN MON BOX AT LOCATION
OF FOUND IRON.

WITNESSES

FOUND NAIL AND TAG #28414 AND NAIL AND
TAG #18998 SOUTH SIDE WOOD POST
EAST 28.03

SET NAIL AND TAG #28414 WEST SIDE
18" WALNUT S9E 204.50

FOUND NAIL AND TAG #28414 AND NAIL
AND TAG #18998 SOUTH SIDE UTILITY

POLE N76W 67.97

SET NAIL AND TAG #28414 EAST SIDE

18" WALNUT N8W 222.19

OLD WIRE FENCE TO EAST

M-12

FOUND 1/2" ROD AND UNREADABLE CAP
0.6 BELOW ASPHALT ROAD SURFACE 12S'
WEST OF E. EXCAVATED 2.0'X2.0' HOLE
1.25' DEEP TO NATURAL GROUND IN
SLIGHT CUT AREA OF ROAD. FOUND
NO FURTHER EVIDENCE. SET 3/4"X24"
SMOOTH IRON ROD AND 2 1/4" ALUMINUM
REMON CAP #28414 IN MON BOX
AT LOCATION OF FOUND IRON.

WITNESSES

FOUND 3/4" ROD AND REMON CAP
#28414 NORTH 21.66

FOUND NAIL AND TAG #25832 SW SIDE
8" MAPLE N73W 39.02

FOUND NAIL AND TAG #28414 NW SIDE
10" WALNUT N33E 53.49

FOUND NAIL AND TAG #28414 SW SIDE
TRIPLE 12" OAK S43E 37.46

FOUND NAIL AND TAG #25832 EAST SIDE
21" OAK N20W 56.40

FOUND NAIL AND TAG #18998 EAST SIDE
21" OAK N20W 56.35

FOUND NAIL AND TAG #25832 SOUTH SIDE 18"
OAK S72E 27.63

TREE LINE TO WEST

5/2

80° sunny

FOUND OLD EAST-WEST NORTH FENCE
CORNER POST. EXCAVATED 0.5' DEEP
AROUND POST. FOUND ROCK PILE, SET
3/4" X 24" SMOOTH IRON ROD AND
2 1/4" ALUMINUM REMON CAP AT SE
SIDE OF FENCE POST.


with vessels

SET NAIL AND TAG #28414 NORTH
SIDE 8" BASEWOOD CLUMP EAST 11.12
SET NAIL AND TAG #28414 EAST SIDE
6" TRIPLE HORN NORTH 11.09

SET NAIL AND TAG #28414 EAST SIDE
4" ASH 540W 7.42

SET NAIL AND TAG #28414 NORTH SIDE

TRIPLE 6" HAWTHORN N80W 36.69



63

JUNE 2, 1966 T.S. W.R. 150000 750

T W12-62-70
 BS W12-62-72
 FS W12-62-71-012

BSD 0°00'00"
 FSN 82°35'46"
 BSR 179°21'51"
 FSN 268°25'31"
 BSD 0°00'00"
 FSN 82°36'39"
 BSR 179°59'58"
 FSN 268°34'10"
 82°36'09"

T W12-62-70
 FS W12-71-012
 21.9315
 21.9215
 21.91

T W12-62-70
 FS W12-62-72
 2655.7725
 2655.8845
 2655.89

T W12-62-74
 BS W12-62-73-111
 FS W12-62-74-111

BSD 0°00'00"
 FSN 181°00'59"
 BSR 179°59'49"
 FSN 1°00'40"
 BSD 0°00'02"
 FSN 181°00'57"
 BSR 179°59'53"
 FSN 1°00'43"
 181°00'53"

T W12-62-74
 FS W12-62-73-111
 1140.86
 1140.87
 REVERSED
 1140.86
 1140.80
 1140.86

T W12-62-74
 FS W12-62-69-111
 1511.94
 1511.94
 1511.94

64

T WF2-62-73-M11

BS WF2-62-74

FS WF2-62-65-M12

BSD 0°00'00"

FSD 269°00'59" 59

BSR 179°59'49"

FSR 89°00'44" 55

BSD 359°59'58"

FSD 269°01'02" 04

BSR 179°59'46"

FSR 89°00'42" 56"

269°00'59"

T WF2-62-73-M11

FS WF2-62-65-M12

2637.31

2637.31

2637.31

T WF2-62-73-M11

BS WF2-62-74

FS WF2-62-75

BSD 0°00'00"

FSD 269°01'03" 01'03"

BSR 179°59'53"

FSR 89°00'52" 00'59"

BSD 0°00'02"

FSD 269°01'00" 00'58"

BSR 179°59'57"

FSR 89°00'52" 00'55"

269°00'59"

T WF2-62-73-M11

FS WF2-62-75

2615.65

2615.65

2615.65

65

	JUNE 6 2006	T.S. W.R.			
FOUND 3" IRON CAP 112' N 80° ON		SUNNY 80°	T WF2-62-76		T WF2-61-76
2-12			R WF2-62-77		FS WF2-60-77
FOUND 3" IRON CAP 112' N 80° ON			FS WF2-62-78 L12		336.80
2.0" SIDE OF NORTH, SOUTH, EAST, WEST					336.78
OLD WIRE FENCE CORNER POST EXCAVATED			ASD 0°00'00"		336.79
2.0" DIAMETER HOLE 0.5' DEEP FOUND			FSD 158°46'40"		
NO FURTHER EXCAVATED. CORNER IS IN			BSR 180°00'13"		
LOW GROUND. REPLACED ROD WITH 3/4"			FSR 335°46'50"		
124" SMOOTH IRON ROD AND 2 1/4"			ASD 0°00'00"		
ALUMINUM ROD WITH CAP. 112' N 80°			FSD 158°46'40"		
WITNESSES			BSR 174°00'32"		
FOUND NAIL AND TAG 112' N 80° NORTH			FSR 335°46'40"		
SIDE 10' N 80° N 87° W 149'			ASD 0°00'00"		
FOUND NAIL AND TAG #25832 SUB SIDE			FSR 174°00'32"		
4' N 80° N 45° W 11.88			BSR 335°46'40"		
FOUND NAIL AND TAG #25832 SOUTH SIDE 0°			ASD 0°00'00"		
GLM N 80° 15.57			FSR 174°00'32"		
FOUND NAIL AND TAG #25832 SE SIDE			BSR 335°46'40"		
15' ON N 80° 42' 00			ASD 0°00'00"		
FOUND NAIL AND TAG #25832 NE SIDE			FSR 174°00'32"		
DOUBLE 30" MAPLE S30E 10.21			BSR 335°46'40"		

JUNE 12, 2006

T.S., W.R.

SUNNY 65°

L-13

FOUND $\frac{1}{2}$ " X 18" ROD IN E HOWELL ROAD
 3.0' WEST OF E OF NORTH SOUTH
 ROAD IN SLIGHT FILL AREA.
 EXCAVATED 2.0 X 2.0 HOLE 3.0 DEEP
 TO NATURAL GROUND. FOUND NO
 FURTHER EVIDENCE. SET $3\frac{1}{4}$ " X 24"
 SMOOTH IRON ROD AND 2 $\frac{1}{4}$ "
 ALUMINUM REMON CAP IN MON BOX
 AT LOCATION OF FOUND IRON.

WITNESSES

FOUND NAIL AND TAG # 18998 EAST
 SIDE UTILITY POLE N45W 42.70
 FOUND NAIL AND TAG # 18998 SOUTH
 SIDE GUY POLE N49E 45.32
 FOUND NAIL AND TAG # 28414 EAST SIDE
 EAST SIDE GUY POLE

SESW 64.51

FOUND $\frac{1}{2}$ " IRON AND CAP # 18998 IN
 MON BOX EAST 4.01

L-13

MONUMENT

FOUND ~~2" ROD~~ IN MONUMENT BOX IN E
 OF ROAD. NO OCCUPATION LINES NORTH OR
 SOUTH. EXCAVATED IN MON BOX - SET 2 $\frac{1}{4}$ "
 ALUMINUM REMON CAP # 28414 ON
 MONUMENT.

WITNESSES

NW CORNER OF SW RAILING SUPPORT FOR
 BRIDGE S88E 374.77
 FOUND NAIL AND TAG # 25832 IN TOP
 OF WOOD FENCE POST N20E 35.30
 FOUND NAIL AND TAG # 25832 SOUTH
 SIDE UTILITY POLE N78W 144.96
^{FOUNDATION}
 NE GARAGE CORNER S15W 182.85

67/

SEPTEMBER 6, 2006

T. SINNARENS

S. SHOT WELL SUNNY 75°

K-11

FOUND 3/4" x 3/4" SMOOTH IRON ROD 6.5' NORTH
AND 1.5' EAST OF E OF WILLIAMSTON AND
DENNIS ROADS. SET 2 1/4" ALUMINUM
REMOM CAP #28414 ON IRON AND
MON BOX AROUND IN PAVED ROAD.
WITNESSES

FOUND NAIL TAG #28414 WEST SIDE

32" MAPLE S23E 84.20

FOUND NAIL AND TAG #28414 WEST

SIDE 32' MAPLE S17E 112.72

NW CORNER OF SCHOOL HOUSE

S45E 131.71

FOUND NAIL AND TAG #28414 SOUTH

SIDE UTILITY POLE N45E 38.50

FOUND EMPTY MONUMENT BOX

S14W 6.76