
SURVEYOR'S NAME SURVEYOR NO.	
1.0	
DATE OF SURVEY SECTION NO.	

NOTE: Distances between section corners and section $\frac{1}{h}$ corners are assumed to be 40.00 chs. unless a written distance is indicated.

Distances between 1/8 corner and either a section corner or a section $\frac{1}{4}$ corner are assumed to be 20.00 chs. unless a written distance is indicated

Distances to section centers can not be assumed and will not be shown since section centers were not set at this time.

Offsets if given will be indepated by a line perpendicular to the township line with a written distance above or below the line. Offsets will never be assumed and will come hand transcribed directly from our copies of the G.L.O. maps.



COCCELLANGE CONTROL OF THE CONTROL O

TRANSCRIBED From DUPLICATE ON ALLO SP. T. P. W.- IV. CHELLE

SURVEYOR'S NAME			SURVEYOR NO	
DATE OF SURVEY	-		SECTION NO.	


MAGNETIC VARIATION 7°45 E.

NOTE: Distances between section corners and section \(\frac{1}{4} \) corners are assumed to be 40.00 chs. unless a written distance is indicated.

Distances between 1/8 corner and either a section corner or a section $\frac{1}{4}$ corner are assumed to be 20.00 chs. unless a written distance is indicated.

Distances to section centers can not be assumed and will not be shown since section centers were not set at this time.

Offsets if given will be inderated by a line perpendicular to the township line with a written distance above or below the line. Offsets will never be assumed and will come hand transcribed directly from our copies of the G.L.O. maps.





WHITE OAK T 2 N, R 2 EN

CORNER CODE

ATTACHMENT NO

P. 1 of 1

