

②

					W05
π		112			
B5		111			
F5	W05-02-113	(K.P. Set 10" spike in W.E. Gas line clearing @ Center)			
B5D	00-00-20				
F5D	147-06-32	147-06-12L			
B5R	140-00-17				
F5R	327-06-29	147-06-12	327-06-12		
B5D	60-20-30				
F5D	207-26-37	147-06-07			
B5R	240-20-12				
F5R	27-26-35	147-06-23	327-06-15	147-06-135	
Dist to	B5	111	F5	113	
FT	1573.93'		1080.87'		
M	479.736		329.450		
π		113			
B5		112			
F5	W05-02-114	(L-6 STD. B4C)			
B5D	00-00-20				
D	248-03-52	248-03-32			
B5	180-00-32				
R	68-03-50	248-03-22	248-03-27		
Dist to	B5	1080.87'	F5	139.23'	
	389.450		39.391		


D.L.C
B_u22

π NIK

7 60°

1 Oct, 99

②



①

W05

Trav.

A

W03-72-109 (L-7 see W03-4b)

FS

W03-47-76 (Retov. 1/2" B&C)

FS

W05-01-111 (For Line 109-76 Set May Nov 1)

Dist To

BS₇₆FS₁₁₁

FT

1563.20 ✓

20.12 CH

M

476.464

T

W05-01-111

BS

W03-47-76

FS

W05-01-111 (R.P. Set 10" Spk on N-Ed
baseline 20' in Field 50' S of
E-W Fence)BS₀

000-00-20

D

276-47-36 276-47-16

BS_E

180-00-14

R

96-47-39 276-47-25 276-47-205

FS_D

60-20-30

D

337-07-47 276-47-17

BS_E

240-20-17

R

157-07-42 276-47-25 276-47-21 276-47-21

Dist To

BS₇₆FS₁₁₂

1543.06 ✓

1573.93 ✓

470.327


479.736

DL
Butt T N.L.K

T 60°

1 Oct 99

①



73

DLC
B_u

T

76

B₅

109

F₅ W03-46-75 (M-7)B₅ 000-00-20

D 141-07-31 181-07-11

B₅ 180-00-08

R 1-07-20 181-07-12 181-07-115

B₅ 60-20-30

D 21-27-44 181-07-14

B₅ 240-20-15

R 61-27-27 181-07-12 181-07-13 181-07-121

D₅ T₀B₅ 09F₅ 75

1563.18 ✓

1181.55 ✓

476.458

360.136

DLC

B_u 22

T N 112

TB 30

25499

73

INDEX OF CURVE AND REDUCTION TABLES

Table I-SLOPE STAKE

Table II-STADIA CORRECTION AND HORIZONTAL DISTANCES

Table III-TRIGONOMETRIC FORMULAE

Table IV-NATURAL TRIGONOMETRICAL FUNCTIONS

CURVE FORMULAE

Table V-TANGENTS AND EXTERNALS TO A 1° CURVE

USEFUL RELATIONS

Table VI-INCHES TO DECIMALS OF A FOOT

Table VII-MINUTES IN DECIMALS OF A DEGREE

Table VIII-MIDDLE ORDINATES OF RAILS

Table IX-SHORT RADIUS CURVES

Table X-RODS IN FEET, 10THS AND 100THS OF FEET

Table XI-LINKS IN FEET, 10THS AND 100THS OF FEET

72

W03

T

W03-57-91 (Recor. 1/2" B3C)

BS

W03-56-89 (K-7 1" Recor)

FS

W03-72-109 (L-7 Sec pg 40)

BS

000-00-20

D

181-13-42 181-13-22 ✓

BS

180-00-06

R

1-13-23 181-13-17 181-13-19.5 ✓

BS

60-20-30

D

241-33-57 181-13-27 ✓

BS

240-20-26

R

61-33-38 181-13-12 181-13-19.5 181-13-19.5 ✓

Dist To

1361.05 ✓

1360.74 ✓

414.850

414.753

T

109

BS

91

FS

W03-47-76 (Recor. 1/2 B3C)

BS

000-00-20

D

180-05-26 180-05-06 ✓

BS

180-00-04

R

000-05-34 180-05-30 180-05-18 ✓

BS

60-20-38

D

24025.52 180-05-22 ✓

BS

240-20-11

R

60-25-45 180-05-34 180-05-28 180-05-23 ✓

Dist To

BS 91 ✓

FS 1565.18 ✓


414.751

476.458

DL
Buzc T N/K

T83°

254999 72



57

W03

T

B9

B5

B8

FS₉₁

W03-57-91

R.P. SET 1/2" BSC 2" N. of N. (EON DAVISVILLE Rd on Decline)

FS

W03-57-92

E.P. Set 1/2" BSC 2" N. of E. (EON DAVISVILLE Rd on Decline)

B5D

00-00-80

Well Line HSE #1124

91D

92-10-51 92-10-31

92D

178-16-40 178-16-20

B5R

180-00-00

91R

272-10-40 92-10-40 92-10-35.5

92R

358-16-32 178-16-32 178-16-26

B5D

60-20-30

91D

152-31-22 90-10-52

92D

238-37-11 178-16-41

B5R

240-20-58

91R

332-31-28 92-10-30 92-10-41

92R

58-37-17 178-16-21 178-16-31 178-16-26.5

Dist to

B.S. 88

F.S. 91

F.S. 92

F.T.

2668.27

1361.05 1412.52

M

813.291

414.849 430.537

DL Buzz TNLK

T760

31 Aug 99

57

DANVILLE

BROOKLYN Rd

HSC #1124

N

B9

B8

B5

56

WD3

DL
PILL TNLK

T750

31 Aug 99

56

N

88

B5

86

FS

W03-56-89

(K-7 1" Bar Sec PS 39
5/8" B/C over Rk
1/8 Cor Well point sec 99 42

FS

W03-56-90

B5D

00-00-20

F5D

180-29-27 180-29-07-

B5R

180-00-13

F5R

0-29-03 180-28-50-

180-28-585

B5D

60-20-30

D

240-49-31 180-29-01-

B5K

240-20-22

60-49-14 180-28-52- 180-28-565 180-28-575

Dist to B5

F5 89

F5 90

930.37 ✓


2668.27 ✓

1331.14 ✓

283.577

813.289

406.646



45

7

86

B5

B5

F5

W03-55-88

K-6 STD. Box 39

B5

000-00-20

B5

178-46-09 178-45-49

B5

180-00-06

R

358-46-08 178-46-02 178-45-55

B5

40-20-30

D

239-06-16 178-45-46

B5

R 240-20-17

R

59-06-15 178-45-58 178-45-52 178-45-54

Dist

B5

F5

FT

173638 ✓

930.37 ✓

M

529.251

283.577

(85)

To 500 Rd.

~ Bogen Rd

(80)

X X X X X X X X X X

54

W03

PL T N L

7750

31 Aug 99

54

T

B5

B5

B3

IS W03-54-B6 (Set 1/2" 135' W. EDS)

FS W03-54-07 (Set 1/2" 8' 25' 701)

ISD 000-00-20 (Set 1/2" 8' 25' 701)

B6D 48-31-52 88-31-32

B7D 180-46-50 180-46-30

B5R 180-00-12

B6R 264-31-48 88-31-36 88-31-34

B7R 0-46-43. 180-46-31 180-46-305

B5D 60-20-30

B6D 148-52-08 88-31-38

B7D 24-07-05 180-46-35

B5R 240-20-23

B6R 328-52-07 88-31-44 88-31-4

B7R 61-06-53 180-46-30 180-46-305

Just B5 83 FS 86 FS 87

798.69 ✓ 1736.39 ✓ 1331.04 ✓

243.44 529.254 405.701

Sealed

PL

Toto

(81)

(85)

(83)

864

Biogran Rd

53

W03

7

83

BS

82

FS W03-53-85 (4-5 57 2) BS 38

BS D 10-00-20

FS D 177-38-08 177-37-48 ✓

BS R 140-00-04

FS R 357-38-11 177-38-07 ✓ 177-37-515 ✓

BS D 60-20-30

BS D 237-58-18 177-37-48 ✓

BS R 240-20-12

BS R 57-58-18 177-38-06 ✓ 177-37-57 177-37-57

Dist to BS 82

FS 85

1416.15 ✓

798.72 ✓

431.644


243.450

Dist N 1/2


THO

31 Aug 99

53



52					W03
I					
B5			82		
F5	W03-52-83	(R.P. 54-1/2' 135C 2' N. of N.E. 04 2050 4894 Dec. 1976)			
F5	W03-52-84	(L-5 570 835C see pg 38)			
B5D	000-00-20				
83D	140-35-32	180-35-12 ✓			
81D	359-08-10	359-07-50 ✓			
B5E	180-00-15				
83D	0-35-24	180-35-08 ✓ 180-35-10.5			
84D	179-09-03	395-07-58 359-07-49 48			
B5D	60-20-30				
83D	240-55-43	180-35-13 ✓			
B5E	240-20-29				
83E	60-55-34	180-35-05 180-35-09 180-35-18			
Dist 10	B.5.40	F.5.83			
	2164.40 ✓	1416.15 ✓			
	659.934	431.642			
		137.440			



S1

W03

DL
Buz II

T750

31 Aug 99

S1

A

80

B5

79

FS W03-S1-82

(348-52-08 Recv 1/28
In S. Edm 10560

B5 D 10-00-20

F.5 D 180-53-25 180-53-05 ✓

B5 R 170-00-16

F.5 R 000-53-18 180-53-02 ✓ 180-53-03 ✓

B5 D 60-20-30

B2 D 24-73-38 180-53-08 ✓


B5 R 240-20-23

B2 L 61-13-29 180-53-06 ✓ 183-53-07 ✓ 180-53-05 ✓

Dist to B579 F.5 82

952.76 ✓ 2164.81 ✓

290.402 659.834



49

W03

A

78

B.S

77

E.S W03-49 - 79 (M-S Conc. Mon 570
CAPP
see pg 35

B.S D

00-00-20

E.S D

141-68-40

181-68-35

B.S R

140-00-11

E.S R

1-04-53

181-08-42

181-10-195

B.S D

60-20-30

E.S D

241-30-51

181-10-21

B.S R

240-20-26

E.S R

61-30-41

181-10-15

181-10-18

181-10-19

Dist to

B.S 77

E.S M-S

655.50

1999.08

199.796

609.303

DLC

Bure

TNIL

T740

49

Topo Rd

Kane Rd

(78)

(79)

(77)

48

W03

T

77

B5

75

F5

W03-48-78

R.P. Sec 1/2 B5C 3'E. of
 (U). Eds Kane Rd on S. Woll
 Line Hse # 686 to west

B5D

00-00-30

E5D

179-11-33 179-11-13v

B5R

180-00-16

E5R

359-11-20 179-11-14v 79-11-135

B5D

60-20-30

E5D

239-31-44 179-11-14v

B5R

240-20-27

E5R

59-31-30 179-11-03v 79-11-083 179-11-11v

Dist to

8.575 E.578

S

2656.98 ✓ 655.50v

m

809.849 199.796

DC
Bart N.K

T730

31 Aug 99

48

