


1994 1-9 185



RECORDED

FEB 7 8 30 AM '72

REGISTER OF DEEDS
Mia Bell Humphrey
INGHAM COUNTY, MICH.

A part of the South 1/2 Section 24 T2N-R2E White Oak Township, Ingham County, Michigan, described as follows:

Commencing at the Southwest corner of said Section 24; thence S 89° 57' E 1570.96 feet along the centerline of Cooper Road and on the Section line; thence N 30° 13' 45" W 1323.14 feet along the centerline of Brogan Road; thence N 31° 26' 45" W 516.69 feet along the centerline of Brogan Road to the point of beginning of the land to be described; running thence N 31° 26' 45" W 702.18 feet along the centerline of Brogan Road; thence N 44° 36' 45" W 635.56 feet along the centerline of Brogan Road to the West $\frac{1}{2}$ corner of said Section 24; thence S 3° 51' 10" E 1051.67 feet along the Section line; thence S 89° 49' 45" E 742.02 feet to the point of beginning.

Containing 10.10 acres of land more or less and subject to highway easements.

Charles E. Garlock
Charles E. Garlock
R.L.S. 14762

CERTIFICATE OF SURVEY

ACCEPTABLE RATIO OF ERROR OF CLOSURE IS LESS THAN 1:5000. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND DESCRIBED ON DEC. 15, 1971 AND THAT THE RATIO OF CLOSURE ON SUCH SURVEY WAS 1:13,194, AND THAT ALL OF THE REQUIREMENTS OF P.A. 132 1970 HAVE BEEN COMPLIED WITH.

BEARINGS ESTABLISHED FROM MAGNETIC NORTH.

LEGEND: O-1/2" x 18" IRON RE-RODS SET & CAPPED, ●-IRONS FOUND, △-SPIKE, □-CORNER POST

LEGEND: O-1/2"x18" IRON RE-RODS SET & CAPPED, ●-IRONS FOUND, Δ-SPIKE, □-CORNER POST

Client: H. MALYNOWSKY

SECTION 24 T. 2 N.-R. 2 E.
WHITE OAK TOWNSHIP
 INGHAM COUNTY MICHIGAN

Munsell & Garlock Inc.
REGISTERED LAND SURVEYORS
307 E. GRAND RIVER
HOWELL, MICHIGAN 48843

[illegible]

SCALE: 1 INCH = 300 FEET


SCALE: 1 INCH = 300 FEET

T W N	B P	C
-------	-----	---

Down. B. S.	Chkd. <i>[Signature]</i>
-------------	--------------------------


ES. 121-78 Date: 12-15-71

1135



24E25

116 118



WITNESSES TO SW COR. SEC. 24 T2N-R2E
N 55° E 72.66' SP. & E/S 12" POPLAR
NORTH 27.69' SP. & W/S COR. FENCE POST
N 45° W 59.43' SP. & E/S TELEPHONE POLE
S 45° W 82.00' SP. & W/S WESTLY GATE POST

A part of the South 1/2 Section 24 T2N-R2E White Oak Township, Ingham County, Michigan, described as follows:
Commencing at the Southwest corner of said Section 24; thence S 89° 57' E 1570.96 feet along the centerline of Cooper Road and on the Section line; thence N 30° 13' 45" W 1256.45 feet along the centerline of Brogan Road to the point of beginning of the land to be described; running thence N 30° 13' 45" W 66.69 feet along the centerline of Brogan Road; thence N 31° 26' 45" W 516.69 feet along the centerline of Brogan Road; thence N 89° 49' 45" W 742.02 feet; thence S 3° 51' 10" E 498.75 feet along the Section line; thence S 89° 49' 45" E 1011.64 feet to the point of beginning.
Containing 10.02 acres of land more or less and subject to highway easements.

RECORDED


FEB 7 8 30 AM '72
REGISTER OF DEEDS
Mia Bell Humphrey
INGHAM COUNTY, MICH.

Charles E. Garlock
Charles E. Garlock
R.L.S. 14762

CERTIFICATE OF SURVEY


ACCEPTABLE RATIO OF ERROR OF CLOSURE IS LESS THAN 1:5000. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND DESCRIBED ON DEC. 15, 1971 AND THAT THE RATIO OF CLOSURE ON SUCH SURVEY WAS 1:13,194 AND THAT ALL OF THE REQUIREMENTS OF P.A. 132 1970 HAVE BEEN COMPLIED WITH.
BEARINGS ESTABLISHED FROM MAGNETIC NORTH.
LEGEND: O-1/2"x18" IRON RE-RODS SET & CAPPED, *-IRONS FOUND, Δ-SPIKE, □-CORNER POST

Client: H. MALYNOWSKY	SECTION 24 T. 2 N. R. 2 E.	Munsell & Garlock Inc.		
	WHITE OAK TOWNSHIP	REGISTERED LAND SURVEYORS		
	INGHAM COUNTY MICHIGAN	307 E. GRAND RIVER		
		HOWELL, MICHIGAN 48843		
		T.W.N.	Draw. B.D.	Chkd. <i>leg</i>
	SCALE: 1 INCH = 200 FEET	EB 12-78	Date: 12-15-71	



29425

197



WITNESSES TO SW COR. SEC. 24 T2N-R2E
 N 55° E 72.66' SP. & E/S 12" POPLAR
 NORTH 27.69' SP. & W/S COR. FENCE POST
 N 45° W 59.43' SP. & E/S TELEPHONE POLE
 S 45° W 82.00' SP. & W/S WOODLY GATE POST

A part of the South 1/2 Section 24 T2N-R2E White Oak Township, Ingham County, Michigan, described as follows:

Commencing at the Southwest corner of said Section 24; thence S 89° 57' E 1570.96 feet along the centerline of Cooper Road and on the Section line; thence N 30° 13' 45" W 801.96 feet along the centerline of Brogan Road to the point of beginning of the land to be described; running thence N 30° 13' 45" W 454.49 feet along the centerline of Brogan Road; thence N 89° 49' 45" W 1011.64 feet; thence S 3° 51' 10" E 392.97 feet along the Section line; thence S 89° 49' 45" E 1214.05 feet to the point of beginning.

Containing 10.01 acres of land more or less and subject to highway easements.

RECORDED

FEB 7 8 30 AM '72
 REGISTER OF DEEDS
 Miss Bill Humphrey
 INGHAM COUNTY, MICH.

Charles E. Garlock
 Charles E. Garlock
 R.L.S. 14762


CERTIFICATE OF SURVEY

ACCEPTABLE RATIO OF ERROR OF CLOSURE IS LESS THAN 1:5000. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND DESCRIBED ON DEC. 15, 1971 AND THAT THE RATIO OF CLOSURE ON SUCH SURVEY WAS 1:13,194.00, AND THAT ALL OF THE REQUIREMENTS OF P.A. 132 1970 HAVE BEEN COMPLIED WITH.

BEARINGS ESTABLISHED FROM MAGNETIC NORTH.

LEGEND: O-1/2"x18" IRON RE-RODS SET & CAPPED, @-IRONS FOUND, Δ-SPIKE, □-CORNER POST


Client: H. MALYNOWSKY	SECTION 24 T. 2 N.-R. 2 E. WHITE OAK TOWNSHIP INGHAM COUNTY MICHIGAN	Munsell & Garlock Inc. REGISTERED LAND SURVEYORS 307 E. GRAND RIVER HOWELL, MICHIGAN 48843
	SCALE: 1 INCH = 200 FEET	FB. 121-78 Date: 12-15-71



1:17

24 425

10 188



A part of the South $\frac{1}{2}$ Section 24 T2N-R2E White Oak Township, Ingham County, Michigan, described as follows:

Commencing at the Southwest corner of said Section 24; thence S 89° 57' E 1570.96 feet along the centerline of Cooper Road and on the Section line; thence N 30° 13' 45" W 413.56 feet along the centerline of Brogan Road to the point of beginning of the land to be described; running thence N 30° 13' 45" W 388.40 feet along the centerline of Brogan Road; thence N 89° 49' 45" W 1214.05 feet; thence S 3° 51' 10" E 335.83 feet along the Section line; thence S 89° 49' 45" E 1387.02 feet to the point of beginning.

Containing 10.002 acres of land more or less and subject to highway easements.

RECORDED

FEB 7 8 30 AM '72
REGISTER OF DEEDS
Mia Bill Humphrey
INGHAM COUNTY, MICH.

Charles E. Garlock
Charles E. Garlock
R.L.S. 14762


CERTIFICATE OF SURVEY

ACCEPTABLE RATIO OF ERROR OF CLOSURE IS LESS THAN 1:5000. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND DESCRIBED ON DEC. 5, 1971 AND THAT THE RATIO OF CLOSURE ON SUCH SURVEY WAS 1:13,194 AND THAT ALL OF THE REQUIREMENTS OF P.A. 132 1970 HAVE BEEN COMPLIED WITH.


BEARINGS ESTABLISHED FROM MAGNETIC NORTH.

LEGEND: O-1/2"x18" IRON RE-RODS SET & CAPPED, @-IRONS FOUND, Δ-SPIKE, □-CORNER POST

Client: H. MALYNOWSKY	SECTION 24 T. 2 N. R. 2 E.	Munsell & Garlock Inc.	
	WHITE OAK TOWNSHIP	REGISTERED LAND SURVEYORS	
	INGHAM COUNTY MICHIGAN	307 E. GRAND RIVER	
		HOWELL, MICHIGAN 48843	
	SCALE: 1 IN. = 300 FEET	FB. 12-78	Date: 12-15-71



11 190



WITNESSES TO SW COR. SEC. 24 T2N-R2E
 N55°E 72.66' SP. & E/S 12" POPLAR
 NORTH 27.69' SP. & W/S COR. FENCE POST
 N45°W 59.43' SP. & E/S TELEPHONE POLE
 S45°W 82.00' SP. & W/S WESTLY GATE POST

A part of the South $\frac{1}{2}$ Section 24 T2N-R2E White Oak Township, Ingham County, Michigan, described as follows:

Commencing at a point on the centerline of Cooper Road and on the Section line 479.81 feet S 89° 57' E from the Southwest corner of said Section 24; running thence S 89° 57' E 492.47 feet along the centerline of Cooper Road and on the Section line; thence N 0° 10' 15" W 358.00 feet, thence N 89° 49' 45" W 492.47 feet; thence S 0° 10' 15" E 359.00 feet to the point of beginning.

Containing 4.07 acres of land more or less and subject to highway easements.

RECORDED


FEB 7 8 30 AM '72
 REGISTER OF DEEDS
 Miss Bill Humphrey
 INGHAM COUNTY, MICH.

Charles E. Garlock
 Charles E. Garlock
 R.L.S. 14762

CERTIFICATE OF SURVEY


ACCEPTABLE RATIO OF ERROR OF CLOSURE IS LESS THAN 1:5000. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND DESCRIBED ON DEC. 15, 1971 AND THAT THE RATIO OF CLOSURE ON SUCH SURVEY WAS 1: 13,194, AND THAT ALL OF THE REQUIREMENTS OF P.A. 132 1970 HAVE BEEN COMPLIED WITH.
 BEARINGS ESTABLISHED FROM MAGNETIC NORTH.
 LEGEND: O-1/2"x18" IRON RE-RODS SET & CAPPED, ●-IRONS FOUND, Δ-SPIKE, □-CORNER POST

Client: H. MALYNOWSKY	SECTION 24 T. 2 N.-R. 2 E.	Munsell & Garlock Inc. REGISTERED LAND SURVEYORS 307 E. GRAND RIVER HOWELL, MICHIGAN 48843	
	WHITE OAK TOWNSHIP		
	INGHAM COUNTY MICHIGAN		
SCALE: 1 INCH = 200 FEET		W. N. Drwn. B. D. Chkd. <i>lg</i>	Date: 12-15-71



19 425

LIBER 1 PG 191



WITNESSES TO SW COR. SEC. 24 T2N-R2E
 N55°E 72.66' SP. & E/S 12" POPLAR
 NORTH 27.69' SP. & W/S COR. FENCE POST
 N45°W 59.43' SP. & E/S TELEPHONE POLE
 S45°W 82.00' SP. & W/S WESTLY GATE POST

A part of the South 1/2 Section 24 T2N-R2E White Oak Township, Ingham County, Michigan, described as follows:

Commencing at a point on the centerline of Cooper Road and on the Section line 972.28 feet S 89° 57' E from the Southwest corner of said Section 24; running thence S 89° 57' E 598.68 feet along the centerline of Cooper Road and on the Section line; thence N 30° 13' 45" W 413.56 feet along the centerline of Brogan Road; thence N 89° 49' 45" W 389.42 feet; thence S 0° 10' 15" E 358.00 feet to the point of beginning.

Containing 4.09 acres of land more or less and subject to highway easements.

RECORDED


FEB 7 8 39 AM '72
 REGISTER OF DEEDS
 MIA B. L. HUMPHREY
 INGHAM COUNTY, MICH.

Charles E. Garlock
 Charles E. Garlock
 R.L.S. 14762

CERTIFICATE OF SURVEY

ACCEPTABLE RATIO OF ERROR OF CLOSURE IS LESS THAN 1:5000. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND DESCRIBED ON DEC. 15, 1971 AND THAT THE RATIO OF CLOSURE ON SUCH SURVEY WAS 1:13,194, AND THAT ALL OF THE REQUIREMENTS OF P.A. 132 1970 HAVE BEEN COMPLIED WITH.
 BEARINGS ESTABLISHED FROM MAGNETIC NORTH.
 LEGEND: O-1/2"x18" IRON RE-RODS SET & CAPPED, ●-IRONS FOUND, Δ-SPIKE, □-CORNER POST

Client: H. MALYNOWSKY	SECTION 24 T. 2 N.-R. 2 E.		Munsell & Garlock Inc.	
	WHITE OAK TOWNSHIP		REGISTERED LAND SURVEYORS	
	INGHAM COUNTY MICHIGAN		307 E. GRAND RIVER HOWELL, MICHIGAN 48843	
SCALE: 1 INCH = 200 FEET		Drawn: B.D.	Chkd. Log	EB. 121-78
		Date: 12-15-71		




18 192

RECORDED

FEB 7 8 31 AM '72

REGISTER OF DEEDS
Mica. B. Humphrey
INGHAM COUNTY, MICH.



WITNESSES TO SW COR. SEC. 24 T2N-R2E
N 55° E 72.66' SP. & E 1/2 12\"/>

A part of the South $\frac{1}{2}$ of Section 24 T2N-R2E White Oak Township, Ingham County, Michigan, described as follows:
Beginning at the Southwest corner of said Section 24, running thence S 89° 57' E 1570.76 feet along the centerline of Cooper Road and on the Section line, thence N 30° 13' 45\"/>

Charles E. Garlock
Charles E. Garlock
R.L.S. 14762

CERTIFICATE OF SURVEY

ACCEPTABLE RATIO OF ERROR OF CLOSURE IS LESS THAN 1:5000. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND DESCRIBED ON DEC. 15, 1971 AND THAT THE RATIO OF CLOSURE ON SUCH SURVEY WAS 1:23,195. AND THAT ALL OF THE REQUIREMENTS OF P.A. 132-1970 HAVE BEEN COMPLIED WITH.
BEARINGS ESTABLISHED FROM MAGNETIC NORTH.
LEGEND: O-1/2\"/>

Client: H. MALYNOWSKY	SECTION 24 T. 2 N. R. 2 E. WHITE OAK TOWNSHIP INGHAM COUNTY MICHIGAN	MUNSON & Garlock Inc. REGISTERED LAND SURVEYORS 307 E. GRAND RIVER HOWELL, MICHIGAN 48842
	SCALE: 1 INCH = 500 FEET	FR. 121-701

"ORIGINAL"

LIBER

2 11177

CERTIFICATE of SURVEY

Scale 1" = 400'

No. 15422


SHEET 1 OF 4

HARMON REAL ESTATE
101 E. GRAND RIVER
FOWLERVILLE, MICHIGAN

Bearings assigned in conformity with previous survey in this section by R.L.S. #14762. Stakes along Brogan Road offset 33' from property line.

W 1/4 corner Sec. 24, T2N-R2E

INT. 1/4 corner Sec. 24, T2N-R2E



I HEREBY CERTIFY THAT I HAVE SURVEYED THE LANDS HEREIN DESCRIBED, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS WAS WITHIN ACCEPTABLE LIMITS, AND THAT THIS SURVEY COMPLIES WITH PUBLIC ACT 132 OF 1970.

A. F. MILLER

6-15-77

A. F. MILLER
Registered Land Surveyor No. 12024

Date


RECORDED

JUL 7 9 16 AM '77

REGISTER OF DEEDS

INGHAM COUNTY, MICH.

CORNER SET
CORNER FOUND
GOVERNMENT CORNER
FENCE



CARLSON, HOHLGOSH
MITCHELL & PIOTROWSKI
2303 LAPEER ROAD
FLINT, MICHIGAN 48303
PHONE 313/232-3211



SURVEYING
ENGINEERING
LANDSCAPE ARCHITECTURE
ARCHITECTURE

1489

CERTIFICATE of SURVEY

Scale 1" = 400'

No. 15422

HARMON REAL ESTATE
101 E. GRAND RIVER
POWELLVILLE, MICHIGAN 48836

SHEET 2 OF 4

Bearings assigned in conformity with previous survey in this section by R.L.S. #14762. Stakes along Brogan Road offset 33' from property line.

PARCEL A: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at the West 1/4 Corner of said Section; thence S 89°31'27" E, 2711.09 feet along the East and West 1/4 line as occupied to the Interior 1/4 Corner of said Section as occupied; thence S 03°25'57" E along the North and South 1/4 line as occupied, 252.54 feet; thence N 89°31'27" W, 2475.57 feet to the centerline of Brogan Road; thence N 44°36'45" W along said centerline, 356.87 feet to the point of beginning, containing 15.00 acres, more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

PARCEL B: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 356.87 feet from the West 1/4 Corner of said Section; thence S 89°31'27" E, 2475.57 feet to the North & South 1/4 line as occupied; thence S 03°25'57" E along said 1/4 line as occupied, 212.00 feet; thence N 89°31'27" W, 2283.32 feet to the centerline of Brogan Road; thence along said centerline N 31°26'16" W, 16.89 feet and N 44°36'45" W, 279.26 feet to the point of beginning, containing 11.54 acres more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

PARCEL C: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 636.13 feet and S 31°26'16" E, 16.89 feet from the West 1/4 Corner of said Section; thence S 89°31'27" E, 2283.32 feet to the North & South 1/4 line of said Section as occupied; thence S 03°25'57" E along said 1/4 line as occupied, 240.00 feet; thence N 89°31'27" W, 2150.56 feet to the centerline of Brogan Road; thence N 31°26'16" W along said centerline, 262.08 feet to the point of beginning, containing 12.19 acres, more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

PARCEL D: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 636.13 feet and S 31°26'16" E, 298.97 feet from the West 1/4 Corner of said Section; thence S 89°31'27" E, 2150.56 feet to the North & South 1/4 line as occupied; thence S 03°25'57" E along said 1/4 line as occupied, 230.00 feet; thence N 89°31'27" W, 2023.33 feet to the centerline of Brogan Road; thence N 31°26'16" W along said centerline, 270.33 feet to the point of beginning, containing 10.99 acres, more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

I HEREBY CERTIFY THAT I HAVE SURVEYED THE LANDS HEREIN DESCRIBED, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS WAS WITHIN ACCEPTABLE LIMITS, AND THAT THIS SURVEY COMPLIES WITH PUBLIC ACT 132 OF 1970.

A. F. MILLER


6-15-77

A. F. MILLER

Date

Registered Land Surveyor No. 12024

CARLSON, HOHLOCH
MITCHELL & PIOTROWSKI
2505 LAPEER ROAD
FLINT, MICHIGAN 48503
PHONE 313/252-3211



SURVEYING
ENGINEERING
LANDSCAPE ARCHITECTURE
ARCHITECTURE

CORNER SET
CORNER FOUND
GOVERNMENT CORNER
FENCE

○
●
●
●

CERTIFICATE of SURVEY

Scale 1" = 400'

No. 15422
SHEET 3 OF 4HARMON REAL ESTATE
101 E. GRAND RIVER
FOWLERVILLE, MICHIGAN 48836Bearings assigned in conformity with previous survey in this section by
R.L.S. #14762. Stakes along Brogan Road offset 33' from property line.

PARCEL E: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 636.13 feet and S 31°26'16" E, 569.30 feet from the West 1/4 Corner of said Section; thence S 89°31'27" E, 2023.33 feet to the North & South 1/4 line as occupied; thence S 03°25'57" E along said 1/4 line as occupied, 228.00 feet; thence N 89°31'27" W, 1897.21 feet to the centerline of Brogan Road; thence N 31°26'16" E along said centerline, 267.97 feet to the point of beginning, containing 10.24 acres, more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

PARCEL F: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 636.13 feet and S 31°26'16" E, 837.27 feet from the West 1/4 Corner of said Section; thence S 89°31'27" E, 1897.21 feet to the North & South 1/4 line as occupied; thence S 03°25'57" E along said 1/4 line as occupied, 228.67 feet; thence N 89°31'27" W, 1765.18 feet to the centerline of Brogan Road; thence N 31°26'16" W along said centerline, 280.52 feet to the point of beginning, containing 10.01 acres more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

PARCEL G: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 636.13 feet and S 31°26'16" E, 1117.79 feet from the West 1/4 Corner of said Section; thence S 89°31'27" E, 1765.18 feet to the North & South 1/4 line as occupied; thence S 03°25'57" E along said 1/4 line as occupied, 533.72 feet; thence N 89°55'53" W, parallel to the South Section line, 1476.78 feet to the centerline of Brogan Road; thence along said centerline N 30°13'12" W, 532.51 feet and N 31°26'16" W, 100.23 feet to the point of beginning, containing 20.02 acres, more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

PARCEL H: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 636.13 feet and S 31°26'16" E, 1218.02 feet and S 30°13'12" E, 535.51 feet from the West 1/4 Corner of said Section; thence S 89°55'53" E parallel to the South Section line, 1476.78 feet to the North and South 1/4 line as occupied; thence S 03°25'57" E along said 1/4 line as occupied 313.14 feet; thence N 89°55'53" W, 1313.35 feet to the centerline of Brogan Road; thence N 30°13'12" W along said centerline 361.96 feet to the point of beginning, containing 10.01 acres, more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

I HEREBY CERTIFY THAT I HAVE SURVEYED THE LANDS HEREIN DESCRIBED, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS WAS WITHIN ACCEPTABLE LIMITS, AND THAT THIS SURVEY COMPLIES WITH PUBLIC ACT 132 OF 1970.

A. F. Miller


6-15-77

A. F. MILLER

Date


Registered Land Surveyor No. 12024

CARLSON, HOHLOCH
MITCHELL & PIOTROWSKI
2505 LAPEER ROAD
FLINT, MICHIGAN 48903
PHONE 313/232-5211



SURVEYING
ENGINEERING
LANDSCAPE ARCHITECTURE
ARCHITECTURE

CORNER SET
CORNER FOUND
GOVERNMENT CORNER
FENCE



CERTIFICATE of SURVEY

Scale 1" = 400'

No. 15422

Sheet 4 of 4

HARMON REAL ESTATE
101 E. GRAND RIVER
FOWLERVILLE, MICHIGAN 48836

PARCEL J: Part of the SW 1/4 of Section 24, T2N, R2E, Township of White Oak, Ingham County, Michigan, described as beginning at a point in the centerline of Brogan Road which is S 44°36'45" E, 636.13 feet and S 31°26'16" E, 1218.02 feet and S 30°13'12" E, 894.97 feet from the West 1/4 Corner of said Section; thence S 89°55'53" E parallel to the South Section line, 1313.35 feet to the North & South 1/4 line as occupied; thence S 03°25'57" E along said 1/4 line as occupied, 370.54 feet to the South 1/4 Corner of said Section; thence N 89°55'53" W along the South Section line, 1119.95 feet to the centerline of Brogan Road; thence N 30°13'12" W along said centerline, 428.31 feet to the point of beginning, containing 10.33 acres more or less, subject to that part now used as Brogan Road, so-called, and subject also to any and all easements and/or rights-of-way of record.

SECTION CORNER WITNESSES FOR SECTION 24, T2N, R2E, WHITE OAK TOWNSHIP

WEST 1/4 CORNER: FOUND 1 1/2" Pipe
West, 61.80' nail/tag in power pole
N45°E, 50.45' nail/tag in twin 12" tree
S70°E, 50.20' nail/tag in 12" tree
South, 49.55' nail/tag in 10" tree

INTERIOR 1/4 CORNER: FOUND 1/2" Pipe
North, 19.60' nail/tag in 8" maple
N80°W, 19.25' nail/tag in 8" Ash
S75°W, 17.46' nail/tag in 10" Oak
N85°E, 16.40' nail/tag in 40" Maple

ROAD POINTS OF INTERSECTION

Iron Re-rod S 44°36'45" E, 636.13 feet from West 1/4 Corner (Point is on East edge of road)

East, 17.37' nail/tag in 12" Oak cluster
N45°E, 14.74' nail/tag in 15" Oak
North 60.06' nail/tag in 24" Oak

Iron Re-rod N 30°13'12" W, 1322.78 feet from intersection of South Section line and Brogan Road in centerline of road at top of hill, 100 feet more or less South of House #1362

N 45° W, 104.56' nail/tag in power pole
N 80° E, 25.95' nail/tag in 15" Oak
N 25° E, 40.25' nail/tag in 24" Oak

Iron Re-rod at intersection of South Section line and Brogan Road

S05°W, 49.42' nail/tag in 12" Hickory; S10°E, 76.17' nail/tag in 24" Oak
N05°E, 39.13' nail/tag in 24" Oak; S45°W, 45.34' county road sign

I HEREBY CERTIFY THAT I HAVE SURVEYED THE LANDS HEREIN DESCRIBED, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS WAS WITHIN ACCEPTABLE LIMITS, AND THAT THIS SURVEY COMPLIES WITH PUBLIC ACT 132 OF 1970.

A. F. Miller


6-15-77

A. F. MILLER

Date


Registered Land Surveyor No. 12024

CARLSON, HONLOCH
MITCHELL & PIOTROWSKI
2503 LAPEER ROAD
FLINT, MICHIGAN 48503
PHONE 313/232-5211



SURVEYING
ENGINEERING
LANDSCAPE ARCHITECTURE
ARCHITECTURE


CORNER SET
CORNER FOUND
GOVERNMENT CORNER
FENCE



24 524

Page 3 of 210

CERTIFICATE OF SURVEY



Part of the Southwest 1/4 of Section 24 T2N-R2E White Oak Township Ingham County Michigan, described as follows:
Beginning at the West 1/4 corner of said Section 24; running thence S 44° 36' 45" E 635.56 feet along the centerline of Brogan Rd.; thence S 31° 26' 45" E 1218.87 feet along the centerline of Brogan Rd.; thence S 30° 13' 45" E 1323.14 feet along the centerline of Brogan Rd.; thence S 32° 57' E 1120.38 feet to the South 1/4 corner of said Section 24; thence N 32° 57' W 2624.28 feet to the Center of said Section 24; thence N 89° 38' 45" W 2713.91 feet to the point of beginning. Containing 110.61 acres of land more or less and subject to highway easements.

ACCEPTABLE RATIO OF ERROR OF CLOSURE SHALL BE LESS THAN 1/5000 OR ACTUAL ERROR OF CLOSURE SHALL BE LESS THAN 0.15 FT. I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND/OR DESCRIBED ON APRIL 20, 1977, AND THAT THE RATIO OF CLOSURE ON THE UNADJUSTED FIELD OBSERVATIONS OF SUCH SURVEY WAS 1/5000+, AND THAT ALL OF THE REQUIREMENTS OF P.A. 132 1970 HAVE BEEN COMPLIED WITH. BEARINGS WERE ESTABLISHED FROM PREVIOUS SURVEYS

Charles E. Garlock
CHARLES E. GARLOCK
R.L.S. 14762

LEGEND: * - IRONS FOUND, ■ - CORNER POST, O - 1/2"x18" IRON RE-ROD SET & CAPPED

Client: <u>H. Malynowski</u>	SECTION <u>24</u> T. <u>2</u> N. R. <u>2</u> E.	Munsell & Garlock	
	<u>WHITE OAK</u> TOWNSHIP	REGISTERED LAND SURVEYORS	
	<u>INGHAM</u> COUNTY MICHIGAN	307 E. GRAND RIVER	
		HOWELL, MICHIGAN 48843	
		A. R. E. E. Drawn by	Chkd. by
16771	SCALE: 1" INCH = 500 FEET	F.B. 142-42	Date: 4-13-77



CERTIFICATE OF SURVEY

EAST 1/4 COR., SEC. 26, T2N-R2E
White Oak Township, Ingham County, MI
Corner left as found

Nail & tag, #18998, SE side 6" Maple, N 3.73'

Nail & tag, #18998, E side 8" Maple, N 22.30'

Nail & tag, #18998, SE side Light Pole,
NE 81.47'

Nail & tag, #18998, W side 20" Maple,
SSE 41.75'

Recorded Liber 6,
Page 160

SE COR., SEC. 26,
T2N-R2E, White
Oak Township,
Ingham County, MI


Found 1/2" Capped
Iron Rod

SE 150.58' RR spk in
48" Oak

NW 10.65' RR spk in
Anchor Post

NE 108.45' RR spk in
Power Pole

Recorded Liber 2,
Page 267



JUL 12 10 37 AM '82

REGISTER OF DEEDS

Paula Johnson
INGHAM COUNTY, MICH

RECORDING SPACE

DESCRIPTION


Beginning at a point in the East line of Section 26,
S 04° 48' 29" E 1.24 feet from the East 1/4 Corner of Section
26, T2N-R2E, White Oak Township, Ingham County, Michigan, thence
S 04° 48' 29" E 438.38 feet along the East line of Section 26, S 85° 11'
31" W 298.10 feet, N 04° 48' 29" W 438.38 feet, N 85° 11' 31" E 298.10 feet
to the p.o.b. and containing 3.00 acres of land more or less subject to all
easements of record.

I certify that I have surveyed the property described hereon and that the ratio
of error of closure on the unadjusted field measurements is not greater than 1/5000,
and that all of the requirements of P.A. 132 of 1970 have been complied with.

Bearings were referenced to the East line of Section 26, which is assumed to bear
S 04° 48' 38" E.

Wolverine Engineers and Surveyors, Inc.

George M. Young
George M. Young, R.L.S. # 17660



LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF
SECTION LINE
DESCRIBED BOUNDARY
IRON SET & CAPPED
IRON FOUND
EX. FENCE LINE

2571

WOLVERINE ENGINEERS & SURVEYORS, INC.
ENGINEERS-SURVEYORS
MASON, MICHIGAN

SURVEY FOR FORD HAWKINS

FIELD SURVEY J.E.L. SCALE 1" = 100'

DRAWN BY R.J.C.-J.E.L. DATE JUNE 14, 1982