

12

25° 10' 00"

WHITE OAK 1-23-07

6-12

AND CAP #18998

FOUND MONUMENT IN MONUMENT BOX

0.5' SOUTH OF E SWAN ROAD ON TREE

LIVE TO SOUTH. NO EXCAVATION PERFORMED

DUE TO PREVIOUS WORK AT CORNER.

SET 24" ALUMINUM REMOV CAP #28414

ON MOVEMENT.

FOUND NAIL AND TAG #25832 NE SIDE 6"

HICKORY N35W 32.43

FOUND NAIL AND TAG #25832 EAST SIDE

21" WALNUT WORTH 48 75

FOUND NAIL AND NING #25832 EAST SIDE

12" WALNUT SOUTH 48.63

SET REMON NAIL AND TAG SOUTH SIDE

24" WALNUT N85E 166.90

[illegible]

ROAD IN SLIGHT CUT AREA. ASPHALT ROAD.

ON LINE BETWEEN 2 FARM FIELDS TO

WORTH

W02-20-194
• FOUND MOOT
MONUMENT

W02-20-181-F11

W0220-182-G-11

w02-20-183-H-11

W02-20-208-11

W02-20-207
SET 1/2" ROD
IN 2 GRAVEL ROAD

W02-20-179-512

W02-20-206-I12

W02-20-178-H 12

WO2-20-177-G12

W02-20-192-F12

SETY2 ROD
IN FIELD
W02-20-212

W02-20-211

SET γ_2 "R=0"

IN FIELD

7 W02-20-1807

1403-70

100-20-209-613

FOUND 3/4" PIPE AND PA345 CAP # 25837 6.5' NORTH OF ROCK PILE

21

H-12 WHITE OAK 1-23-07
 FOUND $\frac{3}{4}$ " PIPE AND UNREADABLE CAP IN
 MONUMENT BOX IN E SWAN ROAD, 57'
 WEST OF E M-52. EPOXYED ALUMINUM
 REMON CAP #28414 ON TOP.

1-23-07

J-12

WHITE OAK

FOUND $\frac{1}{2}$ " ROD AND UNREADABLE CAP AT
 SOUTH EDGE OF SWAN ROAD, ON TREE LINE
 TO SOUTH AND EDGE OF WOODS TO NORTH.
 NO EXCAVATION DUE TO PREVIOUS WORK
 AT CORNER. REPLACED FOUND ROD WITH
 $\frac{3}{4}$ " X 24" SMOOTH IRON ROD AND 24"
 ALUMINUM REMON CAP #28414
 CORNER IS IN FILL AREA OF ROAD
 FOUND NAIL AND TAG #17640 NW SIDE
 POWER POLE S44W 39.59
 FOUND NAIL AND TAG #25832 NORTH SIDE
 18" CHERM S50E 28.25
 FOUND NAIL AND TAG #25832 SOUTH SIDE 24" OAK
 NS2W 65.70
 FOUND NAIL AND TAG #29238 SE SIDE
 POWER POLE NS2E 49.88

FOUND NAIL IN EAST SIDE 8" LOCUST
 N10W 180.44'
 FOUND NAIL AND MORT TAG IN NORTH
 SIDE 36" OAK S85W 126.74'
 FOUND NAIL AND TAG #28414 SOUTH SIDE
 24" MAPLE S45W 115.01'
 E CONCRETE R.O.W. MARKER N70W
 115.01'

2-27-07
TOMMY SINKHAEVE
CLOUDY 30°

22

H-13

WHITE OAK

FOUND MONUMENT BOX IN ASPHALT &
M-36 AND M-36. EXCAVATED INSIDE BOX.
AT 1.5' DEEP FOUND 1/2" ROD. EXCAVATED TO
DEPTH OF 20. FOUND NO FURTHER EVIDENCE.
SET 3/4" X 1/8" SOLID BAR WITH ALUMINUM
INGHAM COUNTY REMON CAP #28414
AT LOCATION OF FOUND IRON.

3-19-07 CLOUDY 35°

F-12

WHITE OAK

FOUND MONUMENT AT & OF SWAN AND OAKLEY
ROADS. NO EXCAVATION DUE TO PREVIOUS
WORK AT CORNER. PLACED ADJUSTMENT RING
AND CAP AROUND MONUMENT. ASPHALT ROAD
INTERSECTION. TREE LINE TO NORTH.
CUT AREA OF ROAD

SW CORNER METAL POLE BORN N80W 156.04
CENTERLINE SOUTH END CONCRETE CURBET N69W 61.20
FOUND EMPTY MONUMENT BOX & M-32 NORTH 189.99
SET REMON NAIL AND TAG NW SIDE
UTILITY POLE S25W 237.97
FOUND NAIL AND TAG #25832 SOUTH SIDE 18"
TRIPLE CHERRY WEST 176.60
FOUND 5/8" ROD IN MON BOX H-1 TINY R2E
WEST 28.91
FOUND NAIL AND "HIGH STATE HIGHWAY B.M." TAG
SOUTH SIDE UTILITY POLE N85W 77.26
SOUTHEAST FOUNDATION CORNER HOUSE
#2490 N50W 113.78
FOUND PK NAIL SW SIDE UTILITY POLE
N25W 164.79

FOUND NAIL AND TAG #25832 SE SIDE LEANING-
FENCE POST N18E 26.26
FOUND NAIL AND TAG #25832 NE SIDE 15"
APPLE SSE 149.19
FOUND NAIL AND TAG #18998 NE SIDE 18"
OAK S50E 58.50
FOUND NAIL AND TAG #25832 N SIDE 21"
HICKORY S77W 119.47
SET REMON NAIL AND TAG S SIDE UTILITY
POLE N74E 116.29
SET REMON NAIL AND TAG W SIDE 10"
ASH S16E 100.49


F-11 WHITE OAK 3-19-07
 FOUND 1/2" ROD AND UNREADABLE CAP AT SW CORNER OF WOOD LOT IN OLD NORTH-SOUTH WIRE FENCE. EXCAVATED 1' X 1' X 1' HOLE AT LOCATION OF FOUND IRON ON SOUTH SIDE OF FENCE AND/OR POST. FOUND NO FURTHER EVIDENCE. REMOVED IRON WITH 3/4" X 24" SMOOTH IRON ROD AND 2 1/4" ALUMINUM REMON CAP #28414.
 WITNESSES
 FOUND NAIL AND TAG #28414 SOUTH SIDE 15" ASH N35E 22.25
 FOUND NAIL AND TAG #28414 WEST SIDE 8" MAPLE N10E 11.43
 FOUND NAIL AND TAG #28414 SOUTH SIDE 8" MAPLE N40E 12.18
 FOUND NAIL AND TAG #28414 SOUTH SIDE 8" ASH N45E 18.75

3-19-07 G-11 WHITE OAK
 PROPERTY CONTROLLING CORNER
 FOUND 3/4" X 30" PIPE ON NORTH-SOUTH LINE BETWEEN FARM FIELDS. EXCAVATED 2' X 2' HOLE 1.5' DEEP. FOUND NO FURTHER EVIDENCE. REPLACED PIPE WITH 3/4" X 24" SMOOTH IRON ROD.
 FOUND 3/4" PIPE AND BRASS "STATE OF MICHIGAN" CAP NORTH 9.70'. EXCAVATED 2' DIAMETER HOLE 1' DEEP. HOLE WAS FULL OF ROCKS. FOUND NO FURTHER EVIDENCE.
 WITNESSES:
 FOUND NAIL AND TAG #25832 WEST SIDE 6" CHERRY STUMP NORTH 59.50
 FOUND NAIL AND TAG #28414 WEST SIDE 36" OAK NORTH 63.30
 FOUND 3/4" PIPE AND BRASS "STATE OF MICHIGAN" CAP NORTH 9.70
 FOUND 1/2" IRON ROD IN 1/2 CARTER ROAD NORTH 727.43
 SOUTH 1/4 CORNER SECTION 28
 WEST 2665.80
 SET ALUMINUM REMON CAP #28414 ON SET 3/4" ROD.

H-11 WHITE OAK 3-19-07
 FOUND 3/4" PIPE WITH "MDSH REFERENCE POINT"
 CAP IN CONCRETE IN MONUMENT BOX IN
 DITCH ON WEST SIDE OF M-52. FILL AREA
 OF ROAD. OCCUPATION LINE TO WEST.
 REMOVED CAP AND EPOXYED ALUMINUM
 REMON CAP #28914 ON PIPE

WITNESSES

FOUND NAIL AND TAG #28914 NORTH SIDE
 2 1/2" MAPLE WEST 98.15
 FOUND NAIL AND TAG #25832 SW SIDE 24"
 MAPLE N14W 82.00
 FOUND NAIL AND TAG #28914 NW SIDE 15"
 QUAD CHERY 542W 52.85
 FOUND NAIL AND TAG #25832 SE SIDE 15"
 QUAD CHERY 537W 52.80
 FOUND NAIL AND MOOT TAG SW SIDE 30"
 MAPLE NSOW 30.37
 WEST EDGE OF M-52 ASPHALT EAST 22.57



W02-24-191-K11


3-19-07 WHITE OAK
 GPS SHOTS

W02-24-189-K12

W02-24-190-K13

W02-24-185-E-11

W02-24-184-E12
 FOUND 3/4" ROD



25/

BS W02-24-187
 T W02-24-186
 FS W02-24-188-E13

WHITE OAK 3-19-07

WHITE OAK 3-27-07

T. SIMPSON
 W. BRINKOTTER
 CLOUDY 70°

BSD 0°00'00"
 FSD 184°49'24"
 BSR 180°00'10"
 FSR 04°49'27"
 BSD 0°00'00"
 FSD 184°49'26"
 BSR 180°00'07"
 FSR 04°29'25"
184°49'21"

T W02-24-186
 FS W02-24-188-E13

T W02-24-186
 FS W02-24-187

338.74
 338.75
 REVERSED
 338.76
 338.75
338.75

113.42
 113.42
 REVERSED
 113.42
 113.42
113.42

5-11
 FOUND $\frac{1}{2}$ "X30" PIPE AT OLD EAST-SOUTH
 FENCE INTERSECTION. EXCAVATED 2.0'X2.0'
 HOLE 1.5' DEEP. FOUND HOLE FULL OF
 ROCKS. CORNER IN WOODS WITH
 NO OCCUPATION VISIBLE. SET $\frac{3}{4}$ "X24"
 SMOOTH IRON ROD AND 24" ALUMINUM
 REMOV CAP #28414 AT LOCATION OF
 $\frac{1}{2}$ " PIPE.

WITNESSES:

FOUND NAIL AND TAG #25832 WEST SIDE
 12" LOCUST S20E 3.91

FOUND OVERGROWN NAIL AND TAG SOUTH SIDE
 12" CHERRY, SET NAIL AND TAG #28414 BELOW
 580W 27.98

FOUND NAIL AND OVERGROWN TAG SOUTH SIDE
 15" OAK, SET NAIL AND TAG #28414 BELOW
 540W 44.18

FOUND NAIL AND TAG #25832 EAST SIDE
 18" MAPLE S50E 18.74

26

3-27-07

WHITE OAK

3-27-07

WHITE OAK

4

BS W02-24-200-J11

T W02-24-201

FS W02-24-202

35 W02-24-201

T W02-24-202

FS W02-24-203

BSD 0°00'00"

FSD 213°11'27" 27

BSR 179°59'52"

FSR 33°11'20" 28

BSD 0°00'03"

FSD 213°11'30" 27

BSR 179°59'57"

FSR 33°11'25" 28

213°11'28"

BSD 0°00'00"

FSD 195°29'14" 14

BSR 179°59'50"

FSR 15°29'09" 19

BSD 359°59'59"

FSD 195°29'21" 22

BSR 179°59'51"

FSR 15°29'05" 14

195°29'17"

T W02-24-201

FS W02-24-200-J11

313.14

313.14

REVERSED

313.14

313.14

313.14

T W02-24-202

FS W02-24-201

655.23

655.23

REVERSED

655.23

655.23

655.23

T W02-24-202

FS W02-24-203

189.66

189.66

REVERSED

189.66

189.66

189.66

2
 4-11-07 SNOV 30° TSINMAEVE
 WHITE OAK I-11 MLOTHIMERE
 Found $\frac{3}{8}$ " Rod 03 below gravel ROAD SURFACE
 IN 7' FILL AREA OF ROAD. EXCAVATED
 2.5X2.5X2.5 HOLE. Found Rod TO
 be INSIDE $1\frac{1}{2}$ "X30" PIPE 1.0' BELOW
 ROAD SURFACE. Found NO FURTHER
 EVIDENCE. SET $3\frac{1}{4}$ " X 24" SMOOTH IRON
 ROD AND $2\frac{1}{4}$ " ALUMINUM REMON CAP
 #28914 AT LOCATION OF FOUND
 REMON O.Y. below GRADE, 7' EAST
 OF ROAD & ON WIRE FENCE LINE
 TO EAST NO OCCUPATION TO WEST.
 Found NAIL AND TAG #25832 WEST
 SIDE 15" WALNUT 54.18 N17E
 Found NAIL AND TAG #25832 EAST SIDE 24"
 WALNUT 85.54 N13W
 Found NAIL AND TAG #25832 SOUTH SIDE 10"
 WALNUT 36.85 N80W
 Found NAIL AND TAG #28914 WEST SIDE 36"
 OAK 100.05 S2E
 Found NAIL AND TAG #25832 SW SIDE 12" OAK
 23.89 S38E
 Found NAIL AND TAG #25832 SOUTH SIDE
 24" MAPLE 33.10 EAST

4-11-07 I-12 WHITE OAK
 Found $\frac{3}{8}$ "X24" Rod IN ASPHALT ROAD
 INTERSECTION IN CUT AREA. EXCAVATED
 20X20X20 HOLE AROUND IRON. Found
 NO FURTHER EVIDENCE. SET $3\frac{1}{4}$ "X24"
 SMOOTH IRON ROD AND $2\frac{1}{4}$ " ALUMINUM
 REMON CAP IN PLACE OF FOUND IRON
 4.5' WEST OF E BURDEN ROAD AND
 4.0' SOUTH OF E SWANN ROAD, ^{ALSO SET} NOW BOX
 Found NAIL AND TAG #18998 SE SIDE
 24" MAPLE N45E 45.18
 Found NAIL AND TAG #18998 EAST SIDE
 21" OAK S8W 127.99
 Found NAIL AND TAG #28914 WEST SIDE
 32" OAK SIZE 81.50
 SET REMON NAIL AND TAG SW SIDE
 UTILITY POLE N40W 160.93

29

T. SIMPSON
M. KETCHUM

7-27-07

cloudy 55°

WHITE OAK

T. SIMPSON
M. KETCHUM

4-30-07

sunny 65°

J-13

WHITE OAK

BS W02-20-211

T W02-20-212

FS W02-20-210-G1

found 1/2" x 18" rod and cap #17640 O.S.
below ASPHALT ROAD SURFACE, ON TREE

LINE TO NORTH. ROAD IS IN SLIGHT FILL

AREA. REMOVED IRON AND SET 3/4" x 18"

SMOOTH IRON ROD AND ALUMINUM REMON

CAP #28414 AND MOUNTAIN BOX.

NO FURTHER EXCAVATION DUE TO PREVIOUS

WORK AT CORNER.

WITNESSES

FOUND NAIL AND TAG #28414 SOUTH SIDE

15" HICKORY NSGE 39.96

BSD 0°00'00"
FSD 155°46'53"
BSR 179°59'59"
FSR 335°46'53"

155°46'57"

SET REMON NAIL AND TAG NSGW 59.52

NE SIDE

SET REMON NAIL AND TAG NW SIDE

24" SPRUCE 548W 56.12

SET REMON NAIL AND TAG NE SIDE 21"

SPRUCE 538E 67.25

T W02-20-212
FS W02-20-211

1182.65

1182.64

REVERSED

1182.65

1182.64

1182.65

T W02-20-212
FS W02-20-210-G1

262.97

262.97

REVERSED

262.97

262.97

262.97

4-30-07

G-13

WHITE OAK

SET $\frac{3}{4}$ " X $\frac{1}{4}$ " SMOOTH IRON ROD AND
 ALUMINUM REMON CAP #28414 AT
 SOUTH EDGE OF WATER OF E-W DITCH
 12' EAST OF E OF N-S DITCH ON
 LINE BETWEEN G-1 AND H13 11481.
 EAST OF G-1.

SET REMON NAIL AND TAG SOUTH SIDE
 DOUBLE 12" MAPLE NBSE 40.42

NAIL AND TAG #25832 SOUTH SIDE
 27" MAPLE STOE 34.90

SET REMON NAIL AND TAG SW SIDE
 15" DOUBLE MAPLE S35E 36.07

NAIL AND TAG #18998 NE SIDE 18" MAPLE
 S16W 82.90

FOUND $\frac{3}{4}$ " PIPE AND CAP #25837 WEST 11481

π W02-20-212
 BS W02-20-211
 FS W02-20-209-G13


140°26'23" 162.27

MAY 7, 2007

T. SINHAUVE
M. KETCHUM

WHITE OAK

SUNNY 70°



W02-30-218-I10
 FOUND POINTED
 STONE

W02-30-216
 SET $\frac{1}{2}$ " ROD IN FIELD

W02-30-217
 SET $\frac{1}{2}$ " ROD IN FIELD

W02-30-214-G10
 FOUND $\frac{1}{2}$ " ROD

W02-30-213
 SET $\frac{1}{2}$ " ROD IN FIELD

W02-30-215
 SET $\frac{1}{2}$ " ROD IN FIELD

CARTER ROAD

31

5-7-07

WHITE OAK

5-7-07

WHITE OAK

BS W02-30-215

π W02-30-213

FS W02-30-214-G10

BS W02-30-217

π W02-30-216

FS W02-30-218-210

BSD 0°00'00"

FSD 233°56'50"

BSR 179°59'52"

FSR 53°56'42"

BSD 0°00'01"

FSD 233°56'58"

BSR 180°00'00"

FSR 53°56'49"

233°56'52"

50

50

57

49

BSD 0°00'00"

FSD 220°41'39"

BSR 179°59'55"

FSR 40°41'37"

BSD 0°00'05"

FSD 220°41'37"

BSR 180°00'01"

220°41'36"

39"

42"

32"

29"

π W02-30-213

FS W02-30-214-G10

122.13

122.14

REVERSED

122.13

122.13

122.13

π W02-30-213

FS W02-30-215

298.60

298.60

REVERSED

298.60

298.60

298.60

π W02-30-216

FS W02-30-218

161.40

161.40

REVERSED

161.40

161.40

161.40

π W02-30-216

FS W02-30-217

157.35

157.35

REVERSED

157.35

157.35

157.35

32

G-11 WHITE OAK

SUNNY 70°
T. SIMPSON

7-13-07

T. SIMPSON
M. KETCHUM

CLOUDY 75°

J-12

FOUND 3/4" PIPE AND BRASS "STATE
OF MICHIGAN" CAP. SEE PAGE 23.

WITNESSES:

FOUND 3/4" ROD AND ALUMINUM
REMOVAL CAP #28414 SOUTH 9.70

FOUND NAIL AND TAG #25832 WEST SIDE

6" CHERRY STUMP NORTH 49.80

FOUND NAIL AND TAG #28414 WEST SIDE

36" OAK NORTH 53.60

FOUND 1/2" ROD IN E CARTER RD

NORTH 717.73

3/4 CORNER SECTION 28 WEST

STAMPED #28414 IN CAP

SET MON BOX AROUND PREVIOUSLY
SET REMOVAL IRON AND CAP