

Index Map
The numbers on the lines refer to the pages



Boundary of Red Cedar River 6/16/63

Boundary of Indian land 12/28/63

T. 4 N. R. 7 E. Mer. (Mick)

Township Lines

South Boundary Var. 4°40'

West on the S. Bound. Sec. 36

2.00 Saw Swamp { S. 2 cor. S. 36
Maple 10 in. S. 36. 170
Willow S. 36. 240 5

13.43 Beech 20 in. diam.

32.87 00 18 "

40.00 Set 1/4 Sec. post. for a

Beech 18 in. N. 16 W. 15 1/2 ft.

Lugar 10 in. N. 5 1/2 E. 19 "

50.30 Beech 12 in. di.

80.00 Set post cor. Secs. 35 & 36 for

Lugar 20 in. di. N. 47 1/2 W. 60 ft.

Elm 9 " N. 61 E. 7 "

Rolling good land Timber Beech

Lugar Lignum ash &c. V. g. the same

2. J 4 i A B 1 C.

West on the G. Rd. Sec 35.

19.54 Beech 15 in di.

30.50 Run 15 in C. N.

38.00 Maple 11 in. di.

40.00 Set $\frac{1}{4}$ Sec-post for an

ironwood 4 in. A 40 $\frac{1}{2}$ W 17 M.

Do 3 in. A 29 E 22.

50.60 W. C. 18 in. di.

72.50 Run 12 M wide C. N.

85.24 Sugar 22 in. diam.

80.00 Set-post Cor of Secs 34 & 35

Beech 6 in. A 30 $\frac{1}{2}$ W 34 M.

Ironwood 4 in. A 64 E 15.

Land Timber &c same as last Sec.

ended

23 J 4 i B 1 C.

West on G. Rd. Sec. 34

18.47 Beech 13 in di.

40.00 Set $\frac{1}{4}$ Sec-post for

Beech 9 in. A 66 W 80 M.

Do 12 in. A 22 $\frac{1}{2}$ E 12 $\frac{1}{2}$ in.

62.57 Beech 18 in di.

65.00 Ent. Swamp

77.16 Ash 12 in. di. & leave Swamp

80.00 Set-post Cor. to Sec. 33 & 34

Beech 7 in. A 89 $\frac{1}{4}$ E 5 $\frac{1}{2}$ M.

Do 8 in. A 46 $\frac{1}{2}$ W 10.

Land Timber &c same as last

described

4 J H N B 1 E

West on S. Bd. Sec 33

1.00 Buck 9 in. diam.

36.80 Ash 10. " "

40.00 Set $\frac{1}{4}$ Sec post for a

Maple 3 in. N 45 W 11 $\frac{1}{2}$ lbs

Ash 3 " N 55 E 20 $\frac{1}{2}$ "

60.50 Do 23. " di.

73.18 Sugar 10 in di.

80.00 Set post co Sect 32 & 33 for

Sugar 12 in. N 16 W 17 $\frac{1}{2}$ lbs

Do. 14 N 69 E 45 "

Land under Hg. Same as last described.

J H N B 1 E

West on S. Bd. Sec 32

8.87 Sugar 12 in di.

14.44 a Run 6 M wide C. S. W

28.45 Buck 13 in. diam.

40.00 Set $\frac{1}{4}$ Sec post for a

Buck 9 in. N 47 W 18 $\frac{1}{2}$ lbs

Do. 7 " N 71 E 34 "

40.40 Sugar 15 in. diam.

78.37 Buck 12. " "

80.00 Set post Co. Sect 31 & 32

Buck 11 in. N 61 W 35 $\frac{1}{2}$ lbs

Do. 15 " N 43 $\frac{1}{2}$ E 29 "

Land under and M. g. same as last described.

40 J 4 N R 1 D

North Between Secs 33 & 34

7.35 Beech 14 in. diam.

11.50 enter brushy Swamp

18.00 leave " "

22.02 Sugar 16 in. di.

40.00 Set 1/4 Sec post - for a

Beech 12 in. N 8 3/4 W 18 1/2 ft.

Do. 9 in. N 45 E 13 1/2 "

60.55 Do. 15 in. diam.

77.17 Do 14 in. "

80.00 Set post for Sec. 27. 28. 33 & 34

Beech 11 in. N 60 E 19 ft.

Do. 8 in. N 63 1/2 W 20 "

Land level 2nd rate timber

Beech Ash, Oak, Elm, Spruce,

Wig. Same with Spruce

J 4 N R 1 C 41

East on land on betw. Sec. 27 & 34

40.00 Set stump 1/4 Sec post -

58.07 Beech 12 in. di. Corner

W. on left bank of River.

61.85 across bend, set post on

same bank of Red Cedar River

13. Oak 5 in. S 65 W 7 ft.

Sept. 28 8 in. N 50 E 19 1/2 "

80.30 Int. N 45 E line at post

Land timber. Wg. same as last described

West marked between Sec. 27 & 34

10.74 Set post on right bank of Red Cedar R.

W. Oak 24 in. N 23 E 20 ft.

No other bearing tree

14.05 Set post on left bank of River for

Wick 13 in. S 28 E 7 ft.

Do. 6 in. N 13 W 6 "

52 J. H. N. B. 1 D.

East on Road. betw. Sec. 28 & 29

40.00 Set temp $\frac{1}{4}$ Sec post.

80.26 Int. N & S line 7th N of post

Sound timber & U.S. same as last
described

West - Corrected betw. Sec. 28 & 29

40.13 Set $\frac{1}{4}$ Sec post at over dist.

Beech 21 in. S 82 W 11 W

Do. 12 in. N 87 E 32 in.

80.26 To Sec Corner

J. H. N. B. 1 D. 53

North between Sec. 28 & 29

9.45 Sugar 30 in. diam.

31.98 Sugar 36 in. "

40.00 a Beech 16 in. Co. tree for S. Sec. Cor.

41.68 Do 18 in. di.

63.56 Sugar 15 in. "

76.43 a Hornbeam 8 in. Cor. tree on

left bank of Red Cedar River

79.32 set post on right bank of Red

Cedar River W. 10 in S 88 E 8 W.

Beech 6 in. N 69 W 4 in.

79.50 a path leads E. & W.

80.00 Set post Cor. Sec. 20. 21. 28 & 29

Sugar 9 in S 40 E 14 W

Maple 14 in S 25 W 17 in.

Sound timber W. S. same as
last described

50 T. 4. N. R. 1 E.

North between Sects 3 & 4

7.17 W. Oak 11 in. diam.

40.00 Set $\frac{1}{4}$ Sec post for cor

near upper cor N $\frac{1}{4}$ W - 1/2

B. & W. Elm 14 in. S 11 W 40 in

119.27 W. O. 14 in. diam.

67.08 B Oak 12 in "

81.83 a path leads S & W.

95.00 Set N. Bound 202 N. E. of post

Set post at intersection cor.

Sect 3 & 4 from which

N. E. 1/2 in Sec 19

Oak 9 in. S 44 W 17 in

Elm 10 in S 60 E 13 in

Land timber N. E. the same as last
described except the last 1/2 mile which
is hilly B. Oak land

T. 4. N. R. 1 E. 57

North between Sects 32 & 33

17.21 a W. Oak 24 in. diam.

25.37 a Beech 18 in "

40.00 Set $\frac{1}{4}$ Sec post for a

Beech 9 in S 53 W 18 in.

Sugar 21 in S. 128 21 in

61.41 Ash 16 in diam.

80.00 Set post cor. Sect 28. 29. 32 & 33

Beech 8 in. N 62 E 20 in

Sugar 16 in S 46 W 3 1/2 in

Lowest level 2nd rate timber again.

Beech Ash & W. N. P. same.